

# NFPA® 473

## Standard for Competencies for EMS Personnel Responding to Hazardous Materials/Weapons of Mass Destruction Incidents

### 2013 Edition



NFPA, 1 Batterymarch Park, Quincy, MA 02169-7471  
An International Codes and Standards Organization

**IMPORTANT NOTICES AND DISCLAIMERS CONCERNING NFPA® DOCUMENTS**  
**NOTICE AND DISCLAIMER OF LIABILITY CONCERNING THE USE OF NFPA DOCUMENTS**

NFPA® codes, standards, recommended practices, and guides (“NFPA Documents”), of which the document contained herein is one, are developed through a consensus standards development process approved by the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus on fire and other safety issues. While the NFPA administers the process and establishes rules to promote fairness in the development of consensus, it does not independently test, evaluate, or verify the accuracy of any information or the soundness of any judgments contained in NFPA Documents.

The NFPA disclaims liability for any personal injury, property or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, or reliance on NFPA Documents. The NFPA also makes no guaranty or warranty as to the accuracy or completeness of any information published herein.

In issuing and making NFPA Documents available, the NFPA is not undertaking to render professional or other services for or on behalf of any person or entity. Nor is the NFPA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

The NFPA has no power, nor does it undertake, to police or enforce compliance with the contents of NFPA Documents. Nor does the NFPA list, certify, test, or inspect products, designs, or installations for compliance with this document. Any certification or other statement of compliance with the requirements of this document shall not be attributable to the NFPA and is solely the responsibility of the certifier or maker of the statement.

## **IMPORTANT NOTICES AND DISCLAIMERS CONCERNING NFPA DOCUMENTS**

### **ADDITIONAL NOTICES AND DISCLAIMERS**

#### **Updating of NFPA Documents**

Users of NFPA codes, standards, recommended practices, and guides (“NFPA Documents”) should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of Tentative Interim Amendments. An official NFPA Document at any point in time consists of the current edition of the document together with any Tentative Interim Amendments and any Errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of Tentative Interim Amendments or corrected through the issuance of Errata, consult appropriate NFPA publications such as the National Fire Codes® Subscription Service, visit the NFPA website at [www.nfpa.org](http://www.nfpa.org), or contact the NFPA at the address listed below.

#### **Interpretations of NFPA Documents**

A statement, written or oral, that is not processed in accordance with Section 6 of the Regulations Governing Committee Projects shall not be considered the official position of NFPA or any of its Committees and shall not be considered to be, nor be relied upon as, a Formal Interpretation.

#### **Patents**

The NFPA does not take any position with respect to the validity of any patent rights referenced in, related to, or asserted in connection with an NFPA Document. The users of NFPA Documents bear the sole responsibility for determining the validity of any such patent rights, as well as the risk of infringement of such rights, and the NFPA disclaims liability for the infringement of any patent resulting from the use of or reliance on NFPA Documents.

NFPA adheres to the policy of the American National Standards Institute (ANSI) regarding the inclusion of patents in American National Standards (“the ANSI Patent Policy”), and hereby gives the following notice pursuant to that policy:

**NOTICE:** The user’s attention is called to the possibility that compliance with an NFPA Document may require use of an invention covered by patent rights. NFPA takes no position as to the validity of any such patent rights or as to whether such patent rights constitute or include essential patent claims under the ANSI Patent Policy. If, in connection with the ANSI Patent Policy, a patent holder has filed a statement of willingness to grant licenses under these rights on reasonable and nondiscriminatory terms and conditions to applicants desiring to obtain such a license, copies of such filed statements can be obtained, on request, from NFPA. For further information, contact the NFPA at the address listed below.

#### **Law and Regulations**

Users of NFPA Documents should consult applicable federal, state, and local laws and regulations. NFPA does not, by the publication of its codes, standards, recommended practices, and guides, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

#### **Copyrights**

NFPA Documents are copyrighted by the NFPA. They are made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of safe practices and methods. By making these documents available for use and adoption by public authorities and private users, the NFPA does not waive any rights in copyright to these documents.

Use of NFPA Documents for regulatory purposes should be accomplished through adoption by reference. The term “adoption by reference” means the citing of title, edition, and publishing information only. Any deletions, additions, and changes desired by the adopting authority should be noted separately in the adopting instrument. In order to assist NFPA in following the uses made of its documents, adopting authorities are requested to notify the NFPA (Attention: Secretary, Standards Council) in writing of such use. For technical assistance and questions concerning adoption of NFPA Documents, contact NFPA at the address below.

#### **For Further Information**

All questions or other communications relating to NFPA Documents and all requests for information on NFPA procedures governing its codes and standards development process, including information on the procedures for requesting Formal Interpretations, for proposing Tentative Interim Amendments, and for proposing revisions to NFPA documents during regular revision cycles, should be sent to NFPA headquarters, addressed to the attention of the Secretary, Standards Council, NFPA, 1 Batterymarch Park, P.O. Box 9101, Quincy, MA 02169-7471; email: [stds\\_admin@nfpa.org](mailto:stds_admin@nfpa.org)

For more information about NFPA, visit the NFPA website at [www.nfpa.org](http://www.nfpa.org).

Copyright © 2012 National Fire Protection Association®. All Rights Reserved.

**NFPA® 473**

**Standard for**

**Competencies for EMS Personnel Responding to Hazardous  
Materials/Weapons of Mass Destruction Incidents**

**2013 Edition**

This edition of NFPA 473, *Standard for Competencies for EMS Personnel Responding to Hazardous Materials/Weapons of Mass Destruction Incidents*, was prepared by the Technical Committee on Hazardous Materials Response Personnel. It was issued by the Standards Council on May 29, 2012, with an effective date of June 18, 2012, and supersedes all previous editions.

This edition of NFPA 473 was approved as an American National Standard on June 18, 2012.

**Origin and Development of NFPA 473**

Following the development of NFPA 471, *Recommended Practice for Responding to Hazardous Materials Incidents* (which was incorporated into NFPA 472 and NFPA 473 for the 2008 editions), and NFPA 472, *Standard for Professional Competence of Responders to Hazardous Materials Incidents* (which was retitled *Standard for Competence of Responders to Hazardous Materials/Weapons of Mass Destruction Incidents* for the 2008 edition), the Technical Committee on Hazardous Materials Response Personnel undertook the development of a standard relating to the professional competencies of emergency medical personnel who could be required to respond to hazardous materials incidents. The roles and responsibilities of EMS personnel at hazardous materials incidents had not been identified in the majority of emergency response systems.

The first edition of NFPA 473 was released in 1992. In the 1997 edition, the committee reviewed the first edition and updated it for consistency with the related NFPA 471 and NFPA 472 and for clarity of the competencies.

In 1998 the committee processed a Tentative Interim Amendment (TIA) to address concerns related to the unique challenges of responding to hazardous materials incidents that could be caused by criminal or terrorist activity. Those concerns were motivated by the 1995 bombing of the Alfred P. Murrah Federal Building in Oklahoma City and other national and international incidents.

The TIA added paragraphs on recognizing criminal and terrorist activities, differentiating between chemical and biological agents, actions to take when criminal or terrorist activity is suspected, providing patient care at incidents resulting from chemical and biological agents, and other similar competencies.

In the 2002 edition, the TIA material was updated and moved into the body of the text, along with other updates to coordinate with a similar TIA and other new material in NFPA 472 related to weapons of mass destruction and incidents involving radioactive materials. Additional changes in wording and format were made in accordance with the 2000 edition of the *Manual of Style for NFPA Technical Committee Documents*.

The 2008 edition of NFPA 473 was completely rewritten to address the hazards that emergency medical services (EMS) personnel encounter from hazardous materials/weapons of mass destruction. New definitions and technical information were added. The requirements in the 2008 edition enhanced the safety and protection of response personnel and all components of the EMS system.

The 2013 edition adopts the concept of mission-specific competencies that were previously integrated into the 2008 edition of NFPA 472. This new edition is expanded to include a new chapter on competencies for advanced life support (ALS) responders assigned mission-specific responsibilities. Mission-specific responsibilities include ALS responders assigned to a hazardous materials response team, ALS responders assigned to provide clinical intervention at a hazardous materials/WMD incident, and ALS responders assigned to treatment of smoke inhalation victims.

### **In Memoriam and Honor**

The Technical Committee would like to dedicate NFPA 473, *Standard for Competencies for EMS Personnel Responding to Hazardous Materials/Weapons of Mass Destruction Incidents*, 2013 edition to three of our long-time committee members and friends.

John Eversole was an early member of the NFPA Technical Committee on Hazardous Materials Response Personnel and served for 20 years, including nine years as Committee Chairman. Chief Eversole was a 32-year veteran of the Chicago Fire Department and founded that department's Hazardous Materials Incident Team. John retired from active duty in 2001 but continued to serve as the Chairman of both the NFPA and the IAFC Hazardous Materials Committees, as well as a member of the Inter-Agency Board (IAB) until his passing in 2007. John Eversole was a tireless advocate for the fire service and hazardous materials responders and will be truly missed.

Jerry Grey was an original member of the Technical Committee, representing the San Francisco, CA, Fire Department. Jerry served for many years as the Vice Chairman, and is well known throughout the U.S. for his training and educational efforts in the "early days" of hazmat response. Among his accomplishments were his work with Bob Turkington on The HazCat Kit, and with Chief Hank Howard for sharing their experiences at a 1983 Benicia, CA, tank car incident that ultimately resulted in the development of the NFPA chemical protective clothing standards (NFPA 1991 and 1992). Jerry is now retired and enjoying the good life with his wife Veronica.

Dieter Heinz was another Californian who joined the Committee in 1987 and was well-known throughout the hazmat response community for his excellent Chemistry of Hazardous Materials programs at the National Fire Academy and other locations. A long-time representative of the California State Firefighters Association, Dieter unexpectedly passed away in 2011. We will long remember his laugh, the "Dieterisms," and his contributions to our profession.

## Technical Committee on Hazardous Materials Response Personnel

**Gregory G. Noll**, *Chair*

Hildebrand & Noll Associates Inc., PA [SE]

**Glen D. Rudner**, *Nonvoting Secretary*

CRA-USA Inc., VA [SE]

(Alt. to R. B. Emery)

**Christina M. Baxter**, U.S. Department of Defense, VA [E]

**Donald Beckering**, Minnesota State Colleges and Universities, MN [U]

**H. K. Carr**, H. K. Carr & Associates Inc., NJ [U]

Rep. International Society of Fire Service Instructors

**Tom Clawson**, Technical Resources Group, Inc., ID [SE]

**William R. Coffey**, WRC Safety and Risk Consultants, PA [SE]

Rep. American Society of Safety Engineers

**K. Wade Collins**, Virginia Department of Emergency Management, VA [C]

**Cris D'Onofrio**, U.S. Environmental Protection Agency, NJ [E]

**Richard C. Edinger**, Chesterfield County Fire & Emergency Medical Services, VA [E]

Rep. International Association of Fire Chiefs

**Manuel H. Ehrlich, Jr.**, ESP Consulting, LLC, NJ [SE]

**Richard B. Emery**, Emery & Associates, Inc., IL [SE]

**Christian W. Hays**, Orange County Sheriff's Department, CA [E]

Rep. National Tactical Officers Association

**Steven Hergenreter**, Fort Dodge Fire Fighters, IAFF Local 633, IA [L]

Rep. International Association of Fire Fighters

**Robert J. Ingram**, Fire Department City of New York, NY [E]

**Kevin W. Johnson**, U.S. Federal Bureau of Investigation, VA [E]

**Wayne McNett**, Hemlock Semiconductor Corporation, MI [U]

Rep. NFPA Industrial Fire Protection Section

**Leslie A. Miller**, Fire Protection Publications, OK [M]

Rep. International Fire Service Training Association

**Thomas D. Miller**, Sissonville Volunteer Fire Department, WV [C]

Rep. National Volunteer Fire Council

**Matthew Minson**, Critical Management Programs, TX [SE]

**John F. Porter**, Louisiana State Police, LA [C]

**Richard J. Raksnis**, CHEMTREC, VA [SE]

**Timothy R. Rehak**, National Institute for Occupational Safety & Health, PA [E]

**Robert W. Royall, Jr.**, Harris County Fire Marshal's Office, TX [E]

**Rob Schnepp**, Alameda County Fire Department, CA [C]

**Danny G. Simpson**, CN Railway, IL [U]

**Daniel Gary Snell**, Houston Fire Department, TX [E]

**Gary L. Sprifke, Jr.**, U.S. Capitol Police, VA [E]

**Robert Stenner**, Pacific Northwest National Laboratory, WA [RT]

**Fred C. Terryn**, U.S. Department of the Air Force, FL [U]

**Christopher Tracy**, Fairfield Fire Department, CT [C]

Rep. Fairfield County Hazardous Incident Response Team

**Kenneth W. Uzeloc**, Calgary Fire Department, Canada [E]

Rep. Canadian Association of Fire Chiefs

**Dennis L. Wilson**, Dallas Police Department/Bomb Squad, TX [C]

Rep. National Bomb Squad Commanders Advisory Board

**Charles J. Wright**, Omaha, NE [SE]

### Alternates

**Charles Cordova**, Seattle Fire Department, WA [E]

(Alt. to R. C. Edinger)

**Nicholas Del Re**, Fire Department City of New York, NY [E]

(Alt. to R. J. Ingram)

**Michael S. Hildebrand**, Hildebrand & Noll Associates, Inc., MD [SE]

(Alt. to G. G. Noll)

**Thomas C. Jordan**, Virginia Department of Emergency Management, VA [C]

(Alt. to K. W. Collins)

**Bruce S. Kelly**, Fairfield County Hazardous Incident Response Team, OR [C]

(Alt. to C. Tracy)

**Mike Montgomery**, Harris County Fire Marshal's Office, TX [E]

(Alt. to R. W. Royall, Jr.)

**David L. Moore**, U.S. Environmental Protection Agency, NV [E]

(Alt. to C. D'Onofrio)

**Tony J. Mussorfiti**, Massapequa, NY [RT]

(Alt. to R. Stenner)

**Lee Nelson**, CN Railway, Canada [U]

(Alt. to D. G. Simpson)

**Steven G. Patrick**, U.S. Federal Bureau of Investigation, VA [E]

(Alt. to K. W. Johnson)

**James E. Podolske, Jr.**, U.S. Department of the Air Force, FL [U]

(Alt. to F. C. Terryn)

**Kevin D. Quinn**, Union Fire District, RI [C]

(Alt. to T. D. Miller)

**Barry R. Weissman**, Weissman Consultants, NJ [SE]

(Alt. to W. R. Coffey)

### Nonvoting

**Erik S. Glassman**, Oak Ridge Associated Universities, VA [E]

Rep. U.S. Department of Homeland Security/CBRNE

**Joseph J. Leonard**, U.S. Coast Guard, TX [E]

**Janis M. McCarroll**, U.S. Department of Homeland Security, DC [E]

Rep. U.S. Department of Homeland Security/CBRNE

**Wayne E. Yoder**, U.S. Department of Homeland Security, MD [SE]

**Thomas McGowan**, NFPA Staff Liaison

*This list represents the membership at the time the Committee was balloted on the final text of this edition. Since that time, changes in the membership may have occurred. A key to classifications is found at the back of the document.*

NOTE: Membership on a committee shall not in and of itself constitute an endorsement of the Association or any document developed by the committee on which the member serves.

**Committee Scope:** This Committee shall have primary responsibility for documents on the requirements for professional qualifications, professional competence, training, procedures, and equipment for emergency responders to hazardous materials/weapons of mass destruction incidents.

## Contents

<b>Chapter 1 Administration</b> .....	<b>473– 5</b>	5.2 Competencies — Analyzing the Hazardous Materials Incident .....	<b>473–13</b>
1.1 Scope .....	<b>473– 5</b>	5.3 Competencies — Planning the Response ...	<b>473–14</b>
1.2 Purpose .....	<b>473– 5</b>	5.4 Competencies — Implementing the Planned Response .....	<b>473–15</b>
1.3 CDC Categories A, B, and C .....	<b>473– 5</b>	5.5 Competencies — Terminating the Incident .....	<b>473–17</b>
<b>Chapter 2 Referenced Publications</b> .....	<b>473– 5</b>	<b>Chapter 6 Competencies for Advanced Life Support (ALS) Responders Assigned Mission-Specific Responsibilities</b> .....	<b>473–17</b>
2.1 General .....	<b>473– 5</b>	6.1 General. ....	<b>473–17</b>
2.2 NFPA Publications .....	<b>473– 5</b>	6.2 Mission-Specific Competencies: Advanced Life Support (ALS) Responder Assigned to a Hazardous Materials Team. ....	<b>473–18</b>
2.3 Other Publications .....	<b>473– 5</b>	6.3 Mission-Specific Competencies: Advanced Life Support (ALS) Responder Assigned to Provide Clinical Interventions at Hazardous Materials/WMD Incident. ....	<b>473–20</b>
2.4 References for Extracts in Mandatory Sections (Reserved) .....	<b>473– 5</b>	6.4 Mission-Specific Competencies: Advanced Life Support (ALS) Responder Assigned to Treatment of Smoke Inhalation Victims. ....	<b>473–21</b>
<b>Chapter 3 Definitions</b> .....	<b>473– 5</b>	<b>Annex A Explanatory Material</b> .....	<b>473–22</b>
3.1 General .....	<b>473– 5</b>	<b>Annex B Toxicity Analysis and Antidote Tables</b> ....	<b>473–25</b>
3.2 NFPA Official Definitions .....	<b>473– 5</b>	<b>Annex C Informational References</b> .....	<b>473–30</b>
3.3 General Definitions .....	<b>473– 6</b>	<b>Index</b> .....	<b>473–32</b>
<b>Chapter 4 Competencies for Hazardous Materials/WMD Basic Life Support (BLS) Responder</b> .....	<b>473– 7</b>		
4.1 General .....	<b>473– 7</b>		
4.2 Competencies — Analyzing the Incident ...	<b>473– 8</b>		
4.3 Competencies — Planning the Response ...	<b>473– 9</b>		
4.4 Competencies — Implementing the Planned Response .....	<b>473–10</b>		
4.5 Reporting and Documenting the Incident .....	<b>473–12</b>		
4.6 Compiling Incident Reports .....	<b>473–12</b>		
<b>Chapter 5 Competencies for Hazardous Materials/WMD Advanced Life Support (ALS) Responder</b> .....	<b>473–12</b>		
5.1 General .....	<b>473–12</b>		

**NFPA 473****Standard for****Competencies for EMS Personnel  
Responding to Hazardous  
Materials/Weapons of Mass Destruction  
Incidents****2013 Edition**

**IMPORTANT NOTE:** This NFPA document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notices and Disclaimers Concerning NFPA Documents.” They can also be obtained on request from NFPA or viewed at [www.nfpa.org/disclaimers](http://www.nfpa.org/disclaimers).

**NOTICE:** An asterisk (\*) following the number or letter designating a paragraph indicates that explanatory material on the paragraph can be found in Annex A.

Changes other than editorial are indicated by a vertical rule beside the paragraph, table, or figure in which the change occurred. These rules are included as an aid to the user in identifying changes from the previous edition. Where one or more complete paragraphs have been deleted, the deletion is indicated by a bullet (•) between the paragraphs that remain.

Information on referenced publications can be found in Chapter 2 and Annex C.

**Chapter 1 Administration**

**1.1 Scope.** This standard identifies the levels of competence required of emergency medical services (EMS) personnel who respond to incidents involving hazardous materials or weapons of mass destruction (WMD).

**1.1.1** This document specifically covers the requirements for basic life support and advanced life support personnel in the pre-hospital setting.

**1.1.2** This standard is based on the premise that all EMS responders are trained to meet at least the core competencies of the operations level responders as defined in Chapter 5 of NFPA 472, *Standard for Competence of Responders to Hazardous Materials/Weapons of Mass Destruction Incidents*.

**1.2 Purpose.** The purpose of this standard is to specify minimum requirements of competence and to enhance the safety and protection of response personnel and all components of the emergency medical services system.

**1.2.1** It is not the intent of this standard to restrict any jurisdiction from exceeding these minimum requirements.

**1.3\* CDC Categories A, B, and C.** This standard uses the U.S. Centers for Disease Control and Prevention (CDC) categories of diseases and agents.

**Chapter 2 Referenced Publications**

**2.1 General.** The documents or portions thereof listed in this chapter are referenced within this standard and shall be considered part of the requirements of this document.

**2.2 NFPA Publications.** National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02169-7471.

NFPA 472, *Standard for Competence of Responders to Hazardous Materials/Weapons of Mass Destruction Incidents*, 2013 edition.

NFPA 704, *Standard System for the Identification of the Hazards of Materials for Emergency Response*, 2012 edition.

NFPA 1584, *Standard on the Rehabilitation Process for Members During Emergency Operations and Training Exercises*, 2008 edition.

**2.3 Other Publications.**

**2.3.1 U.S. Government Publications.** U.S. Government Printing Office, Washington, DC 20402.

*Emergency Response Guidebook*, Washington, D.C.: U.S. Department of Transportation, 2012.

Title 18 U.S. Code Section 2332a, “Use of Weapons of Mass Destruction,” Washington, D.C.: Government Printing Office.

Title 29, Code of Federal Regulations, Part 1910.120, *Hazardous Waste Operations and Emergency Response*, U.S. Department of Labor, 1994.

ICS Forms, [www.fema.gov/emergency/nims/JobAids.shtm](http://www.fema.gov/emergency/nims/JobAids.shtm), ICS Form 206.pdf.

**2.3.2 Other Publications.**

*Merriam-Webster’s Collegiate Dictionary*, 11th edition, Merriam-Webster, Inc., Springfield, MA, 2003.

**2.4 References for Extracts in Mandatory Sections. (Reserved)****Chapter 3 Definitions**

**3.1 General.** The definitions contained in this chapter shall apply to the terms used in this standard. Where terms are not defined in this chapter or within another chapter, they shall be defined using their ordinarily accepted meanings within the context in which they are used. *Merriam-Webster’s Collegiate Dictionary*, 11th edition, shall be the source for the ordinarily accepted meaning.

**3.2 NFPA Official Definitions.**

**3.2.1\* Approved.** Acceptable to the authority having jurisdiction.

**3.2.2\* Authority Having Jurisdiction (AHJ).** An organization, office, or individual responsible for enforcing the requirements of a code or standard, or for approving equipment, materials, an installation, or a procedure.

**3.2.3\* Listed.** Equipment, materials, or services included in a list published by an organization that is acceptable to the authority having jurisdiction and concerned with evaluation of products or services, that maintains periodic inspection of production of listed equipment or materials or periodic evaluation of services, and whose listing states that either the equipment, material, or service meets appropriate designated standards or has been tested and found suitable for a specified purpose.

**3.2.4 Shall.** Indicates a mandatory requirement.

**3.2.5 Should.** Indicates a recommendation or that which is advised but not required.



**3.2.6 Standard.** A document, the main text of which contains only mandatory provisions using the word “shall” to indicate requirements and which is in a form generally suitable for mandatory reference by another standard or code or for adoption into law. Nonmandatory provisions are not to be considered a part of the requirements of a standard and shall be located in an appendix, annex, footnote, informational note, or other means as permitted in the *Manual of Style for NFPA Technical Committee Documents*.

### 3.3 General Definitions.

**3.3.1 Advanced Life Support (ALS).** Emergency medical treatment beyond basic life support level as defined by the medical authority having jurisdiction in conjunction with the American Heart Association guidelines.

**3.3.1.1 Emergency Medical Technician — Intermediate (EMTI).** An individual who has completed a course of instruction that includes selected modules of the U.S. Department of Transportation National Standard EMT — Paramedic curriculum and who holds an intermediate level EMT-I or EMT-C certification from the authority having jurisdiction.

**3.3.1.2 Emergency Medical Technician — Paramedic (EMTP).** An individual who has successfully completed a course of instruction that meets or exceeds the requirements of the U.S. Department of Transportation National Standard EMT — Paramedic curriculum and who holds an EMT-P certification from the authority having jurisdiction.

**3.3.1.3 Medical Director.** Plans and directs all aspects of an organization’s or system’s medical policies and programs, including operations and offline (protocol) and online medical direction (direct communication consultation); is responsible for strategic clinical relationships with other physicians; oversees the development of the clinical content in materials; ensures all clinical programs are in compliance; writes and reviews research publications appropriate to support clinical service offerings; requires an active degree in medicine with specialty experience or training in emergency and disaster medical mitigation, administration, and management; relies on experience and judgment to plan and accomplish goals; and typically coordinates with the incident command.

**3.3.1.4 Medical Team Specialist.** Any healthcare provider or medically trained specialist acting under the authority of the medical director and within the context of the National Incident Management System authorized to act as the medical point of contact for an incident. This can include, but is not exclusive to, nurses, nurse practitioners, EMTs, ECAs, physician assistants, and in some cases a health and safety officer.

**3.3.2\* Allied Professional.** That person who possesses the knowledge, skills, and technical competence to provide assistance in the selection, implementation, and evaluation of mission-specific tasks at a hazardous materials/weapons of mass destruction (WMD) incident.

**3.3.3 Basic Life Support (BLS).** Emergency medical treatment at a level as defined by the medical authority having jurisdiction in conjunction with American Heart Association guidelines.

**3.3.3.1\* Emergency Care First Responder (ECFR).** An individual who has successfully completed the specified emergency care first responder course developed by the U.S.

Department of Transportation and who holds an ECFR certification from the authority having jurisdiction.

**3.3.3.2 Emergency Medical Technician — Ambulance/Basic (EMTA/B).** An individual who has successfully completed an EMT-A or EMT-B curriculum developed by the U.S. Department of Transportation or equivalent, who holds an EMT-A/B certification from the authority having jurisdiction.

**3.3.4 Competence.** The possession of knowledge, skills, and judgment needed to perform indicated objectives satisfactorily.

**3.3.5\* Components of Emergency Medical Service (EMS) System.** The parts of a comprehensive plan to treat an individual in need of emergency medical care following an illness or injury.

**3.3.6 Contaminant.** A hazardous material, or the hazardous component of a weapon of mass destruction (WMD), that physically remains on or in people, animals, the environment, or equipment, thereby creating a continuing risk of direct injury or a risk of exposure.

**3.3.7 Core Competencies.** The knowledge, skills, and judgment needed by operations level responders who can respond to releases or potential releases of hazardous materials/WMD.

**3.3.8\* Demonstrate.** To show by actual performance.

**3.3.9 Describe.** To explain verbally or in writing using standard terms recognized in the hazardous materials response community.

**3.3.10 Emergency Medical Services (EMS).** The provision of treatment, such as first aid, cardiopulmonary resuscitation, basic life support, advanced life support, and other prehospital procedures, including transportation, of patients.

**3.3.11 EMS Hazardous Materials (EMS/Hazardous Materials/WMD) Responder.**

**3.3.11.1 Emergency Medical Services Responders to Hazardous Materials/Weapon of Mass Destruction at the ALS Level (ALS Level Responder).** In addition to their ALS certification, operations level responders who are assigned EMS mission-specific responsibilities at hazardous materials/WMD incidents shall be trained to meet all competencies of NFPA 472, *Standard for Competence of Responders to Hazardous Materials/Weapons of Mass Destruction Incidents*, Chapters 4 and 5, and all competencies for the assigned responsibilities in NFPA 473, Chapters 4 and 5.

**3.3.11.2 Emergency Medical Services Responders to Hazardous Materials/Weapon of Mass Destruction at the BLS Level (BLS Level Responder).** In addition to their BLS certification, operations level responders who are assigned EMS mission-specific responsibilities at hazardous materials/WMD incidents shall be trained to meet all competencies of NFPA 472, *Standard for Competence of Responders to Hazardous Materials/Weapons of Mass Destruction Incidents*, Chapters 4 and 5, and all competencies for the assigned responsibilities in NFPA 473, Chapter 4.

**3.3.12 Exposure.** The act or condition whereby responders or civilians come into contact with hazardous materials/WMD that results in any level of physical injury or acute/delayed health effect.

**3.3.13\* Hazardous Material.** A substance (matter — solid, liquid, or gas — or energy) that when released is capable of creating harm to people, the environment, and property, including weapons of mass destruction (WMD) as defined in 18 U.S.



Code, Section 2332a, as well as any other criminal use of hazardous materials, such as illicit laboratories, environmental crimes, or industrial sabotage. Hazardous materials/WMD shall be used throughout this document to represent hazardous materials/weapons of mass destruction.

**3.3.14 Identify.** To select or indicate verbally or in writing using standard terms to establish the identity of; the fact of being the same as the one described.

**3.3.15 Incident.** An emergency involving the release or potential release of hazardous materials/WMD.

**3.3.16\* Incident Commander (IC).** The individual responsible for all incident activities, including the development of strategies and tactics and the ordering and the release of resources.

**3.3.17 Incident Command System (ICS).** A management system designed to enable effective and efficient on-scene incident management by integrating a combination of facilities, equipment, personnel, procedures, and communications operating within a common organizational structure.

**3.3.18\* Incident Management System (IMS).** A plan that defines the roles and responsibilities to be assumed by personnel and the operating procedures to be used in the management and direction of emergency operations to include the incident command system, multiagency coordination system, training, and management of resources.

**3.3.19 Medical Control.** The physician or designee providing direction for patient care activities in the prehospital setting.

**3.3.20 Medical Surveillance.** The ongoing process of medical evaluation of hazardous materials response team members and public safety personnel who respond to a hazardous materials incident.

**3.3.21 Mission-Specific Competencies.** The knowledge, skills, and judgment needed by operations level responders who have completed the requisite core competencies and who are designated by the authority having jurisdiction to perform mission-specific tasks, such as decontamination, victim/hostage rescue and recovery, evidence preservation and sampling, and so forth.

**3.3.22 Patient.** Any person or persons requiring or requesting a BLS/ALS evaluation or intervention at the scene of a hazardous materials/WMD incident.

**3.3.23 Protocol.** A guideline for a series of sequential steps directing patient treatment.

**3.3.24 Region.** A geographic area that includes the local and neighboring jurisdiction for an EMS agency.

**3.3.25\* Weapon of Mass Destruction (WMD).** (1) Any destructive device, such as any explosive, incendiary, or poison gas bomb, grenade, rocket having a propellant charge of more than four ounces, missile having an explosive or incendiary charge of more than one quarter ounce (7 grams), mine, or device similar to the preceding description; (2) any weapon involving toxic or poisonous chemicals; (3) any weapon involving a disease organism; or (4) any weapon that is designed to release radiation or radioactivity at a level dangerous to human life.

#### **3.3.25.1 Radiological Weapons of Mass Destruction.**

**3.3.25.1.1\* Improvised Nuclear Device (IND).** An illicit nuclear weapon that is bought, stolen, or otherwise ob-

tained from a nuclear state (that is, a national government with nuclear weapons), or a weapon fabricated from fissile material that is capable of producing a nuclear yield.

**3.3.25.1.2\* Radiation Dispersal Device (RDD).** A device designed to spread radioactive material through a detonation of conventional explosives or other (non-nuclear) means; also referred to as a “dirty bomb.”

**3.3.25.1.3\* Radiation Exposure Device (RED).** Radioactive material, either as a sealed source or as material within some type of container, or a radiation-generating device, such as an x-ray device, that directly exposes people to ionizing radiation; used interchangeably with the term *radiological exposure device* or *radio emitting device*.

## **Chapter 4 Competencies for Hazardous Materials/WMD Basic Life Support (BLS) Responder**

### **4.1 General.**

**4.1.1 Introduction.** All emergency medical services (EMS) personnel at the hazardous materials/WMD basic life support (BLS) responder level, in addition to their BLS certification, shall be trained to meet at least the core competencies of the operations level responders as defined in Chapter 5 of NFPA 472, *Standard for Competence of Responders to Hazardous Materials/Weapons of Mass Destruction Incidents*, and all competencies of this chapter.

**4.1.2 Goal.** The goal of the competencies at the BLS responder level shall be to provide the individual with the knowledge and skills necessary to safely deliver BLS at hazardous materials/WMD incidents, function within the established IMS/ICS, and perform the following duties:

- (1) Analyze a hazardous materials/WMD incident to determine the potential health hazards encountered by the BLS responder, other responders, and anticipated and actual patients by completing the following tasks:
  - (a) Survey an incident where hazardous materials/WMD have been released and evaluate suspected and identified patients for signs and symptoms of exposure
  - (b) Collect hazard and response information from available technical resources to determine the nature of the problem and potential health effects of the substances involved
- (2) Plan to deliver BLS to any exposed patient within the scope of practice by completing the following tasks:
  - (a) Identify preplans of high-risk areas and occupancies to identify potential locations where significant human exposures can occur
  - (b) Identify the capabilities of the hospital network to accept exposed patients and perform emergency decontamination if required
  - (c) Identify the medical components of the communication plan
  - (d) Describe the role of the BLS level responder as it relates to the local emergency response plan and established IMS/ICS
- (3) Implement a prehospital treatment plan within the scope of practice by completing the following tasks:
  - (a) Determine the nature of the hazardous materials/WMD incident as it relates to anticipated or actual patient exposures and subsequent medical treatment

- (b) Identify the need for and the effectiveness of decontamination efforts
- (c) Determine if the available medical resources will meet or exceed patient care needs
- (d) Describe evidence preservation issues associated with patient care
- (e) Develop and implement a medical monitoring plan for responders
- (f) Report and document the actions taken by the BLS responder at the incident scene

## 4.2 Competencies — Analyzing the Incident.

**4.2.1 Surveying Hazardous Materials/WMD Incidents.** Given scenarios of hazardous materials/WMD incidents, the BLS responder shall assess the nature and severity of the incident as it relates to anticipated or actual EMS responsibilities at the scene.

**4.2.1.1** Given examples of the following types of containers, the BLS responder shall identify the potential mechanisms of injury/harm and possible treatment modalities:

- (1) Pressure
- (2) Nonpressure
- (3) Cryogenic
- (4) Radioactive

**4.2.1.2** Given examples of the nine U.S. Department of Transportation (DOT) hazard classes, the BLS responder shall identify possible treatment modalities associated with each hazard class.

**4.2.1.3** Given examples of various hazardous materials/WMD incidents at fixed facilities, the BLS responder shall identify the following available health-related resource personnel:

- (1) Environmental health and safety representatives
- (2) Radiation safety officers (RSO)
- (3) Occupational physicians and nurses
- (4) Site emergency response teams
- (5) Product or container specialists

**4.2.1.4** Given various scenarios of hazardous materials/WMD incidents, the BLS responder, working within an IMS/ICS, shall evaluate the off-site consequences of the release based on the physical and chemical nature of the released substance and the prevailing environmental factors, to determine the need to evacuate or to shelter-in-place affected persons.

**4.2.1.5** Given the following biological agents, the BLS responder shall describe the signs and symptoms of exposure and/or illness and the likely means of dissemination:

- (1) Variola major virus (smallpox)
- (2) *Clostridium botulinum*
- (3) Coliforms (e.g., *E. coli* O157:H7)
- (4) Ricin toxin
- (5) *Bacillus anthracis* (anthrax)
- (6) Venezuelan equine encephalitis virus
- (7) *Rickettsia*
- (8) *Yersinia pestis* (plague)
- (9) *Francisella tularensis* (tularemia)
- (10) Viral hemorrhagic fever
- (11) Other CDC Category A, B, or C-listed organism

**4.2.1.6** Given examples of various types of hazardous materials/WMD incidents involving toxic industrial chemicals (TICs) and toxic industrial materials (TIMs) (e.g., corrosives, reproductive hazards, carcinogens, nerve agents, flammable and/or explosive

hazards, blister agents, blood agents, choking agents, and irritants), the BLS responder shall determine the general health risks to patients exposed to those substances in the case of any release with the following:

- (1) Visible cloud
- (2) Liquid pooling
- (3) Solid dispersion

**4.2.1.7 Determining If a Hazardous Materials/WMD Incident Is an Illicit Laboratory Operation.** Given examples of hazardous materials/WMD incidents involving illicit laboratory operations, BLS responders assigned to respond to illicit laboratory incidents shall identify the potential drugs/WMD being manufactured and shall meet the following related requirements:

- (1)\*Given examples of illicit drug manufacturing methods, describe the operational considerations, hazards, and products involved in the illicit process
- (2) Given examples of illicit chemical WMD methods, describe the operational considerations, hazards, and products involved in the illicit process
- (3) Given examples of illicit biological WMD methods, describe the operational considerations, hazards, and products involved in the illicit process
- (4) Given examples of illicit laboratory operations, describe the potential booby traps that have been encountered by response personnel
- (5) Given examples of illicit laboratory operations, describe the agencies that have investigative authority and operational responsibility to support the response

**4.2.1.8** Given a scenario involving radioactive materials, including an accidental release, a radiological dispersion device (RDD), and a radiological exposure device (RED), the BLS responder shall determine the pre-hospital care based upon the probable health risks and potential patient outcomes by completing the following:

- (1) Determine the most likely exposure pathways for a given radiation exposure, including inhalation, ingestion, injection, and direct skin exposure
- (2) Identify the difference between radiation exposure and radioactive contamination and the health concerns associated with each

**4.2.1.9** Given three examples of pesticide labels and labeling, the BLS responder shall use the following information to determine the associated health risks:

- (1) Hazard statement
- (2) Precautionary statement
- (3) Signal word
- (4) Pesticide name

**4.2.2 Collecting and Interpreting Hazard and Response Information.** The BLS responder shall obtain information from the following sources to determine the nature of the medical problem and potential health effects:

- (1) Hazardous materials databases
- (2) Clinical monitoring
- (3) Reference materials (e.g., MSDS and ERG)
- (4)\*Technical information centers (e.g., CHEMTREC, CANUTEC, and SETIQ) and local, state, and federal authorities
- (5) Allied professionals
- (6) Regional poison control centers





**4.2.3 Establishing and Enforcing Scene Control Procedures.**

Given two scenarios involving hazardous materials/WMD incidents, the BLS responder shall identify how to establish and enforce scene control, including control zones and emergency decontamination, and communications between responders and to the public and shall meet the following requirements:

- (1) Identify the procedures for establishing scene control through control zones
- (2) Identify the criteria for determining the locations of the control zones at hazardous materials/WMD incidents
- (3) Identify the basic techniques for the following protective actions at hazardous materials/WMD incidents:
  - (a) Evacuation
  - (b) Shelter-in-place protection
  - (c) Isolation of the hazard area and denial of entry
- (4) Demonstrate the ability to perform emergency decontamination
- (5) Identify the items to be considered in a safety briefing prior to allowing personnel to work at the following:
  - (a) Hazardous materials incidents
  - (b) Hazardous materials/WMD incidents involving criminal activities
- (6) Identify the procedures for ensuring coordinated communication between responders and to the public

**4.3 Competencies — Planning the Response.****4.3.1 Identifying High Risk Areas for Potential Exposures.**

**4.3.1.1** The BLS responder, given an events calendar and pre-incident plans, which can include the local emergency planning committee plan, as well as the agency's emergency response plan and standard operating procedures (SOPs), shall identify the venues for mass gatherings, industrial facilities, potential targets for terrorism, and any other location where an accidental or intentional release of a harmful substance can pose a health risk to any person in the local geographical area as determined by the AHJ and shall identify the following:

- (1) Locations where hazardous materials/WMD are used, stored, or transported
- (2) Areas and locations that present a potential for a high loss of life or rate of injury in the event of an accidental or intentional release of hazardous materials/WMD
- (3)\*External factors that may complicate a hazardous materials/WMD incident

**4.3.2 Determining the Capabilities of the Local Hospital Network.**

**4.3.2.1** The BLS responder shall identify the following methods and vehicles available to transport hazardous materials patients and shall determine the location and potential routes of travel to the medically appropriate local and regional hospitals, based on the patients' needs:

- (1) Adult trauma centers
- (2) Pediatric trauma centers
- (3) Adult burn centers
- (4) Pediatric burn centers
- (5) Hyperbaric chambers
- (6) Field hospitals
- (7) Dialysis centers
- (8) Supportive care facilities
- (9) Forward deployable assets

- (10) Other specialty hospitals or medical centers

**4.3.2.2** Given a list of receiving hospitals in the region, the BLS responder shall describe the location, availability, and capability of hospital-based decontamination facilities.

**4.3.2.3** The BLS responder shall describe the BLS protocols for pre-hospital care and SOPs for a mass casualty incident (MCI), including triage, treatment, and transport at a hazardous materials/WMD incident where exposures have occurred as developed by the AHJ and the prescribed role of medical control and poison control centers.

**4.3.2.4** The BLS responder shall identify the formal and informal mutual aid resources (hospital- and nonhospital-based) for the field management of multicase incidents, as follows:

- (1) Mass-casualty trailers with medical supplies
- (2) Mass-decedent capabilities
- (3) Regional decontamination units
- (4) Replenishment of medical supplies during long-term incidents
- (5) Rehabilitation units for the EMS responders
- (6) Replacement transport units for vehicles lost to mechanical trouble, collision, theft, and contamination

**4.3.2.5** The BLS responder shall identify the special hazards associated with inbound and outbound air transportation of patients exposed to hazardous materials/WMD.

**4.3.3 Identifying Incident Communications.**

**4.3.3.1** Given an incident communications plan, the BLS responder shall identify the following:

- (1) Medical components of the communications plan
- (2) Ability to communicate with other responders, transport units, and receiving facilities

**4.3.3.2** Given examples of various patient exposure scenarios, the BLS responder shall describe the following information to be transmitted to the medical or poison control center or the receiving hospital prior to arrival:

- (1) Name of the substance(s) involved
- (2) Physical and chemical properties of the substance(s) involved
- (3) Number of victims being transported
- (4) Age and sex of transported patient
- (5) Patient condition and chief complaint
- (6) Medical history
- (7) Circumstances and history of the exposure, such as duration of exposure and primary route of exposure
- (8) Vital signs, initial and current
- (9) Symptoms described by the patient, initial and current
- (10) Presence of associated injuries, such as burns and trauma
- (11) Decontamination status
- (12) Treatment rendered or in progress
- (13) Patient response to treatment(s)
- (14) Estimated time of arrival

**4.3.4 Identifying the Role of the BLS Responder.**

**4.3.4.1** Given scenarios involving hazardous materials/WMD, the BLS responder shall identify his or her role during hazardous materials/WMD incidents as specified in the emergency response plan and SOPs developed by the AHJ, as follows:

- (1) Describe the purpose, benefits, and elements of the incident command system as it relates to the BLS responder
- (2) Describe the typical incident command structure, for the emergency medical component of a hazardous materials/WMD incident as specified in the emergency response plan and SOPs, as developed by the AHJ
- (3) Demonstrate the ability of the BLS responder to function within the incident command system
- (4) Demonstrate the ability to implement an incident command system for a hazardous materials/WMD incident where an ICS does not currently exist
- (5) Identify the procedures for requesting additional resources at a hazardous materials/WMD incident

**4.3.4.2** The hazardous materials/WMD BLS responder shall describe his or her role within the hazardous materials response plan developed by the AHJ or identified in the local emergency response plan, as follows:

- (1) Determine the toxic effect of hazardous materials/WMD
- (2) Estimate the number of patients
- (3) Recognize and assess the presence and severity of symptoms
- (4) Take and record vital signs
- (5) Determine resource maximization and assessment
- (6) Assess the impact on the health care system
- (7) Perform appropriate patient monitoring
- (8) Communicate pertinent information

#### 4.4 Competencies — Implementing the Planned Response.

**4.4.1 Determining the Nature of the Incident/Providing Medical Care.** The BLS responder shall demonstrate the ability to identify the mechanisms of injury or harm and the clinical implications and provide emergency medical care to those patients exposed to hazardous materials/WMD agent by completing the following tasks:

- (1) Determine the physical state of the released substance, in addition to the environmental influences surrounding the release, as follows:
  - (a) Solid
  - (b) Liquid
  - (c) Gas
  - (d) Vapor
  - (e) Dust
  - (f) Mist
  - (g) Aerosol
- (2) Identify potential routes of exposure and correlate those routes of exposure to the physical state of the released substance, to determine the origin of the illness or injury, as follows:
  - (a) Inhalation
  - (b) Absorption
  - (c) Ingestion
  - (d) Injection
- (3)\*Describe the potential routes of entry into the body, the common signs and symptoms of exposure, and the BLS treatment options approved by the AHJ for exposure(s) to the following classification of substances:
  - (a) Corrosives
  - (b) Pesticides
  - (c) Chemical asphyxiants
  - (d) Simple asphyxiants
  - (e) Organic solvents
  - (f) Nerve agents

- (g) Vesicants and blister agents
  - (h) Blood agents
  - (i) Choking agents
  - (j) Irritants
  - (k) Biological agents and toxins
  - (l) Incapacitating agents
  - (m) Radioactive materials
  - (n) Nitrogen compounds
  - (o) Opiate compounds
  - (p) Fluorine compounds
  - (q) Phenolic compounds
- (4) Describe the basic toxicological principles relative to assessment and treatment of persons exposed to hazardous materials, including the following:
    - (a) Acute and chronic effects
    - (b) Local and systemic effects
    - (c) Dose–response relationship
  - (5) Given examples of various hazardous materials/WMD, define the basic toxicological terms as applied to patient care:
    - (a) Threshold limit value — time-weighted average (TLV-TWA)
    - (b) Permissible exposure limit (PEL)
    - (c) Threshold limit value — short-term exposure limit (TLV-STEL)
    - (d) Immediately dangerous to life and health (IDLH)
    - (e) Threshold limit value — ceiling (TLV-C)
    - (f) Parts per million/parts per billion/parts per trillion (ppm/ppb/ppt)
  - (6) Given examples of hazardous materials/WMD incidents with exposed patients, evaluate the progress and effectiveness of the medical care provided at a hazardous materials/WMD incident to ensure that the overall incident response objectives, along with patient care goals, are being met by completing the following tasks:
    - (a) Locate and track all exposed patients at a hazardous materials/WMD incident, from triage and treatment to transport to a medically appropriate facility
    - (b) Review the incident objectives at periodic intervals to ensure that patient care is being carried out within the overall incident action plan
    - (c) Ensure that the required incident command system forms are completed, along with the patient care forms, during the course of the incident
    - (d) Evaluate the need for trained and qualified EMS personnel, medical equipment, transport units, and other supplies based on the scope and duration of the incident

**4.4.2 Decontamination.** Given the emergency response plan and SOPs developed by the AHJ, the BLS responder shall do the following:

- (1) Determine if patient decontamination activities were performed prior to accepting responsibility and transferring care of exposed patients
- (2) Determine the need and location for patient decontamination, including mass casualty decontamination, in the event none has been performed prior to arrival of EMS personnel and complete the following tasks:
  - (a) Given the emergency response plan and SOPs developed by the AHJ, identify sources of information for determining the appropriate decontamination pro-



cedure and identify how to access those resources in a hazardous materials/WMD incident

- (b) Given the emergency response plan and SOPs developed by the AHJ, identify (within the plan) the supplies and equipment required to set up and implement the following:
  - i. Emergency decontamination operations for ambulatory and nonambulatory patients
  - ii. Mass decontamination operations for ambulatory and nonambulatory patients
- (c) Identify procedures, equipment, and safety precautions for the treatment and handling of emergency service animals brought to the decontamination corridor at hazardous materials/WMD incidents
- (d) Identify procedures, equipment, and safety precautions for communicating with critical, urgent, and potentially exposed patients and identify population prioritization as it relates to decontamination purposes
- (e) Identify procedures, equipment, and safety precautions for preventing cross contamination

#### 4.4.3 Determining the Ongoing Need for Medical Supplies.

**4.4.3.1** Given examples of single-patient and multicaseualty hazardous materials/WMD incidents, the BLS responder shall determine the following:

- (1) If the available medical equipment will meet or exceed patient care needs throughout the duration of the incident
- (2) If the available transport units will meet or exceed patient care needs throughout the duration of the incident

**4.4.4 Preserving Evidence.** Given examples of hazardous materials/WMD incidents where criminal acts are suspected, the BLS responder shall make every attempt to preserve evidence during the course of delivering patient care by completing the following tasks:

- (1) Determine if the incident is potentially criminal in nature and cooperate with the law enforcement agency having investigative jurisdiction
- (2) Identify the unique aspects of criminal hazardous materials/WMD incidents, including crime scene preservation and evidence preservation, to avoid the destruction of potential evidence on medical patients during the decontamination process
- (3) Identify, within the emergency response plan and SOPs developed by the AHJ, procedures, equipment, and safety precautions for securing evidence during decontamination operations at hazardous materials/WMD incidents
- (4) Ensure that any information regarding suspects, sequence of events during a potentially criminal act, and observations made based on patient presentation or during patient assessment are documented and communicated to the law enforcement agency having investigative jurisdiction

**4.4.5 Medical Support at Hazardous Materials/WMD Incidents.** Given examples of hazardous materials/WMD incident, the BLS responder shall describe the procedures of the AHJ for performing medical monitoring and support of hazardous materials incident response personnel and shall complete the following tasks:

- (1) Given examples of various hazardous materials/WMD incidents requiring the use of chemical protective ensembles, the BLS responder shall complete the following tasks:

- (a) Demonstrate the ability to set up and operate a medical monitoring station
  - (b) Demonstrate the ability to recognize the signs and symptoms of heat stress, cold stress, heat exhaustion, and heat stroke
  - (c) Determine the BLS needs for responders exhibiting the effects of heat stress, cold stress, and heat exhaustion
  - (d) Describe the medical significance of heat stroke and the importance of rapid transport to an appropriate medical receiving facility
  - (e) Given a simulated hazardous materials incident, demonstrate the appropriate documentation of medical monitoring activities
- (2) The BLS responder responsible for pre-entry medical monitoring shall obtain hazard and toxicity information on the hazardous materials/WMD from the designated hazardous materials technical reference resource or other sources of information at the scene.
  - (3) The following information shall be conveyed to the entry team, incident safety officer, hazardous materials officer, other EMS personnel at the scene, and any other responders responsible for the health and well-being of those personnel operating at the scene:
    - (a) Chemical name
    - (b) Hazard class
    - (c) Multiple hazards and toxicity information
    - (d) Applicable decontamination methods and procedures
    - (e) Potential for cross contamination
    - (f) Procedure for transfer of patients from the constraints of the incident to the EMS
    - (g) Prehospital management of medical emergencies and exposures
  - (4) The BLS responder shall evaluate the pre-entry health status of responders to hazardous materials/WMD incidents as per the AHJ policies and procedures prior to their donning personal protective equipment (PPE) by performing the following tasks (consideration shall be given to excluding responders if they do not meet criteria specified by the AHJ prior to working in chemical protective clothing):
    - (a) Record vital signs
    - (b) Body weight measurements to address hydration considerations
    - (c) General health observations
    - (d) Body temperature: hypothermia/hyperthermia
    - (e) Blood pressure: hypotension/hypertension
    - (f) Pulse rate: bradycardia/tachycardia as defined
    - (g) Respiratory rate: bradypnea/tachypnea
  - (5) The BLS responder shall determine how the following factors influence heat stress on hazardous materials/WMD response personnel:
    - (a) Baseline level of hydration
    - (b) Underlying physical fitness
    - (c) Environmental factors
    - (d) Activity levels during the entry
    - (e) Level of PPE worn
    - (f) Duration of entry
    - (g) Cold stress
  - (6) The BLS responder shall medically evaluate all team members after decontamination and PPE removal, using the following criteria:
    - (a) Pulse rate determined within the first minute
    - (b) Pulse rate determined 3 minutes after initial evaluation

- (c) Temperature
  - (d) Body weight
  - (e) Blood pressure
  - (f) Respiratory rate
- (7) The BLS responder shall recommend that any hazardous materials team member be prohibited from redonning chemical protective clothing if any of the following criteria is exhibited:
- (a) Signs or symptoms of heat stress or heat exhaustion
  - (b) Abnormal vital signs
  - (c) Abnormal core body temperature
  - (d) Abnormal heart rate and/or rhythm
  - (e) Abnormal blood pressure
  - (f)\*Significant acute body weight loss
- (8) Any team member exhibiting the signs or symptoms of extreme heat exhaustion or heat stroke shall be transported to the medical facility.
- (9) The BLS responder responsible for medical monitoring and support shall immediately notify the persons designated by the incident action plan that a team member required significant medical treatment or transport. Transportation shall be arranged through the designee identified in the emergency response plan.

**4.5 Reporting and Documenting the Incident.** Given a scenario involving a hazardous materials/WMD incident, the responder assigned to use PPE shall complete the reporting and documentation requirements consistent with the emergency response plan or SOPs and identify the reports and supporting documentation required by the emergency response plan or SOPs.

**4.6 Compiling Incident Reports.** The BLS responder shall describe his or her role in compiling incident reports that meet federal, state, local, and organizational requirements, as follows:

- (1) List the information to be gathered regarding the exposure of all patient(s) and describe the reporting procedures, including the following:
  - (a) Detailed information on the substances released
  - (b) Pertinent information on each patient treated and transported
  - (c) Routes, extent, and duration of exposures
  - (d) Actions taken to limit exposure
  - (e) Decontamination activities
- (2) At the conclusion of the hazardous materials/WMD incident, identify the methods used by the AHJ to evaluate transport units that might have been contaminated and the process and locations available to decontaminate those units

## Chapter 5 Competencies for Hazardous Materials/WMD Advanced Life Support (ALS) Responder

### 5.1 General.

**5.1.1 Introduction.** All emergency medical services (EMS) personnel at the hazardous materials/WMD advanced life support (ALS) responder level, in addition to their ALS certification, shall be trained to meet at least the core competencies of the operations level responders as defined in Chapter 5 of NFPA 472, *Standard for Competence of Responders to Hazardous Materials/Weapons of Mass Destruction Incidents*, and all competencies of this chapter.

**5.1.2 Goal.** The goal of the competencies at the ALS responder shall be to provide the individual with the knowledge and skills necessary to safely deliver ALS at hazardous materials/WMD incidents and to function within the established IMS/ICS, as follows:

- (1) Analyze a hazardous materials/WMD incident to determine the potential health risks to the ALS provider, other responders, and anticipated/actual patients by completing the following tasks:
  - (a) Survey a hazardous materials/WMD incident to determine whether harmful substances have been released and to evaluate suspected and identified patients for telltale signs of exposure
  - (b) Collect hazard and response information from reference sources and allied professionals on the scene to determine the nature of the problem and potential health effects of the substances involved (*See Annex C for a list of informational references.*)
  - (c) Survey the hazardous materials/WMD scene for the presence of secondary devices and other potential hazards
- (2) Plan to deliver ALS to exposed patients, within the scope of practice and training competencies established by the AHJ, by completing the following tasks:
  - (a) Evaluate high-risk areas/occupancies within the AHJ to identify potential locations where significant human exposures can occur
  - (b) Identify the capabilities of the hospital network within the AHJ to accept exposed patients and to perform emergency decontamination if required
  - (c) Evaluate the components of the incident communication plan within the AHJ
  - (d) Describe the role of the ALS responder as it relates to the local emergency response plan and established IMS/ICS
  - (e) Identify supplemental regional and national medical resources, including but not limited to assets of the strategic national stockpile (SNS) and the metropolitan medical response system (MMRS)
- (3) Implement a prehospital treatment plan for exposed patients, within the scope of practice and training competencies established by the AHJ, by completing the following tasks:
  - (a) Determine the nature of the hazardous materials/WMD incident as it relates to anticipated or actual patient exposures and subsequent medical treatment
  - (b) Determine the need or effectiveness of decontamination prior to accepting an exposed patient
  - (c) Determine if the available medical equipment, transport units, and other supplies, including antidotes and therapeutic modalities, will meet patient care needs
  - (d) Describe the process of evidence preservation where criminal or terrorist acts are suspected or confirmed
  - (e) Develop and implement a medical monitoring plan for those responders operating in chemical protective clothing at a hazardous materials/WMD incident
  - (f) Evaluate the need to administer antidotes to affected patients
- (4) Participate in the termination of the incident by completing the following tasks:
  - (a) Participate in an incident debriefing





- (b) Participate in an incident critique with the appropriate agencies
- (c) Report and document the actions taken by the ALS level responder at the scene of the incident

## 5.2 Competencies — Analyzing the Hazardous Materials Incident.

**5.2.1 Surveying Hazardous Materials/WMD Incidents.** Given scenarios of hazardous materials/WMD incidents, the ALS responder shall assess the nature and severity of the incident as it relates to anticipated or actual EMS responsibilities at the scene.

**5.2.1.1** Given examples of the following marked transport vehicles (and their corresponding shipping papers or identification systems) that can be involved in hazardous materials/WMD incidents, the ALS responder shall evaluate the general health risks based on the physical and chemical properties of the anticipated contents:

- (1) Highway transport vehicles, including cargo tanks
- (2) Intermodal equipment, including tank containers
- (3) Rail transport vehicles, including tank cars

**5.2.1.2** Given examples of various hazardous materials/WMD incidents at fixed facilities, the ALS responder shall demonstrate the ability to perform the following tasks:

- (1) Identify a variety of containers and their markings, including bulk and nonbulk packages and containers, drums, underground and aboveground storage tanks, specialized storage tanks, or any other specialized containers found in the AHJ's geographic area, and evaluate the general health risks based on the physical and chemical properties of the anticipated contents
- (2) Identify the following job functions of health-related resource personnel available at fixed facility hazardous materials/WMD incidents:
  - (a) Environmental health and safety representatives
  - (b) Radiation safety officers
  - (c) Occupational physicians and nurses
  - (d) Site emergency response teams
  - (e) Specialized experts

**5.2.1.3** The ALS responder shall identify two ways to obtain a material safety data sheet (MSDS) at a hazardous materials/WMD incident and shall demonstrate the ability to identify the following health-related information:

- (1) Proper chemical name or synonyms
- (2) Physical and chemical properties
- (3) Health hazards of the material
- (4) Signs and symptoms of exposure
- (5) Routes of entry
- (6) Permissible exposure limits
- (7) Emergency medical procedures or recommendations
- (8) Responsible party contact

**5.2.1.4** Given scenarios at various fixed facilities, transportation incidents, pipeline release scenarios, maritime incidents, or any other unexpected hazardous materials/WMD incident, the ALS responder, working within an incident command system must evaluate the off-site consequences of the release, based on the physical and chemical nature of the released substance, and the prevailing environmental factors to determine the need to evacuate or shelter-in-place affected persons.

**5.2.1.5\*** Given examples of the following biological threat agents, the ALS responder shall define the various types of

biological threat agents, including the signs and symptoms of exposure, mechanism of toxicity, incubation periods, possible disease patterns, and likely means of dissemination:

- (1) Variola major virus (smallpox)
- (2) *Clostridium botulinum* (botulism)
- (3) Coliforms (e.g., *E. coli* O157:H7)
- (4) Ricin toxin
- (5) *Bacillus anthracis* (anthrax)
- (6) Venezuelan equine encephalitis virus
- (7) *Rickettsia*
- (8) *Yersinia pestis* (plague)
- (9) *Francisella tularensis* (tularemia)
- (10) Viral hemorrhagic fever
- (11) Other CDC Category A, B, or C-listed organism

**5.2.1.6\*** Given examples of various types of hazardous materials/WMD incidents involving toxic industrial chemicals, toxic industrial materials, blister agents, blood agents, nerve agents, choking agents and irritants, the ALS responder shall determine the general health risks to patients exposed to those substances and identify those patients who may be candidates for antidotes.

**5.2.1.7\*** Given examples of hazardous materials/WMD found at illicit laboratories, the ALS responder shall identify general health hazards associated with the chemical substances that are expected to be encountered.

**5.2.1.8\*** Given examples of a hazardous materials/WMD incident involving radioactive materials, including radiation dispersion devices (RDD), radiation exposure devices (RED), and improvised nuclear devices (IND), the ALS responder shall determine the probable health risks and potential patient outcomes by completing the following tasks:

- (1) Determine the types of radiation (alpha, beta, gamma, and neutron), the isotope if possible, and potential health effects of each
- (2) Determine the most likely exposure pathways for a given radiation exposure, including inhalation, ingestion, injection, and direct skin exposure
- (3) Describe the difference between radioactive contamination and radiation exposure
- (4) Identify priorities for decontamination in scenarios involving radioactive materials
- (5) Describe the manner in which acute medical illness or traumatic injury can influence decisions about decontamination and patient transport

**5.2.1.9** Given examples of typical labels found on pesticide containers, the ALS responder shall define the following terms:

- (1) Pesticide name
- (2) Pesticide classification (e.g., insecticide, rodenticide, organophosphate, carbamate, organochlorine)
- (3) Environmental Protection Agency (EPA) registration number
- (4) Manufacturer name
- (5) Ingredients broken down by percentage
- (6) Cautionary statement (e.g., Danger, Warning, Caution, Keep from Waterways)
- (7) Strength and concentration
- (8) Treatment information

**5.2.2 Collecting and Interpreting Hazard and Response Information.** The ALS responder shall demonstrate the ability to utilize various reference sources at a hazardous materials/WMD incident, including the following:



- (1) DOT *Emergency Response Guidebook*
- (2) MSDS
- (3) CHEMTREC/CANUTEC/SETIQ
- (4) Regional poison control centers
- (5) NFPA 704, *Standard System for the Identification of the Hazards of Materials for Emergency Response*, identification system
- (6) Hazardous materials information system (HMIS)
- (7) Local, state, federal, tribal, and provincial authorities
- (8) Shipper/manufacturer contacts
- (9) Agency for Toxic Substances and Disease Registry (ATSDR) medical management guidelines
- (10) Allied professionals
- (11) Electronic databases
- (12) Radiation safety officer (RSO)

**5.2.2.1 Identifying Secondary Devices.** Given scenarios involving hazardous materials/WMD, the ALS responders shall describe the importance of evaluating the scene for secondary devices prior to rendering patient care, including the following safety points:

- (1) Evaluate the scene for likely areas where secondary devices can be placed
- (2) Visually scan operating areas for a secondary device before providing patient care
- (3) Avoid touching or moving anything that can conceal an explosive device
- (4) Designate and enforce scene control zones
- (5) Evacuate victims, other responders, and nonessential personnel as quickly and safely as possible

### 5.3 Competencies — Planning the Response.

#### 5.3.1 Identifying High-Risk Areas for Potential Exposures.

**5.3.1.1** The ALS responder, given an events calendar and pre-incident plans, which can include the local emergency planning committee plan as well as the agency's emergency response plan and SOPs, shall identify the venues for mass gatherings, industrial facilities, potential targets for terrorism, or any other locations where an accidental or intentional release of a harmful substance can pose an unreasonable health risk to any person within the local geographical area as determined by the AHJ and shall do the following:

- (1) Identify locations where hazardous materials/WMD are used, stored, or transported
- (2) Identify areas and locations presenting a potential for a high loss of life or rate of injury in the event of an accidental/intentional release of a hazardous materials/WMD substance
- (3) Evaluate the geographic and environmental factors that can complicate a hazardous materials/WMD incident, including prevailing winds, water supply, vehicle and pedestrian traffic flow, ventilation systems, and other natural or man-made influences, including air and rail corridors

#### 5.3.2 Determining the Capabilities of the Local Hospital Network.

**5.3.2.1** The ALS responder shall identify the methods and vehicles available to transport hazardous materials patients and shall determine the location and potential routes of travel to the following appropriate local and regional hospitals, based on patient need:

- (1) Adult trauma centers
- (2) Pediatric trauma centers
- (3) Adult burn centers

- (4) Pediatric burn centers
- (5) Hyperbaric chambers
- (6) Field hospitals
- (7) Other specialty hospitals or medical centers

**5.3.2.2** Given a list of local receiving hospitals in the AHJ's geographic area, the ALS responder shall describe the location and availability of hospital-based decontamination facilities.

**5.3.2.3** The ALS responder shall describe the ALS protocols and SOPs developed by the AHJ and the prescribed role of medical control and poison control centers during mass casualty incidents, at hazardous materials/WMD incidents where exposures have occurred, and in the event of disrupted radio communications.

**5.3.2.4** The ALS responder shall identify the following mutual aid resources (hospital and nonhospital based) identified by the AHJ for the field management of multicase incidents:

- (1) Mass-casualty trailers with medical supplies
- (2) Mass-decedent capability
- (3) Regional decontamination units
- (4) Replenishment of medical supplies during long-term incidents
- (5) Locations and availability of mass-casualty antidotes for selected exposures, including but not limited to the following:
  - (a) Nerve agents and organophosphate pesticides
  - (b) Biological agents and other toxins
  - (c) Asphyxiants
  - (d) Opiate exposures
  - (e) Radiation exposures or contamination events
- (6) Rehabilitation units for the EMS responders
- (7) Replacement transport units for those vehicles lost to mechanical trouble, collision, theft, and contamination

**5.3.2.5** The ALS responder shall identify the special hazards associated with inbound and outbound air transportation of patients exposed to hazardous materials/WMD.

**5.3.2.6** The ALS responder shall describe the available medical information resources concerning hazardous materials toxicology and response.

#### 5.3.3 Identifying Incident Communications.

**5.3.3.1** The ALS responder shall identify the components of the communication plan within the AHJ geographic area and determine that the EMS providers have the ability to communicate with other responders on the scene, with transport units, and with local hospitals.

**5.3.3.2** Given examples of various patient exposure scenarios, the ALS responder shall describe the following information to be transmitted to the medical control or poison control center or the receiving hospital prior to arrival:

- (1) The exact name of the substance(s) involved
- (2) The physical and chemical properties of the substance(s) involved
- (3) Number of victims being transported
- (4) Age and sex of transported patients
- (5) Patient condition and chief complaint
- (6) Medical history
- (7) Circumstances and history of the exposure, such as duration of exposure and primary route of exposure
- (8) Vital signs, initial and current
- (9) Symptoms described by the patient, initial and current
- (10) Presence of associated injuries, such as burns and trauma



- (11) Decontamination status
- (12) Treatment rendered or in progress, including the effectiveness of antidotes administered
- (13) Estimated time of arrival

#### 5.3.4 Identifying the Role of the ALS Level Responder.

**5.3.4.1** Given scenarios involving hazardous materials/WMD, the ALS responder shall identify his or her role during hazardous materials/WMD incidents as specified in the emergency response plan and SOPs developed by the AHJ, as follows:

- (1) Describe the purpose, benefits, and elements of the incident command system as it relates to the ALS responder
- (2) Describe the typical incident command structure for the emergency medical component of a hazardous materials/WMD incident as specified in the emergency response plan and SOPs developed by the AHJ
- (3) Describe the role of the ALS responder within the incident command system
- (4) Describe the role of the ALS responder within the incident command system during a hazardous materials/WMD incident when an ICS does not currently exist
- (5) Identify the procedures for requesting additional resources at a hazardous materials/WMD incident

**5.3.4.2** Describe the hazardous materials/WMD ALS responder's role in the hazardous materials/WMD response plan developed by the AHJ or identified in the local emergency response plan as follows:

- (1) Determine the toxic effect of hazardous materials/WMD
- (2) Estimate the number of patients
- (3) Recognize and assess the presence and severity of symptoms
- (4) Assess the impact on the health care system
- (5) Perform appropriate patient monitoring
- (6) Communicate pertinent information
- (7) Estimate pharmacological need
- (8) Address threat potential for clinical latency
- (9) Estimate dosage — exposure
- (10) Estimate dosage — treatment
- (11) Train in appropriate monitoring

**5.3.5 Supplemental Medical Resources.** Given scenarios of various hazardous materials/WMD mass casualty incidents, the ALS responder shall identify the supplemental medical resources available to the AHJ, including the following:

- (1) Describe the strategic national stockpile (SNS) program, including the following components:
  - (a) Intent and goals of the SNS program
  - (b) Procedures and requirements for deploying the SNS to a local jurisdiction
  - (c) Typical supplies contained in 12-hour push package
  - (d) Role of the technical advisory response unit (TARU)
- (2) Describe the metropolitan medical response system (MMRS) including the following components:
  - (a) Scope, intent, and goals of the MMRS
  - (b) Capabilities and resources of the MMRS
  - (c) Eight capability focus areas of the MMRS

#### 5.4 Competencies — Implementing the Planned Response.

**5.4.1 Determining the Nature of the Incident and Providing Medical Care.** The ALS responder shall describe the ability to provide emergency medical care to those patients exposed to hazardous materials/WMD by completing the following tasks:

- (1) The ALS responder shall determine the physical state of the released substance and the environmental influences surrounding the release, as follows:
  - (a) Solid
  - (b) Liquid
  - (c) Gas, vapor, dust, mist, aerosol
- (2)\*The ALS responder shall identify potential routes of exposure, and correlate those routes of exposure to the physical state of the released substance, to determine the origin of the illness or injury, as follows:
  - (a) Inhalation
  - (b) Absorption
  - (c) Ingestion
  - (d) Injection
- (3) The ALS responder shall describe the potential routes of entry into the body, the common signs and symptoms of exposure, and the ALS treatment options approved by the AHJ (e.g., advanced airway management, drug therapy), including antidote administration where appropriate, for exposure(s) to the following classification of substances:
  - (a) Corrosives
  - (b) Pesticides
  - (c) Chemical asphyxiants
  - (d) Simple asphyxiants
  - (e) Organic solvents
  - (f) Nerve agents
  - (g) Vesicants
  - (h) Irritants (riot control agents)
  - (i) Biological agents and toxins
  - (j) Incapacitating agents
  - (k) Radioactive materials
  - (l) Nitrogen compounds
  - (m) Opiate compounds
  - (n) Fluorine compounds
  - (o) Phenolic compounds
- (4) The ALS responder shall describe the basic toxicological principles relative to assessment and treatment of persons exposed to hazardous materials, including the following:
  - (a) Acute and chronic effects
  - (b) Local and systemic effects
  - (c) Dose-response relationship
- (5) Given examples of various hazardous substances, the ALS responder shall define the basic toxicological terms as they relate to the treatment of an exposed patient, as follows:
  - (a) *Threshold limit value — time weighted average* (TLV-TWA)
  - (b) *Lethal doses and lethal concentrations*, as follows:
    - i. LD<sub>10</sub>
    - ii. LD<sub>50</sub>
    - iii. LD<sub>hi</sub>
    - iv. LC<sub>10</sub>
    - v. LC<sub>50</sub>
    - vi. LC<sub>hi</sub>
  - (c) *Parts per million/parts per billion/parts per trillion* (ppm/ppb/ppt)
  - (d) *Immediately dangerous to life and health* (IDLH)
  - (e) *Permissible exposure limit* (PEL)
  - (f) *Recommended exposure limit* (REL)
  - (g) *Threshold limit value — short-term exposure limit* (TLV-STEL)
  - (h) *Threshold limit value — ceiling* (TLV-C)
  - (i) *Solubility*

- (j) *Poison* — a substance that causes injury, illness, or death
- (k) *Toxic* — harmful nature related to amount and concentration
- (6) Given examples of hazardous materials/WMD incidents with exposed patients, the ALS responder shall evaluate the progress and effectiveness of the medical care provided at a hazardous materials/WMD incident, to ensure that the overall incident response objectives, along with patient care goals, are being met by completing the following tasks:
  - (a) Locate and track all exposed patients at a hazardous materials/WMD incident, from triage and treatment to transport to the appropriate hospital
  - (b) Review the incident objectives at periodic intervals to ensure that patient care is being carried out within the overall incident response plan
  - (c) Ensure that the incident command system forms are completed, along with the patient care forms required by the AHJ, during the course of the incident
  - (d) Evaluate the need for trained and qualified EMS personnel, medical equipment, transport units, and other supplies, including antidotes based on the scope and duration of the incident

**5.4.2\* Decontaminating Exposed Patients.** Given the emergency response plan and SOPs developed by the AHJ and given examples of hazardous materials/WMD incidents with exposed patients, the ALS responder shall do as follows:

- (1) Given the emergency response plan and SOPs developed by the AHJ, identify and evaluate the patient decontamination activities performed prior to accepting responsibility for and transferring care of exposed patients
- (2) Determine the need and location for patient decontamination, including mass-casualty decontamination, in the event none has been performed prior to arrival of EMS personnel, and complete the following tasks:
  - (a) Given the emergency response plan and SOPs developed by the AHJ, identify and evaluate the patient decontamination activities performed prior to accepting responsibility for and transferring care of exposed patients; identify sources of information for determining the appropriate decontamination procedure and how to access those resources in a hazardous materials/WMD incident
  - (b) Given the emergency response plan and SOPs developed by the AHJ, identify and evaluate the patient decontamination activities performed prior to accepting responsibility for and transferring care of exposed patients
  - (c) Given the emergency response plan and SOPs provided by the AHJ, identify the supplies and equipment required to set up and implement technical or mass-casualty decontamination operations for ambulatory and nonambulatory patients
  - (d) Given the emergency response plan and SOPs developed by the AHJ, identify the procedures, equipment, and safety precautions for securing evidence during decontamination operations at hazardous materials/WMD incidents
  - (e) Identify procedures, equipment, and safety precautions for handling tools, equipment, weapons, and law enforcement and K-9 search dogs brought to the

decontamination corridor at hazardous materials/WMD incidents

- (f) Identify procedures, equipment, and safety precautions for communicating with critically, urgently, and potentially exposed patients, and population prioritization and management techniques
- (g) Determine the threat of cross contamination to all responders and patients by completing the following tasks:
  - i. Identify hazardous materials/WMD with a high risk of cross contamination
  - ii. Identify hazardous materials/WMD agents with a low risk of cross contamination
  - iii. Describe how the physical state of the hazardous materials/WMD provides clues to its potential for secondary contamination, when the exact identity of the hazardous materials/WMD is not known

**5.4.3 Evaluating the Need for Medical Supplies.** Given examples of single-patient and multicaseualty hazardous materials/WMD incidents, the ALS responder shall determine if the available medical equipment, transport units, and other supplies, including antidotes, will meet or exceed expected patient care needs throughout the duration of the incident.

**5.4.4 Evidence Preservation.** Given examples of hazardous materials/WMD incidents where criminal acts are suspected, the ALS responder shall make every attempt to preserve evidence during the course of delivering patient care by completing the following tasks:

- (1) Determine if the incident is potentially criminal in nature and cooperate with the law enforcement agency having investigative jurisdiction
- (2) Identify the unique aspects of criminal hazardous materials/WMD incidents, including crime scene preservation, evidence preservation, and destruction of potential evidence found on medical patients, and/or the destruction of evidence during the decontamination process
- (3) Ensure that any information regarding suspects, sequence of events during a potential criminal act, or observations made based on patient presentation or during patient assessment are documented and communicated and passed on to the law enforcement agency having investigative jurisdiction

**5.4.5 Medical Support at Hazardous Materials/WMD Incidents.** Given examples of hazardous materials/WMD incidents, the ALS responder shall describe the procedures of the AHJ for performing medical monitoring and support of hazardous materials incident response personnel, and shall complete the following tasks:

- (1) The ALS responder responsible for pre-entry medical monitoring shall obtain hazard and toxicity information on the released substance from the designated hazardous materials technical reference resource or other reliable sources of information at the scene. The following information shall be conveyed to the entry team, incident safety officer, hazardous materials officer, other EMS personnel at the scene, and any other responders responsible for the health and well-being of those personnel operating at the scene:
  - (a) Chemical name
  - (b) Hazard class

- (c) Hazard and toxicity information
- (d) Applicable decontamination methods and procedures
- (e) Potential for secondary contamination
- (f) Procedure for transfer of patients from the constraints of the incident to the emergency medical system
- (g) Prehospital management of medical emergencies and exposures, including antidote administration
- (2) The ALS responder shall evaluate the pre-entry health status of hazardous materials/WMD responders prior to donning PPE by performing the following tasks:
  - (a) Record vital signs
  - (b) Record body weight measurements
  - (c) Record general health observations
- (3) The ALS responder shall determine the medical fitness of those personnel charged with donning chemical protective clothing, using the criteria set forth in the emergency action plan (EAP) and the SOP developed by the AHJ. Consideration shall be given to excluding responders from working in personal protective equipment if they exhibit any significant abnormalities in the following areas:
  - (a) Body temperature (taking temperature or skin temperature does not correlate to body temperature)
  - (b) Vital signs
- (4) The ALS responder shall determine how the following factors influence heat stress on hazardous materials/WMD response personnel:
  - (a) Baseline level of hydration
  - (b) Underlying physical fitness
  - (c) Environmental factors
  - (d) Activity levels during the entry
  - (e) Level of PPE worn
  - (f) Duration of entry
  - (g) Cold stress
- (5) Given examples of various hazardous materials/WMD incidents requiring the use of chemical protective ensembles, the ALS responder shall complete the following tasks:
  - (a) Demonstrate the ability to set up and operate a medical monitoring station
  - (b) Demonstrate the ability to recognize the signs and symptoms of heat stress, heat exhaustion, and heat stroke
  - (c) Determine the ALS needs for responders exhibiting the effects of heat stress, cold stress, and heat exhaustion
  - (d) Describe the medical significance of heat stroke and the importance of rapid transport to an appropriate medical receiving facility
- (6) Given a simulated hazardous materials/WMD incident, the ALS responder shall demonstrate documentation of medical monitoring activities.
- (7) The ALS responder shall evaluate all team members after decontamination and PPE removal, using the following criteria:
  - (a) Pulse rate — done within the first minute
  - (b) Pulse rate — 3 minutes after initial evaluation
  - (c) Temperature
  - (d) Body weight
  - (e) Blood pressure
  - (f) Respiratory rate
- (8) The ALS responder shall recommend that any hazardous materials team member exhibiting any of the following

signs be prohibited from redonning chemical protective clothing:

- (a) Signs or symptoms of heat stress or heat exhaustion
- (b) Abnormal vital signs
- (c) Abnormal core body temperature
- (d) Abnormal heart rate or rhythm
- (e) Significant acute body weight loss
- (9) The ALS responder shall notify immediately the appropriate persons designated by the emergency response plan if a team member requires significant medical treatment or transport (arranged through the appropriate designee identified by the emergency response plan).

**5.5 Competencies — Terminating the Incident.** Upon termination of the hazardous materials/WMD incident, the ALS responder shall complete the reporting, documentation, and EMS termination activities as required by the local emergency response plan or the organization's SOPs and shall meet the following requirements:

- (1) Identify the reports and supporting documentation required by the emergency response plan or SOPs
- (2) Demonstrate completion of the reports required by the emergency response plan or SOPs
- (3) Describe the importance of personnel exposure records
- (4) Describe the importance of debriefing records
- (5) Describe the importance of critique records
- (6) Identify the steps in keeping an activity log and exposure records
- (7) Identify the steps to be taken in compiling incident reports that meet federal, state, local, and organizational requirements
- (8) Identify the requirements for compiling personal protective equipment logs
- (9) Identify the requirements for filing documents and maintaining records, as follows:
  - (a) List the information to be gathered regarding the exposure of all patient(s) and describe the reporting procedures, including the following:
    - i. Detailed information on the substances released
    - ii. Pertinent information on each patient treated or transported
    - iii. Routes, extent, and duration of exposures
    - iv. Actions taken to limit exposure
    - v. Decontamination activities
  - (b) Identify the methods used by the AHJ to evaluate transport units for potential contamination and the process and locations available to decontaminate those units

## Chapter 6 Competencies for Advanced Life Support (ALS) Responders Assigned Mission-Specific Responsibilities

### 6.1 General.

#### 6.1.1 Introduction.

**6.1.1.1** This chapter shall address competencies for the following advanced life support (ALS) level responders who are assigned mission-specific responsibilities at hazardous materials/WMD incidents by the authority having jurisdiction (AHJ) beyond the competencies of the hazardous materials/WMD ALS responder (*see Chapter 5*):



- (1) ALS responder assigned to a hazardous materials team
- (2) ALS responder assigned to provide clinical interventions at a hazardous materials/WMD incident
- (3) ALS responders assigned to treatment of smoke inhalation victims

**6.1.1.2** The ALS responder assigned mission-specific responsibilities at hazardous materials/WMD incidents shall be trained to meet all competencies at the basic life support (BLS) responder level (*see Chapter 4*), all competencies at the advanced life support (ALS) responder level (*see Chapter 5*), and all competencies for the assigned responsibilities in the applicable section(s) in this chapter.

**6.1.1.3** The ALS responder assigned mission-specific responsibilities at hazardous materials/WMD incidents shall also be trained to meet all competencies at the NFPA 472, *Standard for Competence of Responders to Hazardous Materials/Weapons of Mass Destruction Incidents*, awareness level (Chapter 4) and operations level core (Chapter 5).

**6.1.1.4** The ALS responder assigned mission-specific responsibilities at hazardous materials/WMD incidents shall receive additional training to meet applicable governmental occupational health and safety regulations.

**6.1.1.5** The ALS responder assigned mission-specific responsibilities at hazardous materials/WMD incidents shall operate under the guidance of a hazardous materials technician, an allied professional, an emergency response plan, or standard operating procedures.

**6.1.1.6** The development of assigned mission-specific knowledge and skills shall be based on the tools, equipment, and procedures provided by the AHJ for the mission-specific responsibilities assigned.

**6.1.2 Goal.** The goal of the competencies in this chapter shall be to provide the operations level responder assigned mission-specific responsibilities at hazardous materials/WMD incidents by the AHJ with the knowledge and skills to perform the assigned mission-specific responsibilities safely and effectively.

**6.1.3 Mandating of Competencies.** This standard shall not mandate that the response organizations perform mission-specific responsibilities.

**6.1.3.1** ALS responders assigned mission-specific responsibilities at hazardous materials/WMD incidents, operating within the scope of their training in this chapter, shall be able to perform their assigned mission-specific responsibilities.

**6.1.3.2** If a response organization desires to train some or all of its operations level responders to perform mission-specific responsibilities at hazardous materials/WMD incidents, the minimum required competencies shall be as set out in this chapter.

## **6.2 Mission-Specific Competencies: Advanced Life Support (ALS) Responder Assigned to a Hazardous Materials Team.**

### **6.2.1 General.**

#### **6.2.1.1 Introduction.**

**6.2.1.1.1** The ALS responder assigned to a hazardous materials team shall be that person assigned to provide direct medical support and intervention to the members of an established hazardous materials team.

**6.2.1.1.2** The ALS responder assigned to a hazardous materials team shall be trained to meet all competencies for the as-

signed responsibilities in Chapters 4 and 5, and all competencies in this section.

**6.2.1.1.3** The ALS responder assigned to a hazardous materials team shall be trained to meet all competencies of NFPA 472, *Standard for Competence of Responders to Hazardous Materials/Weapons of Mass Destruction Incidents*, Chapters 4 and 5.

**6.2.1.1.4** The ALS responder assigned to a hazardous materials team shall receive the additional training necessary to meet the specific needs of the AHJ.

**6.2.1.1.5** The ALS responder assigned mission-specific responsibilities at hazardous materials/WMD incidents shall receive additional training to meet applicable governmental response and occupational health and safety regulations.

**6.2.1.1.6** The ALS responder assigned mission-specific responsibilities at hazardous materials/WMD incidents shall operate under the guidance of a hazardous materials technician, an allied professional, an emergency response plan, or standard operating procedures.

**6.2.1.1.7** The development of assigned mission-specific knowledge and skills shall be based on the tools, equipment, and procedures provided by the AHJ for the mission-specific responsibilities assigned.

**6.2.1.2 Goal.** The goal of the mission specific competencies in this section shall be to provide the ALS responder assigned to a hazardous materials team with the knowledge and skills to perform the following tasks safely and effectively:

- (1) Plan a response within the authority of the AHJ to support hazardous materials team operations
- (2) Implement the planned response consistent with the standard operating procedures of the AHJ to support hazardous materials team operations
- (3) Terminate the incident consistent with the standard operating procedures of the AHJ to document hazardous materials team operations

### **6.2.2 Competencies: Analyzing the Incident. (Reserved)**

### **6.2.3 Competencies: Planning the Response.**

**6.2.3.1** Given the standard operating procedures of the AHJ, the ALS responder assigned to a hazardous materials team shall create baseline medical information for each hazardous materials team member in compliance with the AHJ and OSHA requirements for confidentiality.

**6.2.3.2** Given existing guidance from the AHJ, The ALS responder assigned to a hazardous materials team shall explain the importance of becoming an advocate for team member physical fitness and encouraging proper exercise and nutrition for team members.

**6.2.3.3** Given existing guidance from the AHJ, the ALS responder assigned to a hazardous materials team shall establish and implement an awareness program to encourage proper hydration and medical surveillance actions by hazardous materials team members prior to hazardous materials response operations.

**6.2.3.4** Given the emergency response plan and existing guidance from the AHJ, the ALS responder assigned to a hazardous materials team shall establish and maintain a liaison with local and regional medical direction and medical control entities that may be involved with hazardous materials team medical care.



**6.2.3.5** Given the emergency response plan and existing guidance from the AHJ, the ALS responder shall advise the following local and regional medical direction and medical control entities on the potential hazardous exposures and physical stressors on hazardous materials team members at a hazardous materials/WMD incident.

**6.2.3.6** Given the emergency response plan and existing guidance from the AHJ, the ALS responder assigned to a hazardous materials team shall develop a list of the following healthcare facilities likely to receive injured or ill hazardous materials team members and the points of contact within those facilities:

- (1) Trauma centers
- (2) Emergency departments
- (3) Burn centers
- (4) Cardiovascular centers
- (5) Stroke centers
- (6) Hyperbaric centers

**6.2.3.7** Given a list of healthcare facilities, the ALS responder assigned to a hazardous materials team shall describe how to establish and maintain the following:

- (1) Capability and patient flow efficiency of decontamination facilities
- (2) Standard inventory of antidotal pharmaceuticals

**6.2.3.8\*** Given a listing of regional healthcare facilities with decontamination capabilities, the ALS responder assigned to a hazardous materials team shall demonstrate how to provide guidance for the healthcare facility in preparation for hazardous materials team member care.

**6.2.3.9** Given a list of regional EMS responders, the ALS responder assigned to a hazardous materials team shall establish and maintain a matrix of responder capabilities to include:

- (1) Patient decontamination capabilities
- (2) Contaminated patient transportation capabilities
- (3) Staff hazardous materials training levels
- (4) Access to advanced hazardous materials medical interventions
- (5) Personal protective equipment inventories

**6.2.3.10** Given the emergency response plan and existing guidance from the AHJ, the ALS responder assigned to a hazardous materials team shall obtain and maintain medical equipment dedicated to supporting hazardous materials team operations.

**6.2.3.11** Given the emergency response plan and existing guidance from the AHJ, the ALS responder assigned to a hazardous materials team shall obtain and maintain patient rescue devices intended for affecting rescue of injured or ill hazardous materials team members from the hot zone.

**6.2.3.12** Given the emergency response plan and existing guidance from the AHJ, the ALS responder assigned to a hazardous materials team shall provide training on hot zone rescue techniques to the hazardous materials team members.

## **6.2.4 Competencies: Implementing the Planned Response.**

**6.2.4.1** Given the emergency response plan and existing guidance from the AHJ, the ALS responder assigned to a hazardous materials team shall verify that site medical surveillance is established in accordance with AHJ policies and that all team members complete medical surveillance prior to entry.

**6.2.4.2** Given the emergency response plan and existing guidance from the AHJ, the ALS responder assigned to a hazardous materials team shall ensure that the ICS 206 Medical Form or equivalent medical site survey form is completed and included as part of the incident action plan.

**6.2.4.3** Given the emergency response plan and existing guidance from the AHJ, the ALS responder assigned to a hazardous materials team shall describe how to function as the hazardous materials team medical group supervisor during an exercise.

**6.2.4.4** Given the emergency response plan and existing guidance from the AHJ, the ALS responder assigned to a hazardous materials team shall describe how to coordinate support to the hazardous materials team from EMS ambulances and medical personnel assigned to support hazardous materials operations as defined in OSHA 29 CFR 1910.120 (q).

**6.2.4.5** Given the emergency response plan and existing guidance from the AHJ, the ALS responder assigned to a hazardous materials team shall demonstrate how to establish emergency decontamination for injured or ill hazardous materials team members, including removal from all personal protective equipment (PPE) provided by the AHJ.

**6.2.4.6** Given the emergency response plan and existing guidance from the AHJ, the ALS responder assigned to a hazardous materials team shall describe how to coordinate with the decontamination group supervisor to ensure the following:

- (1) Effectiveness of technical decontamination operations
- (2) Recognition of team member medical concerns

**6.2.4.7** Given the emergency response plan and existing guidance from the AHJ, the ALS responder assigned to a hazardous materials team shall describe how to coordinate the following:

- (1) Preparation of a team rescue equipment cache near the technical decontamination line
- (2) Preparation of a backup team to affect a rescue in coordination with the hazardous materials safety officer

**6.2.4.8** Given the emergency response plan and existing guidance from the AHJ, the ALS responder assigned to a hazardous materials team shall describe how to coordinate the rescue, medical treatment, and transportation of injured or ill hazardous materials team members in conjunction with the hazardous materials officer, hazardous materials safety officer, and EMS personnel assigned to the incident.

**6.2.4.9** Given the emergency response plan and existing guidance from the AHJ, the ALS responder assigned to a hazardous materials team shall describe the following:

- (1) How to establish a hazardous materials rehabilitation group in accordance with NFPA 1584, *Standard on the Rehabilitation Process for Members During Emergency Operations and Training Exercises*
- (2) Procedures to ensure team member compliance with rehabilitation efforts

**6.2.4.10** Given the emergency response plan and existing guidance from the AHJ, the ALS responder assigned to a hazardous materials team shall describe the following procedures:

- (1) Acting as a patient advocate for team members requiring transport to a healthcare facility for treatment
- (2) Assisting healthcare responders as necessary with information regarding the patient's injury and/or illness

**6.2.4.11** Given the emergency response plan and existing guidance from the AHJ, the ALS responder assigned to a hazardous materials team shall describe:

- (1) Safety concerns when utilizing air medical transportation during hazardous materials incidents
- (2) Methods to prevent air medical crew and aircraft from secondary contamination during incidents

**6.2.5 Competencies: Evaluating Progress. (Reserved)**

**6.2.6 Competencies: Terminating the Incident.**

**6.2.6.1** Given the emergency response plan and existing guidance from the AHJ, the ALS responder assigned to a hazardous materials team shall describe the importance of completing all team medical documentation required by the AHJ following incident responses.

**6.2.6.2** Given the emergency response plan, existing guidance from the AHJ, and with guidance from the appropriate AHJ medical director, the ALS responder assigned to a hazardous materials team shall describe the process for coordinating morbidity and mortality review sessions for all medical personnel involved in patient care on hazardous materials team members during incidents.

**6.3 Mission-Specific Competencies: Advanced Life Support (ALS) Responder Assigned to Provide Clinical Interventions at Hazardous Materials/WMD Incident.**

**6.3.1 General.**

**6.3.1.1 Introduction.**

**6.3.1.1.1** The ALS responder assigned to provide clinical interventions at a hazardous materials/WMD incident shall be that person who is assigned to provide antidotes, antibiotics, and/or radiological countermeasures to persons contaminated by hazardous materials.

**6.3.1.1.2** The ALS responder who is assigned to provide clinical interventions at a hazardous materials incident shall be trained to meet all competencies for NFPA 473, Chapter 4, “Competencies for Hazardous Materials/WMD Basic Life Support (BLS) Responder,” and Chapter 5, “Competencies for Hazardous Materials/WMD Advanced Life Support (ALS) Responder,” and the competencies in this section.

**6.3.1.1.3** The ALS responder who is assigned to provide clinical interventions at a hazardous materials/WMD incident shall also be trained to meet all competencies at the NFPA 472, *Standard for Competence of Responders to Hazardous Materials/Weapons of Mass Destruction Incidents*, awareness level (Chapter 4) and operations level core (Chapter 5).

**6.3.1.1.4** The ALS responder assigned to provide clinical interventions at a hazardous materials incident shall receive the additional training necessary to meet the specific needs of the AHJ.

**6.3.1.1.5** The ALS responder assigned mission-specific responsibilities at hazardous materials/WMD incidents shall receive additional training to meet applicable governmental response and occupational health and safety regulations.

**6.3.1.1.6** The ALS responder assigned mission-specific responsibilities at hazardous materials/WMD incidents shall operate under the guidance of a hazardous materials technician, an allied professional, an emergency response plan, or standard operating procedures.

**6.3.1.1.7** The development of assigned mission-specific knowledge and skills shall be based on the tools, equipment, and procedures provided by the AHJ for the mission-specific responsibilities assigned.

**6.3.1.2 Goal.** The goal of the mission-specific competencies in this section shall be to provide the ALS responder assigned to provide clinical interventions at a hazardous materials incident with the knowledge and skills to perform the following tasks safely and effectively:

- (1) Plan a response within the authority of the AHJ to provide advanced clinical interventions
- (2) Implement the planned response consistent with the medical protocols of the AHJ to provide advanced clinical interventions

**6.3.2 Competencies: Analyzing the Incident. (Reserved)**

**6.3.3 Competencies: Planning the Response.**

**6.3.3.1** Given the emergency response plan and existing guidance from the AHJ medical director, the ALS responder assigned to provide clinical interventions at a hazardous materials incident shall receive advanced training on pharmaceutical and clinical interventions.

**6.3.3.2** Given the emergency response plan and existing guidance from the AHJ, the ALS responder assigned to provide clinical interventions at a hazardous materials incident shall identify potential sources of hazardous material exposure within the response area of the AHJ that may require clinical intervention skills and/or equipment.

**6.3.4 Competencies: Implementing the Planned Response.**

**6.3.4.1\*** Given the emergency response plan and existing guidance from the AHJ medical director, the ALS responder assigned to provide clinical interventions at a hazardous materials incident shall identify the toxidromes for the following:

- (1) Organophosphates
- (2) Carbamates
- (3) Military nerve agents
- (4) Cyanides
- (5) Chlorine and acid gases
- (6) Anhydrous ammonia
- (7) Hydrogen fluoride
- (8) Phenolic compounds
- (9) Military vesicant agents
- (10) Nitrogen containing compounds
- (11) Opiates
- (12) Bacteria
- (13) Viruses
- (14) Biologic toxins
- (15) Riot control agents
- (16) Phosgene
- (17) Ionizing radiation

**6.3.4.2\*** Given the emergency response plan and existing guidance from the AHJ medical director, the ALS responder assigned to provide clinical interventions at a hazardous materials incident shall describe the clinical application and actions of the following pharmaceuticals based upon approval for clinical use by the AHJ:

- (1) Atropine sulfate
- (2) Pralidoxime (2-PAM)
- (3) Diazepam
- (4) Calcium gluconate





- (5) Amyl nitrite
- (6) Sodium nitrite
- (7) Sodium thiosulphate
- (8) Hydroxocobalamin
- (9) Methylene blue
- (10) Sodium bicarbonate
- (11) Naloxone
- (12) Dimercaprol
- (13) Polyethylene glycol
- (14) Zinc EDTA
- (15) Calcium EDTA
- (16) Prussian blue
- (17) Water

**6.3.4.3** Given the emergency response plan and existing guidance from the AHJ medical director, the ALS responder assigned to provide clinical interventions at a hazardous materials incident shall demonstrate the ability to properly perform the following clinical skills using the equipment approved and provided for use by the AHJ:

- (1) Nebulizer treatment
- (2) Morgan lens insertion
- (3) Monitor hemoglobin oxygenation levels
- (4) Monitor carboxyhemoglobin levels
- (5) Monitor end tidal carbon dioxide levels
- (6) Monitor methemoglobin levels
- (7) Administer square centimeter grid subcutaneous injections

#### **6.3.5 Competencies: Evaluating Progress. (Reserved)**

#### **6.3.6 Competencies: Terminating the Incident. (Reserved)**

### **6.4 Mission-Specific Competencies: Advanced Life Support (ALS) Responder Assigned to Treatment of Smoke Inhalation Victims.**

#### **6.4.1 General.**

##### **6.4.1.1 Introduction.**

**6.4.1.1.1** The ALS responder assigned to treatment of smoke inhalation victims shall be trained to meet at least the core competencies of the operations level responders as defined in Chapter 5 of NFPA 472, *Standard for Competence of Responders to Hazardous Materials/Weapons of Mass Destruction Incidents*, and all competencies of this section.

**6.4.1.1.2** The ALS responder assigned to treatment of smoke inhalation victims at hazardous materials/WMD incidents, structural fires, or any other incident where smoke inhalation illness or injury is suspected shall operate under the medical control of a physician or designee providing direction for patient care activities in the prehospital setting.

##### **6.4.1.2 Goal.**

**6.4.1.2.1** The goal of the competencies of this chapter shall be to provide the ALS responder with the knowledge and skills necessary to safely deliver care at hazardous materials/WMD incidents, structural fires, or any other incident where smoke inhalation illness or injury is suspected and to function within the established IMS/ICS as follows:

- (1) Analyze the incident to determine the potential health risks to the ALS responder, other responders, and anticipated/actual patients by completing the following tasks:
  - (a) Survey the incident to identify causes of suspected or confirmed illness or injury resulting from acute exposure to fire smoke

- (b) Collect information from on-scene emergency response personnel, civilians, or other knowledgeable persons to determine if victims have been rescued or otherwise removed from a closed space structure fire or any other situation indicating the potential for a smoke exposure
- (2) Plan to deliver ALS to smoke-exposed patients, within the scope of practice and training competencies established by the AHJ, including specific training on smoke exposures and antidotal therapy, by completing the following tasks:
  - (a) Identify the capabilities of the hospital network within the AHJ to accept patients with significant burns, trauma, or those patients that may be candidates for hyperbaric therapy
  - (b) Identify receiving hospitals with Food and Drug Administration (FDA) approved antidote(s) for suspected or confirmed cyanide poisoning resulting from a smoke exposure
- (3) Implement a prehospital treatment plan for smoke inhalation patients, within the scope of practice and training competencies established by the AHJ, by completing the following tasks:
  - (a) Perform a complete assessment of the smoke inhalation patient
  - (b) Determine the need for rapid field decontamination of the smoke inhalation patient including clothing removal
  - (c) Identify and treat any associated life-threatening injuries including burns or trauma within the scope of practice established by the AHJ
  - (d) Identify available and AHJ-approved field adjuncts to measure pulse oximetry, carbon monoxide levels and lactate levels
  - (e) Identify and treat any underlying medical conditions such as cardiac arrest, respiratory distress or arrest, seizures or altered level of consciousness, within the scope of practice established by the AHJ
  - (f) Determine the need to administer FDA-approved antidotes to affected patients within the scope of practice established by the AHJ
  - (g) Identify the most appropriate receiving hospital and provide for rapid transport
- (4) Participate in the termination of the incident by reporting and documenting the actions taken by the ALS responder at the scene of the incident

#### **6.4.2 Competencies — Analyzing the Incident.**

**6.4.2.1 Identifying the General Hazards of Fire Smoke.** Given examples of various types of fire scenes involving residential or commercial structure fires, vehicle fires, aircraft fires, and other hazardous materials/WMD incidents, the ALS responder shall describe the commonly found components of fire smoke, including carbon monoxide and hydrogen cyanide, and describe the general health hazards associated with those substances including the following:

- (1) Mechanism of toxicity
- (2) Acute and delayed toxicological effects
- (3) Dose-response relationship
- (4) Signs and symptoms of mild, moderate, and severe exposures

**6.4.2.2 Identifying Smoke Inhalation Victims.** Given examples of various types of fire scenes involving residential or commercial structure fires, vehicle fires, aircraft fires, and other hazardous materials/WMD incidents, the ALS responder shall describe the



general health risks to patients exposed to fire smoke and identify those patients who may require clinical interventions, including antidotes for associated cyanide poisoning.

#### 6.4.3 Competencies — Planning to Deliver ALS Patient Care.

**6.4.3.1 Identifying Resources for Treating Acute Smoke Inhalation Patients.** Given examples of smoke inhalation patients, including circumstance of the exposure, signs and symptoms, underlying medical conditions (cardiac arrest, respiratory distress or arrest, seizure, or altered mental status), the ALS responder shall identify the methods and vehicles available to transport smoke inhalation patients and shall determine the location and potential routes of travel to the following appropriate local and regional hospitals, based on patient need:

- (1) Adult trauma centers
- (2) Pediatric trauma centers
- (3) Adult burn centers
- (4) Pediatric burn centers
- (5) Hyperbaric chambers
- (6) Field hospitals
- (7) Hospitals or medical centers with FDA-approved cyanide antidotes
- (8) Hospitals or medical centers with the capability of performing whole blood cyanide testing

**6.4.4 Competencies — Implementing a Prehospital Care Plan.** Given examples of smoke inhalation patients including circumstance of the exposure, signs and symptoms, underlying medical conditions (cardiac arrest, respiratory distress or arrest, seizure, or altered mental status), the ALS responder shall demonstrate the ability to perform the critical BLS and ALS clinical interventions, including antidotes for known and suspected cyanide poisoning, within the scope of practice and training competencies established by the AHJ.

#### 6.4.5 Competencies — Evaluating Progress. (Reserved)

#### 6.4.6 Competencies — Terminating the Incident.

**6.4.6.1 Reporting and Documenting the Incident.** Given a scenario where treatment of a smoke inhalation patient occurred, the ALS responder shall demonstrate the ability to report and document all facets of patient care in accordance with the incident reporting system used within the AHJ.

## Annex A Explanatory Material

*Annex A is not a part of the requirements of this NFPA document but is included for informational purposes only. This annex contains explanatory material, numbered to correspond with the applicable text paragraphs.*

**A.1.3** The CDC categories of bioterrorism diseases and agents are as follows (for more information, see the CDC website [www.bt.cdc.gov](http://www.bt.cdc.gov)):

- (1) Category A
  - (a) Anthrax (*Bacillus anthracis*)
  - (b) Botulism (*Clostridium botulinum* toxin)
  - (c) Plague (*Yersinia pestis*)
  - (d) Smallpox (variola major)
  - (e) *Francisella tularensis* (tularemia)
  - (f) Viral hemorrhagic fevers [filoviruses (e.g., Ebola, Marburg) and arenaviruses (e.g., Lassa, Machupo)]

- (2) Category B

- (a) Brucellosis (*Brucella* species)
- (b) Epsilon toxin of *Clostridium perfringens*
- (c) Food safety threats (e.g., *Salmonella* species, *Escherichia coli* O157:H7, *Shigella*)
- (d) Glanders (*Burkholderia mallei*)
- (e) Melioidosis (*Burkholderia pseudomallei*)
- (f) Psittacosis (*Chlamydia psittaci*)
- (g) Q fever (*Coxiella burnetii*)
- (h) Ricin toxin from *Ricinus communis* (castor beans)
- (i) Staphylococcal enterotoxin B
- (j) Typhus fever (*Rickettsia prowazekii*)
- (k) Viral encephalitis [alphaviruses (e.g., Venezuelan equine encephalitis, eastern equine encephalitis, western equine encephalitis)]
- (l) Water safety threats (e.g., *Vibrio cholerae*, *Cryptosporidium parvum*)

- (3) Category C — emerging infectious diseases, such as Nipah virus and hantavirus

**Category A Diseases/Agents.** The U.S. public health system and primary healthcare providers must be prepared to address various biological agents, including pathogens that are rarely seen in the United States. These high-priority agents include organisms that pose a risk to national security because of the following:

- (1) They can be easily disseminated or transmitted from person to person.
- (2) They result in high mortality rates and have the potential for major public health impact.
- (3) They might cause public panic and social disruption.
- (4) They require special action for public health preparedness.

**Category B Diseases/Agents.** These second-highest priority agents have the following characteristics:

- (1) They are moderately easy to disseminate.
- (2) They result in moderate morbidity rates and low mortality rates.
- (3) They require specific enhancements of CDC's diagnostic capacity and enhanced disease surveillance.

**Category C Diseases/Agents.** These third-highest priority agents include emerging pathogens that could be engineered for mass dissemination in the future because of the following characteristics:

- (1) Availability
- (2) Ease of production and dissemination
- (3) Potential for high morbidity and mortality rates and major health impact

**A.3.2.1 Approved.** The National Fire Protection Association does not approve, inspect, or certify any installations, procedures, equipment, or materials; nor does it approve or evaluate testing laboratories. In determining the acceptability of installations, procedures, equipment, or materials, the authority having jurisdiction may base acceptance on compliance with NFPA or other appropriate standards. In the absence of such standards, said authority may require evidence of proper installation, procedure, or use. The authority having jurisdiction may also refer to the listings or labeling practices of an organization that is concerned with product evaluations and is thus in a position to determine compliance with appropriate standards for the current production of listed items.

**A.3.2.2 Authority Having Jurisdiction (AHJ).** The phrase “authority having jurisdiction,” or its acronym AHJ, is used in NFPA documents in a broad manner, since jurisdictions and



approval agencies vary, as do their responsibilities. Where public safety is primary, the authority having jurisdiction may be a federal, state, local, or other regional department or individual such as a fire chief; fire marshal; chief of a fire prevention bureau, labor department, or health department; building official; electrical inspector; or others having statutory authority. For insurance purposes, an insurance inspection department, rating bureau, or other insurance company representative may be the authority having jurisdiction. In many circumstances, the property owner or his or her designated agent assumes the role of the authority having jurisdiction; at government installations, the commanding officer or departmental official may be the authority having jurisdiction.

**A.3.2.3 Listed.** The means for identifying listed equipment may vary for each organization concerned with product evaluation; some organizations do not recognize equipment as listed unless it is also labeled. The authority having jurisdiction should utilize the system employed by the listing organization to identify a listed product.

**A.3.3.2 Allied Professional.** Examples of an allied professional could include certified safety professional (CSP), certified health physicist (CHP), certified industrial hygienist (CIH), radiation safety officer (RSO), or similar credentialed or competent individuals as determined by the AHJ. An allied professional can also be referred to as a subject matter expert (SME) in a mission-specific area.

**A.3.3.3.1 Emergency Care First Responder (ECFR).** In Canada, the terminology used is Emergency Medical Assistant-1 (EMA-1), Emergency Medical Assistant-2 (EMA-2), and Emergency Medical Assistant-3 (EMA-3).

**A.3.3.5 Components of Emergency Medical Service (EMS) System.** These components include the following:

- (1) First responders
- (2) Emergency dispatching
- (3) EMS agency response
- (4) Hospital emergency departments
- (5) Specialized care facilities

**A.3.3.8 Demonstrate.** This performance can be supplemented by simulation, explanation, illustration, or a combination of these.

**A.3.3.13 Hazardous Material.** Other criminal use of hazardous materials includes CBRNE, or chemical, biological, radiological, nuclear, and high yield explosives.

**A.3.3.16 Incident Commander (IC).** This position is equivalent to the on-scene incident commander. The IC has overall authority and responsibility for conducting incident operations and is responsible for the management of all incident operations at the incident site.

**A.3.3.18 Incident Management System (IMS).** The IMS provides a consistent approach for all levels of government, private sector, and volunteer organizations to work together effectively and efficiently to prepare for, respond to, and recover from domestic incidents, regardless of cause, size, or complexity. An IMS provides for interoperability and compatibility among all levels of government, private sector, and volunteer organization capabilities. The IMS includes a core set of concepts, principles, terminology, and technologies covering the ICS, multiagency coordination systems, training, and identification and management of resources.

**A.3.3.25 Weapon of Mass Destruction (WMD).** The source of this definition is 18 USC 2332a.

**A.3.3.25.1.1 Improvised Nuclear Device (IND).** The nuclear explosion from an IND produces extreme heat, powerful shockwaves, and prompt radiation that would be acutely lethal for a significant distance. It also produces potentially lethal radioactive fallout, which may spread and deposit over very large areas. A nuclear detonation in an urban area could result in over 100,000 fatalities (and many more injured), massive infrastructure damage, and thousands of square kilometers of contaminated land. If the IND fails to work correctly and does not create a nuclear explosion, then the detonation of the conventional explosives would likely disperse radioactive material like an explosive radiation dispersal device (RDD).

**A.3.3.25.1.2 Radiation Dispersal Device (RDD).** Any device that intentionally spreads radioactive material across an area with the intent to cause harm, without a nuclear explosion occurring. An RDD that uses explosives for spreading or dispersing radioactive material is commonly referred to as a "dirty bomb" or "explosive RDD." Nonexplosive RDDs could spread radioactive material using common items such as pressurized containers, fans, building air-handling systems, sprayers, crop dusters, or even spreading by hand.

**A.3.3.25.1.3 Radiation Exposure Device (RED).** Sealed source means radioactive material encased in a capsule or closely bonded to another material in order to contain the radioactive material and prevent its leakage or escape under normal conditions of intended use. Radioactive material may be in a sealed or unsealed (dispersible) form. Shipments of sealed and dispersible forms of radioactive material are made in accordance with Department of Transportation regulations in a variety of packaging dependent on the physical and chemical form of the material, quantity of radioactive material present, and associated radiation levels on the exterior of the packaging. An RED may cause a few deaths, but normally would not cause widespread radiological contamination. An RED may be concealed in public transportation (under a bus or subway seat), a busy shopping mall (the food court, for example), movie theater, or any other location where a large number of people may sit, stand, or pass close by. Individuals who come in contact with, touch, or sit on a radioactive material container do not become contaminated. The danger is from exposure, for extended periods of time, to high levels of radiation close to the radioactive material or generating device. If radioactive material was used in the RED and it was to break open, some of the radioactive material could be released, causing contamination. If this occurs, the RED becomes an RDD, and people coming in contact with the radioactive material could spread contamination elsewhere.

**A.4.2.1.7(1)** Examples of products involved in illicit drug manufacturing include the following:

- (1) Ammonia
- (2) Ephedrine and pseudoephedrine
- (3) Flammable solvents such as ether compounds and methanol
- (4) Fluorinated/chlorinated hydrocarbons (Freon)
- (5) Hydrogen chloride
- (6) Aluminum chloride
- (7) Iodine
- (8) Lithium or sodium metal
- (9) Phosphine gas
- (10) Red phosphorus
- (11) Sodium hydroxide or other caustic substances

**A.4.2.2(4)** CHEMTREC, the Chemical Transportation Emergency Center, is a round-the-clock resource for obtaining immediate emergency response information for accidental chemical releases. CANUTEC, the Canadian Transport Emergency Centre, is operated by Transport Canada to assist emergency response personnel in handling dangerous goods emergencies. SETIQ is the Mexican Emergency Transportation System for the Chemical Industry.

**A.4.3.1.1(3)** External factors can include geographic, environmental, mechanical, and transportation factors such as prevailing winds, water supply, vehicle and pedestrian traffic flow, ventilation systems, and other natural or man-made influences, including air and rail corridors.

**A.4.4.1(3)** Examples of hazard classifications include the following:

- (1) Acids, alkalis, and corrosives
- (2) Fumigants and pesticides: organophosphates, carbamates, zinc or aluminum phosphide, strychnine, sulfuryl fluoride
- (3) Chemical asphyxiants: cyanide, carbon monoxide, hydrogen sulfide
- (4) Simple asphyxiants: nitrogen, helium
- (5) Organic solvents: xylene, benzene, methylene chloride
- (6) Nerve agents: Tabun, Sarin, Soman, V agent
- (7) Vesicants and blister agents: mustard, Lewisite
- (8) Blood agents: cyanide, cyanogen chloride, arsine
- (9) Choking agents: ammonia, chlorine, diphosgene, phosgene
- (10) Pepper spray, irritants, and riot-control agents: CS (orthochlorobenzalmalononitrile), CN (chloroacetophenone), CR (dibenzoxazepine), MACE (phenylchloromethylketone), OC (oleoresin capsicum)
- (11) Biological agents and toxins: anthrax, mycotoxin, plague, viral hemorrhagic fevers, smallpox, ricin
- (12) Incapacitating agents: BZ, LSD
- (13) Radioactive materials: cobalt-60, cesium-137, iridium-192
- (14) Nitrogen-containing compounds: aniline, nitrates
- (15) Opiate compounds: fentanyl, morphine
- (16) Fluorine compounds: hydrogen fluoride, hydrofluoric acid
- (17) Phenolic compounds: carbolic acid, cresylic acid

**A.4.4.5(7)(f)** Regarding the issue of weighing individuals, recent medical research has focused on the concerns relating to water consumption and the difficulty in managing oral fluid intake. Often the distinction of water intoxication and resulting hyponatremia versus dehydration from insufficient water consumption, especially during sustained and prolonged operations, cannot be determined by vital sign measurements alone in the prehospital setting. One invaluable measure in making this distinction is a comparison weight of the individual prior to and following entry and re-entry to the operational theater. It is for this reason that comparison weighing is an included recommendation for evaluation of fitness.

**A.5.2.1.5** Biodromes of common Category A bioterrorism agents are provided in Annex B, Table B.1; common bioagent mass casualty antidotes are provided in Annex B, Table B.2.

**A.5.2.1.6** Examples of toxic industrial materials are corrosives, reproductive hazards, carcinogens, flammable hazards, and explosive hazards. Toxidromes of common toxicants are provided in Annex B, Table B.3; antidotes for common toxicants are provided in Annex B, Table B.4.

**A.5.2.1.7** Some examples of hazardous materials/WMD found at illicit laboratories include but are not limited to the following:

- (1) Ammonia
- (2) Ephedrine and pseudoephedrine
- (3) Flammable solvents such as ether compounds and methanol
- (4) Fluorinated/chlorinated hydrocarbons (Freon)
- (5) Hydrogen chloride
- (6) Iodine
- (7) Lithium and/or sodium metal
- (8) Red phosphorus
- (9) Sodium hydroxide or other caustic substances
- (10) Category A, B, and C agents
- (11) TICs
- (12) TIMs
- (13) Radioactive materials

**A.5.2.1.8** ASTM International E 2601, *Standard Practice for Radiological Emergency Response*, provides guidance on the first 24 hours of response to such incidents; Table A1.3 of ASTM E 2601 presents medical aspects of radiation injury (0 to 125 rem). CRCPD Publication 06-6 provides guidance on the first 12 hours of response to RDD incidents; Table 3 of the CRCPD Publication 06-6 provides “turn-back” exposure rates and dose guidelines.

**A.5.4.1(2)** See A.4.4.1(3).

**A.5.4.2** Most ALS medical treatment at hazardous materials/WMD incidents will be delivered in the cold zone, after decontamination. In some cases, ALS skills need to be delivered in the warm or hot zone prior to or concurrent with decontamination. In those situations, ALS responders need to balance the need for performing life-saving interventions with decontamination, taking into consideration the nature and severity of the incident; the medical needs of the patient; and the need to perform decontamination prior to rendering care.

Life safety of the responder is paramount. ALS responders who anticipate functioning under these conditions should receive training and meet the mission-specific personal protective equipment competencies as defined in Section 6.2 of NFPA 472, *Standard for Competence of Responders to Hazardous Materials/Weapons of Mass Destruction Incidents*.

It is critical that EMS providers review their responsibilities within their local emergency response plan before an incident occurs to ensure that EMS responders are adequately trained for their expected roles within the IMS/ICS at the hazardous materials/WMD incident. The priorities for triage, treatment, or decontamination in the setting of other significant injuries should be based on the following requirements:

- (1) *Priority I — Medical Care First.* Medical care outweighs immediate decontamination, and patients should be grossly decontaminated only as priority to transport. Contaminated patients with serious or critical illness, trauma, or burns should be decontaminated while their life-threatening injuries are being addressed.
- (2) *Priority II — Combined Priorities.* Medical care needs are balanced with a priority to decontaminate. These patients present with a serious illness other than from the chemical exposure, have trauma or burn injuries, and have not been decontaminated but might have a high level of contamination. There might be a risk to the EMS provider from an ongoing exposure to the hazardous substance. In this situation, it might not be safe to render medical care without the appropriate personal protective equipment. The ABCs (airway/breathing/circulation) and threats to life should be managed along with rapid decontamination.

- (3) *Priority III — Decontaminate First.* Decontamination should be performed prior to providing medical care. In this situation, it might not be safe to render medical care without the appropriate personal protective equipment.

Patient conditions are categorized as follows:

- (1) A = Critical condition: airway compromised, serious signs or symptoms of shock, cardiac arrest, life-threatening trauma or burns
- (2) B = Unstable condition: shortness of breath, unstable vital signs, altered level of consciousness after the exposure, significant trauma or burns
- (3) C = Stable condition: stable vital signs, no altered level of consciousness, no significant trauma or burns

See Table A.5.4.2.

**A.6.2.3.8** The ALS responder should provide guidance, including assistance during Joint Commission and Local Emergency Planning Committee (LEPC) preparation exercises.

**A.6.3.4.1** Toxidromes of common toxicants are provided in Annex B, Table B.3; biodromes of common Category A bioterrorism agents are provided in Annex B, Table B.1; ASTM International E 2601, *Standard Practice for Radiological Emergency Response*, provides guidance on the first 24 hours of response to radiological incidents; CRCPD Publication 06-6 provides guidance on the first 12 hours of response to RDD incidents; Table 3 of the CRCPD Publication 06-6 provides “turn-back” exposure rates and dose guidelines.

**A.6.3.4.2** Antidotes for common toxicants are provided in Table B.3; common bioagent mass casualty antidotes are provided in Table B.2; and Table A.1.3 of ASTM E 2601 standard practice presents medical aspects of radiation injury (0 to 125 rem).

**Table A.5.4.2 Patient Priority Levels**

Level of Contamination	Priority Based on Condition		
	Medically Critical (A)	Medically Unstable (B)	Medically Stable (C)
Heavily contaminated with highly toxic substance	II	III	III
Heavily contaminated with low-toxicity substance	I	II	II
Low-level contamination with highly toxic substance	II	III	III
Low-level contamination with low-toxicity substance	I	I	II
Chemical in eyes: Decontaminate eyes immediately and thoroughly.			

## Annex B Toxicity Analysis and Antidote Tables

**B.1** See Table B.1 for a list of hazardous materials biodromes.

**B.2** See Table B.2 for a list of bioagent antidotes.

**B.3** See Table B.3 for a list of hazardous materials toxidromes.

**B.4** See Table B.4 for a list of hazardous materials antidotes.



**Table B.1 HazMat Biodromes — Category A Bioagents**

Bioterrorism Agent	Exposure Routes	Incubation Period	Signs and Symptoms	Infective Dose	Precautions
Anthrax ( <i>Bacillus anthracis</i> — encapsulated, aerobic, gram-positive, spore-forming, rod-shaped bacterium)	Cutaneous anthrax — most common	Usually an immediate response up to 1 day	Local skin involvement after direct contact with spores or bacilli; localized itching followed by 1) papular lesion that turns vesicular and 2) subsequent development of black eschar within 7–10 days of initial lesion	Any direct exposure to vesicle secretions of cutaneous anthrax	Standard contact precautions; avoid direct contact with wound or wound drainage
	Inhalation anthrax — less common	Usually <1 week; may be prolonged for weeks up to 2 months	Nonspecific symptoms such as low-grade fever, nonproductive cough, malaise, fatigue, myalgias, profound sweats, chest discomfort (upper respiratory tract symptoms are rare)	<8,000 to 50,000 spores	Standard contact precautions; avoid direct contact with wound or wound drainage
	Gastrointestinal anthrax — less common	Usually 1–7 days	Nausea, anorexia, vomiting, and fever progressing to severe abdominal pain, hematemesis, and diarrhea that is almost always bloody; acute abdomen picture with rebound tenderness may develop		Standard contact precautions; avoid direct contact with wound or wound drainage
Botulism ( <i>Clostridium botulinum</i> toxin produced by <i>Clostridium botulinum</i> , an encapsulated, anaerobe, gram-positive, spore-forming, rod-shaped bacterium)	Inhalation botulism (does not occur naturally, only as bioterrorism agent)	Foodborne botulism symptoms begin within 6–10 hours; inhalation botulism could be shorter	Symmetrical cranial neuropathies (difficulty swallowing or speaking, dry mouth, diplopia (double vision), blurred vision, dilated or nonreactive pupils, ptosis (drooping eyelids); symmetrical descending weakness respiratory dysfunction (requiring mechanical ventilation); descending flaccid paralysis; intact mental state; no sensory dysfunction; no fever; constipation more common in infant botulism		Botulism is not transmissible from person-to-person; use standard precautions
Plague ( <i>Yersinia pestis</i> — bacillus)	Pneumonic plague — airborne for exposure by inhalation	1 to 6 days	First signs of illness are fever, headache, weakness, and rapidly developing pneumonia with shortness of breath, chest pain, cough, and sometimes bloody or watery sputum	<100 organisms	Droplet precautions; surgical-type masks (N95); post-exposure prophylaxis (doxycycline 100 mg or ciprofloxacin 500 mg orally twice daily)
	Bubonic plague — most common form, when <i>Yersinia pestis</i> enters body through skin break		Enlarged, tender lymph nodes, fever, chills and prostration		
	Septicemic plague — when plague bacteria multiply in blood, usually a complication of pneumonic or bubonic		Fever, chills, prostration, abdominal pain, shock, and bleeding into skin and other organs		

Table B.1 *Continued*

Bioterrorism Agent	Exposure Routes	Incubation Period	Signs and Symptoms	Infective Dose	Precautions
Smallpox ( <i>variola major</i> )	Direct and fairly prolonged face-to-face contact is required to spread smallpox from one person to another; Smallpox also can be spread through direct contact with infected bodily fluids or contaminated objects	Initial symptoms (prodrome — duration: 2 to 4 days) sometimes contagious; early rash (duration: about 4 days) most contagious	First symptoms of smallpox include fever, malaise, head and body aches, and sometimes vomiting; fever is usually high, in the range of 101 to 104 degrees Fahrenheit, at this time people are usually too sick to carry on their normal activities (called the <i>prodrome</i> phase and may last for 2 to 4 days); rash emerges first as small red spots on the tongue and in the mouth; spots develop into sores that break open and spread large amounts of the virus into the mouth and throat; at this point the person becomes most contagious; sores in mouth break down, a rash appears on the skin, starting on the face and spreading to the arms and legs and then to the hands and feet; usually rash spreads to all parts of the body within 24 hours; as rash appears, the fever usually falls and the person may start to feel better; by third day of the rash, the rash becomes raised bumps; by fourth day, the bumps fill with a thick, opaque fluid and often have a depression in the center that looks like a bellybutton (a major distinguishing characteristic of smallpox)	10–100 organisms with human-to-human transmission within 3 m	Airborne (N95 mask) and contact precautions; Smallpox vaccine, a live-virus vaccine made from vaccinia virus, is highly effective at inducing immunity against smallpox prior to exposure; if administered within 3 days after exposure to smallpox virus, it may prevent disease, or decrease the severity of disease and risk of death
Tularemia ( <i>Francisella tularensis</i> )	Airborne for exposure by inhalation	Symptoms appear 3 to 5 days post-exposure, but can take as long as 14 days	Onset is usually abrupt with fever (38°C to 40°C), headache, chills, and rigors (violent shivering), generalized body aches often prominent in lower back), coryza (common cold symptoms), and sore throat; dry or slightly productive cough and substernal pain or tightness with or without signs of pneumonia; nausea, vomiting, and diarrhea may occur	10–50 organisms	Airborne (N95 mask) and contact precautions; a live attenuated vaccine derived from avirulent <i>Francisella tularensis</i> biovar <i>palaeartica</i> (type B) is under review by the Food and Drug Administration (has been used to protect laboratorians routinely working with the bacterium); post-exposure (before illness occurs) prophylactic treatment with doxycycline or ciprofloxacin

(continues)

**Table B.1** *Continued*

Bioterrorism Agent	Exposure Routes	Incubation Period	Signs and Symptoms	Infective Dose	Precautions
Viral hemorrhagic fevers [filoviruses (e.g., Ebola, Marburg) and arenaviruses (e.g., Lassa, Machupo)]	Inhalation or close contact with infected patient	5 to 10 days (may be as long as 3 weeks)	Overall the vascular system will be damaged, and the body's ability to regulate itself impaired; these symptoms are often accompanied by hemorrhage bleeding; initial signs and symptoms often include marked fever, fatigue, dizziness, muscle aches, loss of strength, and exhaustion; severe cases often show signs of bleeding under the skin, in internal organs, or from body orifices like the mouth, eyes, or ears. However, although they may bleed from many sites around the body, patients rarely die because of blood loss; severely ill patient cases may also show shock, nervous system malfunction, coma, delirium, and seizures; in some case renal (kidney) failure may occur	400 plaque-forming units by inhalation is fatal in 5 days	Airborne (N95 mask) and contact precautions; isolate infected patients; wear hard hygiene protective clothing (double gloves, impermeable gowns, leg/shoe covering, face shields/goggles)

Source: CDC databases.

**Table B.2** Bioagent Mass Casualty Antidotes

Antidote	Bioagent	Common Adult Dose
Ciprofloxacin	Anthrax — Inhalation	500 mg po bid
Ciprofloxacin	Anthrax — Prophylaxis	500 mg po bid
Doxycycline	Plague	100 mg po bid
Ciprofloxacin	Plague	500 mg po bid
Doxycycline	Tularemia	100 mg po bid
Vaccinate	Smallpox	
Botulinum antitoxin	Botulinum	10 mL vial (most effective if administered within 24 hours)

Bid: two times a day.

IM: Intramuscular. IV: Intravenous. po: Oral.

Source: CDC databases.



**Table B.3 HazMat Toxidromes**

Toxidrome	Typical Toxicants	Predominant Route of Exposure	Predominant Toxicodynamics	Predominant Target(s) of Toxicity
Irritant gas — highly water soluble	Ammonia (NH <sub>3</sub> ) Formaldehyde (HCHO) Hydrogen chloride (HCl) Sulfure dioxide (SO <sub>2</sub> )	Inhalation	Irritant and corrosive local toxic effects, by readily dissolving in the water of exposed mucous membranes and the upper airway, forming a corrosive aqueous solution that causes inflammation, edema, and corrosion of the exposed mucous membranes and upper airway	Airway
Irritant gas — moderately water soluble	Chlorine (Cl <sub>2</sub> )	Inhalation	Irritant and corrosive local toxic effects, by dissolving in the water of exposed mucous membranes and the upper airway and lower airways, forming a corrosive aqueous solution that causes inflammation, edema, and corrosion of the exposed upper and lower airways	Airway breathing
Irritant gas — slightly water soluble	Phosgene (COCl <sub>2</sub> ) Nitrogen dioxide (NO <sub>2</sub> )	Inhalation	Irritant and corrosive local toxic effects, by slowly dissolving in the water of the alveolar-capillary membrane of the lung, forming a corrosive aqueous solution that causes delayed non-cardiogenic pulmonary edema	Breathing
Asphyxiant — simple	Carbon dioxide (CO <sub>2</sub> ) Methane (CH <sub>4</sub> ) Propane (CH <sub>3</sub> , CH <sub>2</sub> , CH <sub>3</sub> )	Inhalation	Displacement of O <sub>2</sub> from the ambient atmosphere, decreasing the O <sub>2</sub> supply to the lungs	Cardiovascular disability (nervous system)
Asphyxiant — systemic (chemical)	Carbon monoxide (CO) Hydrogen cyanide (HCN) Hydrogen sulfide (H <sub>2</sub> S) Hydrogen azide (HN <sub>3</sub> ) Isobutyl nitrite	Inhalation	Interference with O <sub>2</sub> transportation and/or utilization within the blood and/or other tissues	Cardiovascular disability (nervous system)
Cholinergic	Organophosphate pesticides Carbamate insecticides	Skin and mucous membranes	Excess acetylcholine accumulation at both the muscarinic and nicotininc receptors in the CNS/PNS, due to inhibition of acetylcholinesterase, the enzyme that breaks down acetylcholine	Disability (nervous system)
Cholinergic	Organophosphate nerve agents	Inhalation and/or skin and mucous membranes	Excess acetylcholine accumulation at both the muscarinic and nicotininc receptors in the CNS/PNS, due to inhibition of acetylcholinesterase, the enzyme that breaks down acetylcholine	Disability (nervous system)
Corrosive	Acids (hydrochloric, nitric, sulfuric, etc.) Bases (sodium hydroxide, ammonium hydroxide, potassium hydroxide)	Skin and mucous membranes	Irritant and corrosive local toxic effects that cause chemical burns of the skin and mucous membranes that come into contact with the corrosive solutions	Airway cardiovascular
Hydrocarbon and halogenated hydrocarbon	Gasoline Propane Toluene Chloroform	Inhalation of gases or vapors	Inhalation can cause sleepiness to the point of narcosis (deep stupor and/or coma) and cardiac irritability because the heart is sensitized to catecholamines (epinephrine and norepinephrine)	Cardiovascular disability (nervous system)



**Table B.4 HazMat Antidotes**

Antidote	Poisoning	Common Adult Dose	Common Pediatric Dose
Atropine	Organophosphates carbamates nerve agents	1–2 mg IV bolus Titrate with repeated doses	0.02–0.04 mg/kg IV bolus Never less than .1 mg. Titrate with repeated doses
Calcium gluconate 10% slow IV bolus	Systemic hydrofluoric acid or fluoride poisoning	10–20 mL (1–2 amp) Repeat doses may be required	0.2–0.3 mL/kg Repeat doses may be required
Calcium gluconate 2.5% – 10% topical gel or solution	Hydrofluoric acid skin burns	Topical application	Topical application
Calcium chloride 10% slow IV bolus	Systemic hydrofluoric acid or fluoride poisoning	5–10 mL (0.5–1 amp) Repeat doses may be required	0.1–0.2 mL/kg 0.2 repeat doses may be required
USA cyanide antidote kit Amyl nitrite	Cyanides Nitriles Sulfides	By inhalation	By inhalation
USA cyanide antidote kit Sodium nitrite	Cyanides Nitriles Sulfides	10 mL (1 amp) slow IV bolus over 5 minutes	0.12–0.33 mL/kg slow IV bolus over 5 minutes, up to a maximum of 10 mL (1 amp)
USA cyanide antidote kit Sodium thiosulfate	Cyanides Nitriles Sulfides	50 mL (1 amp) slow IV bolus over 10 to 20 minutes	1.6 mL/kg slow IV bolus over 10 to 20 minutes, up to a maximum of 50 mL (1 amp)
Hydroxocobalamin	Cyanides	5 g IV	
Methylene blue	Methemoglobin forming compounds	1–2 mg/kg slow IV bolus over 5 minutes Repeat doses may be required	1–2 mg/kg slow IV bolus over 5 minutes Repeat doses may be required
Oxygen	Simple asphyxiants Systemic asphyxiants Methemoglobin forming compounds Carbon monoxide Cyanides Azides and hydrozoic acid Hydrogen sulfide and sulfides	100% by inhalation	100% by inhalation
Pralidoxime (2-PAM)	Organophosphates Nerve agents	1–2 g slow IV infusion over 10 minutes, then 500 mg/hr continuous IV infusion	20–40 mg/kg slow IV infusion over 10 minutes, then 5–10 mg/kg/hr continuous IV infusion
Pyridoxine	Hydrazines	25 mg/kg IV	25 mg/kg IV

## Annex C Informational References

**C.1 Referenced Publications.** The documents or portions thereof listed in this annex are referenced within the informational sections of this standard and are not part of the requirements of this document unless also listed in Chapter 2 for other reasons.

**C.1.1 NFPA Publications.** National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02169-7471.

NFPA 472, *Standard for Competence of Responders to Hazardous Materials/Weapons of Mass Destruction Incidents*, 2013 edition.

### C.1.2 Other Publications.

**C.1.2.1 ASTM Publications.** ASTM International, 100 Barr Harbor Drive, P.O. Box C700, West Conshohocken, PA, 19428-2959.

ASTM E 2601, *Standard Practice for Radiological Emergency Response*, 2008.

**C.1.2.2 CRCPD Publications.** Conference of Radiation Control Program Directors, Inc., 1030 Burlington Lane, Suite 4B, Frankfort, KY, 40601.

CRCPD Publication 06-6, *Handbook for Responding to a Radiological Dispersal Device — First Responder's Guide — the First 12 Hours*, September 2006.

**C.1.2.3 U.S. Government Publications.** U.S. Government Printing Office, Washington, DC 20402.

Title 18 U.S. Code Section 2332a, “Use of Weapons of Mass Destruction.”

**C.2 Informational References.** The following documents or portions thereof are listed here as informational resources only. They are not a part of the requirements of this document.

**C.2.1 NFPA Publications.** National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02169-7471.

NFPA 11, *Standard for Low-, Medium-, and High-Expansion Foam*, 2010 edition.

NFPA 30, *Flammable and Combustible Liquids Code*, 2012 edition.

NFPA 58, *Liquefied Petroleum Gas Code*, 2011 edition.

NFPA 1561, *Standard on Emergency Services Incident Management System*, 2008 edition.



NFPA 1991, *Standard on Vapor-Protective Ensembles for Hazardous Materials Emergencies*, 2005 edition.

NFPA 1992, *Standard on Liquid Splash-Protective Ensembles and Clothing for Hazardous Materials Emergencies*, 2012 edition.

*Hazardous Materials Response Handbook*, 2013.

### C.2.2 Other Publications.

**C.2.2.1 ACC Publications.** American Chemistry Council (formerly Chemical Manufacturers Association), 1300 Wilson Blvd., Arlington, VA 22209.

*Recommended Terms for Personal Protective Equipment*, 1985.

**C.2.2.2 API Publications.** American Petroleum Institute, 1220 L Street, N.W., Washington, DC 20005-4070.

API 2021, *Guide for Fighting Fires in and Around Flammable and Combustible Liquid Atmospheric Petroleum Storage Tanks*, 2001.

API 2510-A, *Fire Protection Considerations for the Design and Operation of Liquefied Petroleum Gas (LPG) Storage Facilities*, 1996.

**C.2.2.3 NEA Publications.** National Fire Academy, Federal Emergency Management Agency, Emmitsburg, MD 21727.

*Hazardous Materials Incident Analysis*, 1984.

**C.2.2.4 NRT Publications.** National Response Team, National Oil and Hazardous Substances Contingency Plan, Washington, DC 20593.

NRT-1, *Hazardous Materials Emergency Planning Guide*, 2001.

**C.2.2.5 U.S. Government Publications.** U.S. Government Printing Office, Washington, DC 20402.

Title 29, Code of Federal Regulations, Parts 1910.119–1910.120.

Title 40, Code of Federal Regulations, Part 261.33.

Title 40, Code of Federal Regulations, Part 302.

Title 40, Code of Federal Regulations, Part 355.

Title 49, Code of Federal Regulations, Parts 170–180.

*Emergency Response Guidebook*, U.S. Department of Transportation, 2012 edition.

Emergency Response, Command, and Planning Guidelines (various documents) for terrorist incidents involving chemical and biological agents. U. S. Army Research, Development, and Engineering Command (RDECOM), available through the Edgewood Chemical Biological Center, website <http://www.ecbc.army.mil/hld>.

### C.2.2.6 Additional Publications.

EPA, Emergency Response Program publications, Washington, DC: Environmental Protection Agency, [www.epa.gov](http://www.epa.gov).

Grey, G. L., et al., *Hazardous Materials/Waste Handling for the Emergency Responder*, New York: Fire Engineering Publications, 1989.

Maslansky, C. J., and S. P. Maslansky., *Air Monitoring Instrumentation*, New York: Van Nostrand Reinhold, 1993.

National Toxicology Program, *Report on Carcinogens*, 12th edition, Washington, DC: U.S. Department of Health and Human Services, 2011.

NIOSH/OSHA/USCG/EPA, *Occupational Safety and Health Guidance Manual for Hazardous Waste Site Activities*, October 1985.

Noll, G. G., et al., *Hazardous Materials, Managing the Incident*, 2nd edition, Stillwater, OK: Fire Protection Publications, 1995.

Wright, C. J., “Managing the Hazardous Materials Incident,” *Fire Protection Handbook*, 20th edition, Quincy, MA: National Fire Protection Association, 2008.

### C.3 References for Extracts in Informational Sections. (Reserved)

## Index

Copyright © 2012 National Fire Protection Association. All Rights Reserved.

The copyright in this index is separate and distinct from the copyright in the document that it indexes. The licensing provisions set forth for the document are not applicable to this index. This index may not be reproduced in whole or in part by any means without the express written permission of NFPA.

**-A-**

- Advanced life support (ALS)** ..... *see also* Advanced life support (ALS) responders assigned mission-specific responsibilities, competencies for; Emergency medical services responders to hazardous materials/weapon of mass destruction at the ALS level (ALS level responder)
  - Definition ..... 3.3.1
  - Emergency medical technician—intermediate (EMT-I) (definition) ..... 3.3.1.1
  - Emergency medical technician—paramedic (EMT-P) (definition) ..... 3.3.1.2
  - Medical director (definition) ..... 3.3.1.3
  - Medical team specialist (definition) ..... 3.3.1.4
- Advanced life support (ALS) responders assigned mission-specific responsibilities, competencies for** ..... Chap. 6; *see also* Clinical interventions, responders providing; Hazardous materials team, responders assigned to; Smoke inhalation victims, responders assigned to treatment of
  - Goals ..... 6.1.2, 6.2.1.2, 6.3.1.2, 6.4.1.2
  - Mandating of competencies ..... 6.1.3
- Allied professional** ..... 6.1.1.5, 6.3.1.1.6
  - Definition ..... 3.3.2, A.3.3.2
- Analysis of hazardous materials incident**
  - Hazardous materials/WMD ALS responder ..... 5.1.2(1), 5.2, A.5.2.1.5 to A.5.2.1.8
  - Hazardous materials/WMD BLS responder ..... 4.1.2(1), 4.2, A.4.2.1.7(1), A.4.2.2(4)
  - Smoke inhalation victims, ALS responders assigned to treatment of ..... 6.4.1.2.1(1), 6.4.2
- Approved (definition)** ..... 3.2.1, A.3.2.1
- Authority having jurisdiction (AHJ) (definition)** ..... 3.2.2, A.3.2.2

**-B-**

- Basic life support (BLS)** ..... *see also* Emergency medical services responders to hazardous materials/weapon of mass destruction at the BLS level (BLS level responder)
  - Definition ..... 3.3.3
  - Emergency care first responder (ECFR) (definition) ..... 3.3.3.1, A.3.3.3.1
  - Emergency medical technician—ambulance/basic (EMT-A/B) (definition) ..... 3.3.3.2
- Biodromes** ..... A.5.2.1.5, Table B.1
- Biological diseases/agents** ..... A.1.3; *see also* Toxidromes
  - Antidotes ..... 5.3.2.4(5), 5.3.3.2(12), Table B.2, Table B.4
  - Exposure to ..... 4.2.1.5, 4.4.1(3), 5.2.1.5, 5.4.1(3), A.4.4.1(3), A.5.2.1.5, A.6.3.4.1, Table B.1

**-C-**

- CDC categories A, B, and C** ..... 1.3, A.1.3
- Chemicals** ..... *see* Toxic industrial chemicals/materials
- Clinical interventions, responders providing** ..... 6.3, A.6.3.4.1, A.6.3.4.2
  - Goal ..... 6.3.1.2
  - Implementing planned response ..... 6.3.1.2(2), 6.3.4, A.6.3.4.1, A.6.3.4.2
  - Planning response ..... 6.3.1.2(2), 6.3.3
- Communications** ..... 4.3.3, 5.3.3
- Competence (definition)** ..... 3.3.4
- Components of emergency medical service (EMS) system (definition)** ..... 3.3.5, A.3.3.5
- Containers, identification of** ..... 5.2.1.2(1)

- Contaminant (definition)** ..... 3.3.6; *see also* Decontamination
- Core competencies**
  - Definition ..... 3.3.7
  - Hazardous materials/WMD advanced life support responder ..... 5.1.1
  - Hazardous materials/WMD basic life support responder ..... 4.1.1

**-D-**

- Decontamination** ..... 4.2.3, 4.3.3.2(11), 4.4.2, 5.3.3.2(11), 5.4.2, 6.2.3.9, 6.2.4.5 to 6.2.4.7
- Definitions** ..... Chap. 3
- Demonstrate (definition)** ..... 3.3.8, A.3.3.8
- Describe (definition)** ..... 3.3.9
- Documenting incident** ..... 4.5, 4.6, 5.5, 6.4.6.1

**-E-**

- Emergency care first responder (ECFR) (definition)** ..... 3.3.3.1, A.3.3.3.1
- Emergency decontamination** ..... *see* Decontamination
- Emergency medical services (EMS) (definition)** ..... 3.3.10
- Emergency medical services responders to hazardous materials/weapon of mass destruction at the ALS level (ALS level responder)** ..... *see also* Advanced life support (ALS) responders assigned mission-specific responsibilities, competencies for
  - Competencies ..... Chap. 5
  - Analyzing hazardous materials incident ..... 5.2, A.5.2.1.5 to A.5.2.1.8
  - Implementing planned response ..... 5.4, A.5.4.1(2), A.5.4.2
  - Planning response ..... 5.3
  - Terminating incident ..... 5.5
  - Definition ..... 3.3.11.1
  - Goal ..... 5.1.2
- Emergency medical services responders to hazardous materials/weapon of mass destruction at the BLS level (BLS level responder)**
  - Competencies ..... Chap. 4
  - Analyzing hazardous materials incident ..... 4.2, A.4.2.1.7(1), A.4.2.2(4)
  - Implementing planned response .. 4.4, A.4.4.1(3), A.4.4.5(7)(f)
  - Planning response ..... 4.3, A.4.3.1.1(3)
  - Reporting incident ..... 4.5, 4.6
  - Definition ..... 3.3.11.2
  - Goal ..... 4.1.2
- Emergency medical technician—ambulance/basic (EMT-A/B) (definition)** ..... 3.3.3.2
- Emergency medical technician—intermediate (EMT-I) (definition)** ..... 3.3.1.1
- Emergency medical technician—paramedic (EMT-P) (definition)** ..... 3.3.1.2
- EMS hazardous materials (EMS/hazardous materials/WMD) responder** ..... *see* Advanced life support (ALS) responders assigned mission-specific responsibilities, competencies for; Emergency medical services responders to hazardous materials/weapon of mass destruction at the ALS level (ALS level responder); Emergency medical services responders to hazardous materials/weapon of mass destruction at the BLS level (BLS level responder)
- Evidence, preserving** ..... 4.4.4, 5.4.4



**Exposure** ..... 4.1.2, 4.4.1, 5.1.2  
     5.4.1; *see also* Biological diseases/agents  
     Definition ..... 3.3.12  
     High risk areas, identifying ..... 4.3.1, 5.3.1, A.4.3.1.1(3)  
     To radioactive materials ..... 4.2.1.8, A.6.3.4.1  
     To toxic industrial chemicals/materials ..... 4.2.1.6, 4.4.1(3),  
         5.2.1.6, A.4.4.1(3), A.5.2.1.6

## -H-

**Hazard and response information** ..... 4.2.2, 5.2.2  
**Hazardous materials**  
     Biological diseases/agents ..... *see* Biological diseases/agents  
     Definition ..... 3.3.13, A.3.3.13  
     Exposure to ..... *see* Exposure  
     Radiological incidents ..... 4.2.1.8, A.6.3.4.1; *see also* Radiological  
         weapons of mass destruction  
**Hazardous materials team, responders assigned to** ..... 6.2, A.6.2.3.8  
     Goal ..... 6.2.1.2  
     Implementing planned response ..... 6.2.1.2(2), 6.2.4  
     Planning response ..... 6.2.1.2(1), 6.2.3, A.6.2.3.8  
     Terminating incident ..... 6.2.1.2(3), 6.2.6  
**Hazardous materials/WMD advanced life support (ALS)  
     responder** ..... *see* Emergency medical services responders  
         to hazardous materials/weapon of mass destruction at  
         the ALS level (ALS level responder)  
**Hazardous materials/WMD basic life support (BLS) responder** ..... *see*  
     Emergency medical services responders to hazardous  
     materials/weapon of mass destruction at the BLS level  
     (BLS level responder)  
**High risk areas for potential exposures, identifying** ..... 4.3.1, 5.3.1,  
     A.4.3.1.1(3)  
**Hospital network, local** ..... 4.3.2, 5.3.2

## -I-

**Identify**  
     ALS level responder, role of ..... 5.3.4  
     BLS responder, role of ..... 4.3.4  
     Containers and their markings ..... 5.2.1.2(1)  
     Definition ..... 3.3.14  
     Documents and reports, filing of ..... 4.5, 4.6, 5.5  
     Health-related resource personnel, job functions of ..... 5.2.1.2(2)  
     High risk areas for potential exposures ..... 4.3.1, 5.3.1, A.4.3.1.1(3)  
     Incident communications ..... 4.3.3, 5.3.3  
     Local hospital network capabilities ..... 4.3.2, 5.3.2  
     Material safety data sheet ..... 5.2.1.3  
     Secondary devices ..... 5.2.2.1  
**Implementing the planned response**  
     Advanced life support (ALS) responders assigned mission-specific  
         responsibilities, competencies for  
         Clinical interventions, responders providing ..... 6.3.1.2(2),  
             6.3.4, A.6.3.4.1, A.6.3.4.2  
         Hazardous materials team, responders  
             assigned to ..... 6.2.1.2(2), 6.2.4  
         Smoke inhalation victims, responders assigned to  
             treatment of ..... 6.4.1.2.1(3), 6.4.4  
         Hazardous materials/WMD ALS responder ..... 5.1.2(3), 5.4,  
             A.5.4.1(2), A.5.4.2  
         Hazardous materials/WMD BLS responder ..... 4.1.2(3), 4.4,  
             A.4.4.1(3), A.4.4.5(7)(f)  
**Improvised nuclear device (IND)** ..... 5.2.1.8, A.5.2.1.8  
     Definition ..... 3.3.25.1.1, A.3.3.25.1.1  
**Incident (definition)** ..... 3.3.15  
**Incident commander (IC) (definition)** ..... 3.3.16, A.3.3.16  
**Incident command system (ICS)** ..... 4.1.2, 4.2.1.4, 4.3.4.1, 5.1.2,  
     5.3.4.1, 6.4.1.2.1  
     Definition ..... 3.3.17  
**Incident management system (IMS)** ..... 4.1.2, 4.2.1.4, 5.1.2, 6.4.1.2.1  
     Definition ..... 3.3.18, A.3.3.18  
**Industrial materials** ..... *see* Toxic industrial chemicals/materials

## -L-

**Laboratory operations, illicit** ..... 4.2.1.7, 5.2.1.7  
     A.4.2.1.7(1), A.5.2.1.7  
**Listed (definition)** ..... 3.2.3, A.3.2.3

## -M-

**Material safety data sheet** ..... 5.2.1.3  
**Medical control** ..... 4.3.3.2, 5.3.3.2  
     Definition ..... 3.3.19  
**Medical director (definition)** ..... 3.3.1.3  
**Medical resources, supplemental** ..... 5.3.5  
**Medical supplies, evaluating need for** ..... 4.4.3, 5.4.3  
**Medical support at incidents** ..... 4.4.5, 5.4.5, A.4.4.5(7)(f)  
**Medical surveillance (definition)** ..... 3.3.20  
**Medical team specialist (definition)** ..... 3.3.1.4  
**Mission-specific competencies (definition)** ..... 3.3.21; *see also*  
     Advanced life support (ALS) responders assigned  
     mission-specific responsibilities, competencies for;  
     Emergency medical services responders to hazardous  
     materials/weapon of mass destruction at the ALS level  
     (ALS level responder); Emergency medical services  
     responders to hazardous materials/weapon of mass  
     destruction at the BLS level (BLS level responder)

## -P-

**Patient**  
     Decontamination ..... *see* Decontamination  
     Definition ..... 3.3.22  
     Exposure ..... *see* Exposure  
     Medical care at incident ..... 4.4.1(6), 5.4.1(6)  
         Clinical interventions, responders providing ..... *see* Clinical  
             interventions, responders providing  
         Smoke inhalation victims, responders assigned to  
             treatment of ..... *see* Smoke inhalation victims, responders  
             assigned to treatment of  
**Pesticides** ..... 4.4.1(3), 5.2.1.9, 5.4.1(3), A.4.4.1(3)  
**Planning the response**  
     Advanced life support (ALS) responders assigned mission-specific  
         responsibilities, competencies for  
         Clinical interventions, responders providing ..... 6.3.1.2(1), 6.3.3  
         Hazardous materials team, responders  
             assigned to ..... 6.2.1.2(1), 6.2.3, A.6.2.3.8  
         Smoke inhalation victims, responders assigned to  
             treatment of ..... 6.4.1.2.1(2), 6.4.3  
         Hazardous materials/WMD ALS responder ..... 5.1.2(2), 5.3  
         Hazardous materials/WMD BLS responder ..... 4.1.2(2), 4.3,  
             A.4.3.1.1(3)  
**Poison control center** ..... 4.3.3.2, 5.3.3.2  
**Prehospital treatment** ..... *see* Implementing the planned response  
**Protocol (definition)** ..... 3.3.23  
**Purpose of standard** ..... 1.2

## -R-

**Radiation dispersal device**  
     (RDD) ..... *see* Radiological weapons of mass destruction  
**Radiation exposure device**  
     (RED) ..... *see* Radiological weapons of mass destruction  
**Radiological incidents** ..... 4.2.1.8, 5.2.1.8, 5.3.2.4(5)  
     A.5.2.1.8, A.6.3.4.1  
**Radiological weapons of mass destruction**  
     Improvised nuclear device (IND) ..... 5.2.1.8, A.5.2.1.8  
     Definition ..... 3.3.25.1.1, A.3.3.25.1.1  
     Radiation dispersal device (RDD) ..... 4.2.1.8, 5.2.1.8,  
         A.5.2.1.8, A.6.3.4.1  
     Definition ..... 3.3.25.1.2, A.3.3.25.1.2  
     Radiation exposure device (RED) ..... 4.2.1.8, 5.2.1.8, A.5.2.1.8  
     Definition ..... 3.3.25.1.3, A.3.3.25.1.3  
**References** ..... Chap. 2, Annex C

**Region (definition)** ..... 3.3.24  
**Reporting incident** ..... 4.5, 4.6, 5.5, 6.4.6.1

### **-S-**

**Scope of standard** ..... 1.1  
**Secondary devices** ..... 5.2.2.1  
**Shall (definition)** ..... 3.2.4  
**Should (definition)** ..... 3.2.5  
**Smoke inhalation victims, responders assigned to treatment of ...** 6.4  
    Analyzing incident ..... 6.4.1.2.1(1), 6.4.2  
    Goal ..... 6.4.1.2  
    Implementing planned response ..... 6.4.1.2.1(3), 6.4.4  
    Planning to deliver ALS patient care ..... 6.4.3  
    Reporting and documenting incident ..... 6.4.6.1  
    Terminating incident ..... 6.4.1.2.1(4), 6.4.6  
**Standard (definition)** ..... 3.2.6

### **-T-**

**Termination of incident** ..... 5.5, 6.2.1.2(3), 6.2.6, 6.4.1.2.1(4), 6.4.6

**Toxic industrial chemicals/materials** ..... *see also* Toxidromes  
    Exposure to ..... 4.2.1.6, 4.4.1(3), 5.2.1.6, 5.4.1(3), A.4.4.1(3),  
        A.5.2.1.6  
    Identification of ..... 5.2.1.3  
**Toxicity analysis and antidote tables** ..... Annex B  
**Toxidromes** ..... 6.3.4.1, A.6.3.4.1, Table B.3

### **-W-**

**Weapons of mass destruction (WMD)** ..... *see also* Emergency medical  
    services responders to hazardous materials/weapon of  
    mass destruction at the ALS level (ALS level  
    responder); Emergency medical services responders to  
    hazardous materials/weapon of mass destruction at the  
    BLS level (BLS level responder); Radiological weapons  
    of mass destruction  
    Definition ..... 3.3.25, A.3.3.25

## *Sequence of Events Leading to Issuance of this NFPA Committee Document*

### **Step 1: Call for Proposals**

- Proposed new Document or new edition of an existing Document is entered into one of two yearly revision cycles, and a Call for Proposals is published.

### **Step 2: Report on Proposals (ROP)**

- Committee meets to act on Proposals, to develop its own Proposals, and to prepare its Report.
- Committee votes by written ballot on Proposals. If two-thirds approve, Report goes forward. Lacking two-thirds approval, Report returns to Committee.
- Report on Proposals (ROP) is published for public review and comment.

### **Step 3: Report on Comments (ROC)**

- Committee meets to act on Public Comments to develop its own Comments, and to prepare its report.
- Committee votes by written ballot on Comments. If two-thirds approve, Report goes forward. Lacking two-thirds approval, Report returns to Committee.
- Report on Comments (ROC) is published for public review.

### **Step 4: Technical Report Session**

- “*Notices of intent to make a motion*” are filed, are reviewed, and valid motions are certified for presentation at the Technical Report Session. (“Consent Documents” that have no certified motions bypass the Technical Report Session and proceed to the Standards Council for issuance.)
- NFPA membership meets each June at the Annual Meeting Technical Report Session and acts on Technical Committee Reports (ROP and ROC) for Documents with “certified amending motions.”
- Committee(s) vote on any amendments to Report approved at NFPA Annual Membership Meeting.

### **Step 5: Standards Council Issuance**

- Notification of intent to file an appeal to the Standards Council on Association action must be filed within 20 days of the NFPA Annual Membership Meeting.
- Standards Council decides, based on all evidence, whether or not to issue Document or to take other action, including hearing any appeals.

## *Committee Membership Classifications*

The following classifications apply to Technical Committee members and represent their principal interest in the activity of the committee.

- M     *Manufacturer:* A representative of a maker or marketer of a product, assembly, or system, or portion thereof, that is affected by the standard.
- U     *User:* A representative of an entity that is subject to the provisions of the standard or that voluntarily uses the standard.
- I/M   *Installer/Maintainer:* A representative of an entity that is in the business of installing or maintaining a product, assembly, or system affected by the standard.
- L     *Labor:* A labor representative or employee concerned with safety in the workplace.
- R/T   *Applied Research/Testing Laboratory:* A representative of an independent testing laboratory or independent applied research organization that promulgates and/or enforces standards.
- E     *Enforcing Authority:* A representative of an agency or an organization that promulgates and/or enforces standards.
- I     *Insurance:* A representative of an insurance company, broker, agent, bureau, or inspection agency.
- C     *Consumer:* A person who is, or represents, the ultimate purchaser of a product, system, or service affected by the standard, but who is not included in the *User* classification.
- SE    *Special Expert:* A person not representing any of the previous classifications, but who has a special expertise in the scope of the standard or portion thereof.

#### NOTES:

1. “Standard” connotes code, standard, recommended practice, or guide.
2. A representative includes an employee.
3. While these classifications will be used by the Standards Council to achieve a balance for Technical Committees, the Standards Council may determine that new classifications of members or unique interests need representation in order to foster the best possible committee deliberations on any project. In this connection, the Standards Council may make appointments as it deems appropriate in the public interest, such as the classification of “Utilities” in the National Electrical Code Committee.
4. Representatives of subsidiaries of any group are generally considered to have the same classification as the parent organization.





# STAY UP-TO-DATE. JOIN NFPA® TODAY!



**YES**

Please enroll me as a member of NFPA for the term checked below. Activate all benefits, and ship my *Member Kit* including the *Benefits Guide* and other resources to help me make the most of my NFPA membership.

*Please allow three to four weeks for the kit to arrive.*

## BILLING INFORMATION:

Name \_\_\_\_\_ Title \_\_\_\_\_

Organization \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip/Postal Code \_\_\_\_\_

Country \_\_\_\_\_

Phone \_\_\_\_\_ E-mail \_\_\_\_\_

Priority Code: 8J-MIS-1Z

## PLEASE ANSWER THE FOLLOWING QUESTIONS:

### Job Title *(check one)*

- ☐ Architect, Engineer, Consultant, Contractor (C17)
- ☐ Facilities Safety Officer (F14)
- ☐ Fire Chief, Other Fire Service (A11)
- ☐ Loss Control, Risk Manager (L11)
- ☐ Inspector, Building Official, Fire Marshal (F03)
- ☐ Owner, President, Manager, Administrator (C10)
- ☐ Other (please specify): (G11) \_\_\_\_\_

### Type of Organization *(check one)*

- ☐ Architecture, Engineering, Contracting (A14)
- ☐ Commercial Firm (Office, Retail, Lodging, Restaurant) (G13)
- ☐ Electrical Services, Installation (J11)
- ☐ Fire Service, Public and Private (AA1)
- ☐ Government (C12)
- ☐ Industrial Firm (Factory, Warehouse) (C11)
- ☐ Institutional (Health Care, Education, Detention, Museums) (B11)
- ☐ Insurance, Risk Management (B12)
- ☐ Utilities (G12)
- ☐ Other (please specify): (G11) \_\_\_\_\_

## 4 EASY WAYS TO JOIN

**Fax:** 1-800-593-6372, Outside the U.S. +1-508-895-8301

**Mail:** NFPA Membership Services Center,  
11 Tracy Drive, Avon, MA 02322-9908

**Online:** [nfpa.org](http://nfpa.org)

**Call:** 1-800-344-3555  
Outside the U.S. call +1-617-770-3000

6/12-D

## TERMS AND PAYMENT:

- ☐ 1 year (\$165)
- ☐ 2 years (\$300) **SAVE \$30**
- ☐ 3 years (\$430) **SAVE \$65**

Annual membership dues include a \$45 subscription to *NFPA Journal*®. Regular membership in NFPA is individual and non-transferable. NFPA Journal is a registered trademark of the National Fire Protection Association, Quincy, MA 02169. Voting privileges begin after 180 days of individual membership. Prices subject to change.

## PAYMENT METHOD:

Check One:

- ☐ Payment Enclosed *(Make check payable to NFPA.)*
- ☐ Purchase Order *(Please attach this form to your P.O.)*
- ☐ Bill Me Later *(Not available on International memberships.)*

Charge My: ☐ VISA ☐ MasterCard ☐ AmEx ☐ Discover

Card # \_\_\_\_\_

Expiration Date \_\_\_\_\_

Name on Card \_\_\_\_\_

Signature \_\_\_\_\_

International members: Please note prepayment is required on all International orders. Be sure to enclose a check or select your preferred credit card option.

## 100% MONEY-BACK GUARANTEE

If anytime during your first year you decide membership is not for you, let us know and you'll receive a 100% refund of your dues.



## **"Member-Only" Benefits Keeps You Up-To-Date!**

**FREE! Technical Support** — Technical Support by Phone/Email. Get fast, reliable answers to all code-related questions—from electrical safety for employee workplaces to carbon dioxide extinguishing systems—from NFPA's team of fire protection specialists.

**NFPA Journal®** — THE journal of record for fire protection, this bi-monthly publication will keep you abreast of the latest fire prevention and safety practices, as well as new technologies and strategies for protecting life and property from fire.

**NFPA Update** — This easy-to-read monthly e-newsletter will keep you up-to-date on important association programs such as the annual meeting; bring you times of interest from NFPA's regional offices; and alert you to nationwide events and opportunities you won't want to miss.

**NFPA News** — From new standards for dry cleaning plants to warning equipment for household carbon monoxide, this monthly online update keeps you abreast of additions of changes that could impact how you do your work.

**NFPA Standards Directory** — The NFPA Standards Directory is your complete guide to NFPA's code-making process. Simply access your online NFPA member profile for document revision guidelines, the revision cycle schedule, and forms for submitting Proposals and Comments. Your online NFPA member profile and access to the NFPA Standards Directory is automatically generated once you join NFPA.

**FREE! Section Membership** — Share YOUR expertise with others in any of 16 industry-specific sections covering your own field of interest.

**Member Kit** — Includes Membership Certificate, Pin, Decals, ID Card, and Camera-ready Logo Art. Display the NFPA member logo proudly on your business correspondence, literature, website, and vehicles.

**10% Discounts** — Save hundreds of dollars each year on the many products and services listed in the NFPA Catalog, including codes and standards publications, handbooks, training videos, and other education materials to increase your knowledge and skills.

Voting Rights — Your chance to help shape the future direction of fire prevention codes and standards. Voting rights go into effect 180 days from the start of individual membership.

**Conference Invitation** — Invitation to the NFPA Conference and Expo. Attend this important meeting at discounted rates as a member of NFPA.

**Join NFPA today!**  
**[www.nfpa.org](http://www.nfpa.org)**

NFPA® and NFPA Journal® are registered trademarks of the National Fire Protection Association, Quincy, MA 02169-7471