

**NFPA<sup>®</sup>**

# 610

---

**Guide for Emergency and  
Safety Operations at  
Motorsports Venues**

---

**2019**



## IMPORTANT NOTICES AND DISCLAIMERS CONCERNING NFPA® STANDARDS

### NOTICE AND DISCLAIMER OF LIABILITY CONCERNING THE USE OF NFPA STANDARDS

NFPA® codes, standards, recommended practices, and guides (“NFPA Standards”), of which the document contained herein is one, are developed through a consensus standards development process approved by the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus on fire and other safety issues. While the NFPA administers the process and establishes rules to promote fairness in the development of consensus, it does not independently test, evaluate, or verify the accuracy of any information or the soundness of any judgments contained in NFPA Standards.

The NFPA disclaims liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, or reliance on NFPA Standards. The NFPA also makes no guaranty or warranty as to the accuracy or completeness of any information published herein.

In issuing and making NFPA Standards available, the NFPA is not undertaking to render professional or other services for or on behalf of any person or entity. Nor is the NFPA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

The NFPA has no power, nor does it undertake, to police or enforce compliance with the contents of NFPA Standards. Nor does the NFPA list, certify, test, or inspect products, designs, or installations for compliance with this document. Any certification or other statement of compliance with the requirements of this document shall not be attributable to the NFPA and is solely the responsibility of the certifier or maker of the statement.

### REVISION SYMBOLS IDENTIFYING CHANGES FROM THE PREVIOUS EDITION

Text revisions are shaded. A **Δ** before a section number indicates that words within that section were deleted and a **Δ** to the left of a table or figure number indicates a revision to an existing table or figure. When a chapter was heavily revised, the entire chapter is marked throughout with the **Δ** symbol. Where one or more sections were deleted, a **•** is placed between the remaining sections. Chapters, annexes, sections, figures, and tables that are new are indicated with an **N**.

Note that these indicators are a guide. Rearrangement of sections may not be captured in the markup, but users can view complete revision details in the First and Second Draft Reports located in the archived revision information section of each code at [www.nfpa.org/docinfo](http://www.nfpa.org/docinfo). Any subsequent changes from the NFPA Technical Meeting, Tentative Interim Amendments, and Errata are also located there.

### REMINDER: UPDATING OF NFPA STANDARDS

Users of NFPA codes, standards, recommended practices, and guides (“NFPA Standards”) should be aware that NFPA Standards may be amended from time to time through the issuance of a Tentative Interim Amendment (TIA) or corrected by Errata. An official NFPA Standard at any point in time consists of the current edition of the document together with any TIAs and Errata then in effect.

To determine whether an NFPA Standard has been amended through the issuance of Tentative Interim Amendments or corrected by Errata, go to [www.nfpa.org/docinfo](http://www.nfpa.org/docinfo) to choose from the list of NFPA Standards or use the search feature to select the NFPA Standard number (e.g., NFPA 13). The document information page provides up-to-date document-specific information as well as postings of all existing TIAs and Errata. It also includes the option to register for an “Alert” feature to receive an automatic email notification when new updates and other information are posted regarding the document.

# **IMPORTANT NOTICES AND DISCLAIMERS CONCERNING NFPA® STANDARDS**

## **ADDITIONAL NOTICES AND DISCLAIMERS**

### **Updating of NFPA Standards**

Users of NFPA codes, standards, recommended practices, and guides (“NFPA Standards”) should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of Tentative Interim Amendments or corrected by Errata. An official NFPA Standard at any point in time consists of the current edition of the document together with any Tentative Interim Amendments and any Errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of Tentative Interim Amendments or corrected through the issuance of Errata, consult appropriate NFPA publications such as the National Fire Codes® Subscription Service, visit the NFPA website at [www.nfpa.org](http://www.nfpa.org), or contact the NFPA at the address listed below.

### **Interpretations of NFPA Standards**

A statement, written or oral, that is not processed in accordance with Section 6 of the Regulations Governing the Development of NFPA Standards shall not be considered the official position of NFPA or any of its Committees and shall not be considered to be, nor be relied upon as, a Formal Interpretation.

### **Patents**

The NFPA does not take any position with respect to the validity of any patent rights referenced in, related to, or asserted in connection with an NFPA Standard. The users of NFPA Standards bear the sole responsibility for determining the validity of any such patent rights, as well as the risk of infringement of such rights, and the NFPA disclaims liability for the infringement of any patent resulting from the use of or reliance on NFPA Standards.

NFPA adheres to the policy of the American National Standards Institute (ANSI) regarding the inclusion of patents in American National Standards (“the ANSI Patent Policy”), and hereby gives the following notice pursuant to that policy:

NOTICE: The user’s attention is called to the possibility that compliance with an NFPA Standard may require use of an invention covered by patent rights. NFPA takes no position as to the validity of any such patent rights or as to whether such patent rights constitute or include essential patent claims under the ANSI Patent Policy. If, in connection with the ANSI Patent Policy, a patent holder has filed a statement of willingness to grant licenses under these rights on reasonable and nondiscriminatory terms and conditions to applicants desiring to obtain such a license, copies of such filed statements can be obtained, on request, from NFPA. For further information, contact the NFPA at the address listed below.

### **Law and Regulations**

Users of NFPA Standards should consult applicable federal, state, and local laws and regulations. NFPA does not, by the publication of its codes, standards, recommended practices, and guides, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

### **Copyrights**

NFPA Standards are copyrighted. They are made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of safe practices and methods. By making these documents available for use and adoption by public authorities and private users, the NFPA does not waive any rights in copyright to these documents.

Use of NFPA Standards for regulatory purposes should be accomplished through adoption by reference. The term “adoption by reference” means the citing of title, edition, and publishing information only. Any deletions, additions, and changes desired by the adopting authority should be noted separately in the adopting instrument. In order to assist NFPA in following the uses made of its documents, adopting authorities are requested to notify the NFPA (Attention: Secretary, Standards Council) in writing of such use. For technical assistance and questions concerning adoption of NFPA Standards, contact NFPA at the address below.

### **For Further Information**

All questions or other communications relating to NFPA Standards and all requests for information on NFPA procedures governing its codes and standards development process, including information on the procedures for requesting Formal Interpretations, for proposing Tentative Interim Amendments, and for proposing revisions to NFPA standards during regular revision cycles, should be sent to NFPA headquarters, addressed to the attention of the Secretary, Standards Council, NFPA, 1 Batterymarch Park, P.O. Box 9101, Quincy, MA 02269-9101; email: [stds\\_admin@nfpa.org](mailto:stds_admin@nfpa.org).

For more information about NFPA, visit the NFPA website at [www.nfpa.org](http://www.nfpa.org). All NFPA codes and standards can be viewed at no cost at [www.nfpa.org/docinfo](http://www.nfpa.org/docinfo).

Copyright © 2018 National Fire Protection Association®. All Rights Reserved.

## NFPA® 610

### Guide for

## Emergency and Safety Operations at Motorsports Venues

### 2019 Edition

This edition of NFPA 610, *Guide for Emergency and Safety Operations at Motorsports Venues*, was prepared by the Technical Committee on Safety at Motorsports Venues. It was issued by the Standards Council on November 12, 2017, with an effective date of December 2, 2017, and supersedes all previous editions.

This edition of NFPA 610 was approved as an American National Standard on December 2, 2017.

### Origin and Development of NFPA 610

The 2003 edition was the first edition of NFPA 610, *Guide for Emergency and Safety Operations at Motorsports Venues*. A technical committee was appointed by the NFPA Standards Council in 1998 to address the subject of safety at motorsports venues. The committee wrote this guide to assist facility owners, operators, promoters, and emergency management personnel in developing and implementing a system that provides for effective emergency operations at motorsports facilities and events. The guide is intended to assist with the planning for emergency operations, training and equipping emergency workers, and deploying resources at the time of an incident. These operations can lead to more effective fire suppression in the event of a fire and to improved rescue and medical care for competitors in post-crash situations, while providing for the safety of emergency response personnel working at the venue.

For the 2009 edition, the application statements were revised to indicate that the document is not intended to apply to non-motorsports events conducted at a motorsports venue because such events are covered by other NFPA codes and standards. The revised document provides a better description of scalability by creating a method to classify events. This was carried through the discussion of emergency action plans. A sample emergency action plan was included in Annex B for a simple event that is generally perceived as posing less risk of injury than that encountered in legal and responsible travel in an automobile on public roads. Revisions were made to the Emergency Action Plan Checklist in Chapter 4 to further assist persons running simple events in determining what their emergency action plan should include.

The revised document recognized the National Incident Management System (NIMS) and reflects the use of NIMS in managing emergency incidents at motorsports events.

Chapter 5 was completely rewritten to reflect a “knowledge, skill, ability” format for denoting minimum training requirements for persons expected to operate in the various positions that could be needed if an emergency were to occur at a motorsports event. The question of who can provide training to persons expected to meet the different capability levels was clarified.

Chapter 6 was revised to reflect the latest editions of personal protective equipment (PPE) standards that can be referenced when purchasing protective equipment for emergency workers at motorsports events. Recognizing that some events are run at night, when visibility is poor, a recommendation for use of garments with retroreflective trim or a light source was added. A PPE matrix was developed and added as Annex C to provide increased direction as to the type and style of PPE for the motorsports safety workers.

Chapter 7 was revised to reflect changes in portable fire extinguishers and extinguishing agents based on NFPA 10, *Standard for Portable Fire Extinguishers*, including the addition of agent discharge performance for dry chemical extinguishers.

The entire 2009 edition of the document was reviewed and revised to increase the clarity, usability, and understandability of the text.

In the 2014 edition, the committee changed the use of an emergency action plan to an incident action plan. These changes were reflected throughout the body of the document and the Sample Incident Action Plan in Annex B. The new incident action plan included language for the newly defined Level I through Level III motorsports events. The committee also added a new definition for *event*, and referenced definitions for *incipient stage* and *incident action plan* from other NFPA documents. Other major changes in the 2014 edition included the consolidation of Chapter 8 recommendations to reflect a single section for all staffing information needs, updated figures and sample forms, clarification on PPE recommendations, and editorial changes throughout.

The 2019 edition of NFPA 610 includes editorial revisions and updated references. This edition also features a revised sample incident action plan (including active shooter incidents), critical incident stress management (CISM), deployment, and changes to the number of people on site that define a Level II and Level III motorsports event.

## Technical Committee on Safety at Motorsports Venues

**John H. Oates**, *Chair*  
Town of Hartford, CT [E]

**Carson L. Wilkinson, Jr.**, *Secretary*  
Elkhart Lake's Road America, Inc., WI [IM]

**Gregory W. Baumann**, Jackson, MI [SE]

**Nicholas J. Cricenti, Jr.**, SFC Engineering Partnership, Inc., NH [IM]

Rep. New Hampshire Motor Speedway

**Richard L. Day**, Michigan State Fire Marshal's Office, MI [E]

**Stephen A. Earwood**, Rockingham Dragway, NC [IM]

**Scot Elkins**, Motorsport Safety Foundation, CA [U]

**Douglas Hill**, Trice Group Incorporated, IN [I]

**David A. Holcombe**, NASCAR, FL [U]

**Stephen Hyatt**, Sports Car Club of America, PA [U]

Rep. Sports Car Club of America, Inc.

**Daniel L. Jones**, Chapel Hill Fire Department, NC [L]

**Edward J. Klima**, Delaware Volunteer Firemen's Association, DE [L]

**David Knight**, City of Hamlet, NC [E]

**Arnold S. Kuhns**, SFI Foundation Inc., CA [SE]

**Robert F. Leitzinger**, Leitzinger Racing, PA [C]

**Graham Light**, National Hot Rod Association (NHRA), CA [U]

**Murf McKinney**, McKinney Corporation, IN [M]

**Michael Melchionne**, City Of Nashua Fire Rescue, NH [U]

**Patrick A. Moore**, RaceResQ, Inc., PA [M]

**David L. Murphy**, University of North Carolina at Charlotte, NC [SE]

**J. R. Nerat**, UTC/Badger Fire Protection, MI [M]

**Tony Phelps**, Merritt Island, FL [SE]

**J. Kirk Russell**, International Motorsports Industry Show (IMIS), FL [SE]

**Robert Franklin Seal**, Canadian Motorsports Response Team Inc. (CMRT), Canada [M]

**Thomas Sener**, Autobahn Country Club, IL [IM]

**Brian P. Shiels**, PBI Performance Products, Inc., NC [M]

**Jere V. Starks**, Sonoma Raceway, CA [IM]

**Jacob Steele**, Kalamazoo Track Services, MI [SE]

**Travis L. Teague**, Wingate University, NC [SE]

**Richard J. Trimmer**, Firebird International Raceway, AZ [IM]

### Alternates

**Bryan Bolden**, PBI Performance Products, Inc., NC [M]  
(Alt. to Brian P. Shiels)

**Jennifer M. Faye**, SFI Foundation, Inc., CA [SE]  
(Alt. to Arnold S. Kuhns)

**Jeff T. Grange**, Loma Linda University Medical Center, CA [SE]  
(Alt. to Gregory W. Baumann)

**David G. Trebisacci**, NFPA Staff Liaison

**Joseph G. Repass**, K&K Insurance Group of Florida, Inc., FL [I]  
(Alt. to Douglas Hill)

**Thomas G. Robello**, Infineon Raceway, CA [IM]  
(Alt. to Jere V. Starks)

**Chuck R. Sundstrom**, Firebird International Raceway, AZ [IM]  
(Alt. to Richard J. Trimmer)

*This list represents the membership at the time the Committee was balloted on the final text of this edition. Since that time, changes in the membership may have occurred. A key to classifications is found at the back of the document.*

NOTE: Membership on a committee shall not in and of itself constitute an endorsement of the Association or any document developed by the committee on which the member serves.

**Committee Scope:** This Committee shall have primary responsibility for documents on training, personnel, equipment, and facilities not covered by other NFPA documents as they relate to emergency operations and safety at motorsports venues.

## Contents

<b>Chapter 1 Administration</b> .....	<b>610- 5</b>	6.2 Eye Protection. ....	<b>610- 15</b>
1.1 Scope. ....	<b>610- 5</b>	6.3 Foot Protection. ....	<b>610- 16</b>
1.2 Purpose. ....	<b>610- 5</b>	6.4 Hand Protection. ....	<b>610- 16</b>
1.3 Application. ....	<b>610- 5</b>	6.5 Head Protection. ....	<b>610- 16</b>
1.4 Equivalency. ....	<b>610- 5</b>	6.6 Hearing Protection. ....	<b>610- 16</b>
<b>Chapter 2 Referenced Publications</b> .....	<b>610- 5</b>	6.7 Torso Protection. ....	<b>610- 16</b>
2.1 General. ....	<b>610- 5</b>	<b>Chapter 7 Equipment</b> .....	<b>610- 17</b>
2.2 NFPA Publications. ....	<b>610- 5</b>	7.1 General. ....	<b>610- 17</b>
2.3 Other Publications. ....	<b>610- 5</b>	7.2 Fire Suppression Equipment. ....	<b>610- 17</b>
2.4 References for Extracts in Mandatory Sections. ....	<b>610- 6</b>	7.3 Extrication Equipment. ....	<b>610- 18</b>
<b>Chapter 3 Definitions</b> .....	<b>610- 6</b>	7.4 Emergency Medical Services (EMS). ....	<b>610- 18</b>
3.1 General. ....	<b>610- 6</b>	7.5 Hazardous Materials Mitigation. ....	<b>610- 18</b>
3.2 NFPA Official Definitions. ....	<b>610- 6</b>	7.6 Course Restoration Equipment. ....	<b>610- 18</b>
3.3 General Definitions. ....	<b>610- 6</b>	7.7 Communications. ....	<b>610- 19</b>
<b>Chapter 4 Incident Action Plan</b> .....	<b>610- 8</b>	7.8 Vehicle Recovery Equipment. ....	<b>610- 19</b>
4.1 General. ....	<b>610- 8</b>	7.9 Vehicle Marking. ....	<b>610- 19</b>
4.2 Level of Event. ....	<b>610- 8</b>	7.10 Parking or Staging Areas. ....	<b>610- 19</b>
4.3 Statement of Purpose. ....	<b>610- 8</b>	<b>Chapter 8 Operations</b> .....	<b>610- 19</b>
4.4 Adapting IAP to Resources and Event. ....	<b>610- 9</b>	8.1 General. ....	<b>610- 19</b>
4.5 Consistency with Plans of the AHJ. ....	<b>610- 9</b>	8.2 Review of Incident Action Plan (IAP). ....	<b>610- 19</b>
4.6 Management Structure. ....	<b>610- 9</b>	8.3 Review of Operational Readiness. ....	<b>610- 19</b>
4.7 IAP Components. ....	<b>610- 9</b>	8.4 Deployment. ....	<b>610- 19</b>
4.8 Pre-Event Agreements. ....	<b>610- 11</b>	<b>Annex A Explanatory Material</b> .....	<b>610- 22</b>
4.9 Critical Incident Stress Management (CISM). ..	<b>610- 11</b>	<b>Annex B Sample Incident Action Plans</b> .....	<b>610- 22</b>
4.10 Death at the Venue. ....	<b>610- 11</b>	<b>Annex C Personal Protective Equipment (PPE) Matrix</b> .....	<b>610- 51</b>
4.11 IAP Review. ....	<b>610- 11</b>	<b>Annex D Useful Construction, Maintenance, and Operations Codes and Standards</b> .....	<b>610- 52</b>
4.12 IAP Checklist. ....	<b>610- 11</b>	<b>Annex E Informational References</b> .....	<b>610- 52</b>
<b>Chapter 5 Training</b> .....	<b>610- 14</b>	<b>Index</b> .....	<b>610- 54</b>
5.1 General. ....	<b>610- 14</b>		
5.2 Motorsports Safety Awareness Level. ....	<b>610- 14</b>		
5.3 Motorsports Safety Operations Level. ....	<b>610- 14</b>		
5.4 Motorsports Safety Technician Level. ....	<b>610- 14</b>		
5.5 Motorsports Safety Specialist Level. ....	<b>610- 15</b>		
5.6 Motorsports Safety Command/Manager. ....	<b>610- 15</b>		
<b>Chapter 6 Personal Protective Equipment (PPE)</b> .....	<b>610- 15</b>		
6.1 General. ....	<b>610- 15</b>		



NFPA 610

Guide for

# Emergency and Safety Operations at Motorsports Venues

2019 Edition

**IMPORTANT NOTE:** This NFPA document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notices and Disclaimers Concerning NFPA Standards.” They can also be viewed at [www.nfpa.org/disclaimers](http://www.nfpa.org/disclaimers) or obtained on request from NFPA.

**UPDATES, ALERTS, AND FUTURE EDITIONS:** New editions of NFPA codes, standards, recommended practices, and guides (i.e., NFPA Standards) are released on scheduled revision cycles. This edition may be superseded by a later one, or it may be amended outside of its scheduled revision cycle through the issuance of Tentative Interim Amendments (TIAs). An official NFPA Standard at any point in time consists of the current edition of the document, together with all TIAs and Errata in effect. To verify that this document is the current edition or to determine if it has been amended by TIAs or Errata, please consult the National Fire Codes® Subscription Service or the “List of NFPA Codes & Standards” at [www.nfpa.org/docinfo](http://www.nfpa.org/docinfo). In addition to TIAs and Errata, the document information pages also include the option to sign up for alerts for individual documents and to be involved in the development of the next edition.

**NOTICE:** An asterisk (\*) following the number or letter designating a paragraph indicates that explanatory material on the paragraph can be found in Annex A.

A reference in brackets [ ] following a section or paragraph indicates material that has been extracted from another NFPA document. As an aid to the user, the complete title and edition of the source documents for extracts in advisory sections of this document are given in Chapter 2 and those for extracts in the informational sections are given in Annex E. Extracted text may be edited for consistency and style and may include the revision of internal paragraph references and other references as appropriate. Requests for interpretations or revisions of extracted text should be sent to the technical committee responsible for the source document.

Information on referenced publications can be found in Chapter 2 and Annex E.

## Chapter 1 Administration

**1.1 Scope.** This guide addresses planning, training, personnel, equipment, and facilities as they relate to emergency and safety operations at motorsports venues.

**1.2 Purpose.** The purpose of this document is to provide guidance for the development of a system that provides for the safety of emergency response personnel and effective emergency operations at motorsports facilities and events through planning, training, and equipping, and through the deployment of necessary resources.

### 1.3 Application.

**1.3.1** This guide applies to motorsports events held at both indoor and outdoor facilities, whether temporary or permanent, except for air or water events.

**1.3.2** As all portions of this document might not apply to every motorsports event or venue, the authority having jurisdiction and the event/venue official should review this document against the operating environment of the event or venue and determine which components of this guide are applicable. No statement within or section of this document can be applied independently without reference to other applicable sections.

**1.3.3** This guide is not intended to apply to non-motorsports events conducted at motorsports venues.

**1.3.4** It is also recommended that an implementation plan be developed based on the applicable portions of this guide.

**1.4 Equivalency.** Nothing in this guide is intended to prevent the use of systems, methods, or devices of equivalent or superior quality, strength, fire resistance, effectiveness, durability, and safety over those recommended by this guide.

## Chapter 2 Referenced Publications

**2.1 General.** The documents or portions thereof listed in this chapter are referenced within this guide and should be considered part of the recommendations of this document.

**2.2 NFPA Publications.** National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02169-7471.

NFPA 10, *Standard for Portable Fire Extinguishers*, 2017 edition.

NFPA 1561, *Standard on Emergency Services Incident Management System*, 2014 edition.

NFPA 1581, *Standard on Fire Department Infection Control Program*, 2015 edition.

NFPA 1936, *Standard on Powered Rescue Tools*, 2018 edition.

NFPA 1951, *Standard on Protective Ensembles for Technical Rescue Incidents*, 2013 edition.

NFPA 1971, *Standard on Protective Ensembles for Structural Fire Fighting and Proximity Fire Fighting*, 2018 edition.

NFPA 1977, *Standard on Protective Clothing and Equipment for Wildland Fire Fighting*, 2016 edition.

### 2.3 Other Publications.

**2.3.1 ANSI Publications.** American National Standards Institute, Inc., 25 West 43rd Street, 4th Floor, New York, NY 10036.

ANSI/ISEA Z87.1, *Occupational and Educational Personal Eye and Face Protection Devices*, 2015.

ANSI/ISEA 107, *American National Standard for High-Visibility Safety Apparel and Accessories*, 2015.

**2.3.2 ASTM Publications.** ASTM International, 100 Barr Harbor Drive, P.O. Box C700, West Conshohocken, PA 19428-2959.

ASTM D3578, *Standard Specification for Rubber Examination Gloves*, 2005, reapproved 2015.

ASTM F2413, *Standard Specification for Performance Requirements for Protective (Safety) Toe Cap Footwear*, 2011.

**2.3.3 SFI Publications.** SFI Foundation, Inc., 15708 Pomerado Road, Suite N208, Poway, CA 92064-2036.

SFI Spec 3.2A, *Driver Suits*, March 27, 2013.

SFI Spec 3.3, *Driver Accessories*, August 26, 2016.



SFI Spec 31.1, *Flame Resistant Motorsports Helmet*, March 27, 2013.

SFI Spec 41.1, *Motorsports Helmets*, March 27, 2013.

▲ **2.3.4 Snell Publications.** Snell Memorial Foundation, Inc., 3628 Madison Avenue, Suite 11, North Highlands, CA 95660.

M2010, *Helmet Standard for Use in Motorcycling*, 2010.

M2015, *Helmet Standard for Use in Motorcycling*, 2015.

SA2010, *Helmet Standard for Use in Competitive Automotive Sports*, 2010.

SA2015, *Helmet Standard for Use in Competitive Automotive Sports*, 2015.

**2.3.5 U.S. Government Publications.** U.S. Government Publishing Office, 732 North Capitol Street, NW, Washington, DC 20401-0001.

Homeland Security Presidential Directive 5 (HSPD-5), 2003.

Title 29, Code of Federal Regulations, Part 1910.95, "Occupational noise exposure," 2008.

Title 29, Code of Federal Regulations, Part 1910.133, "Eye and face protection," 2009.

Title 29, Code of Federal Regulations, Part 1910.1030, "Bloodborne pathogens," 2012.

### 2.3.6 Other Publications.

*Merriam-Webster's Collegiate Dictionary*, 11th edition, Merriam-Webster, Inc., Springfield, MA, 2003.

## ▲ 2.4 References for Extracts in Mandatory Sections.

NFPA 472, *Standard for Competence of Responders to Hazardous Materials/Weapons of Mass Destruction Incidents*, 2017 edition.

NFPA 600, *Standard on Fire Brigades*, 2015 edition.

NFPA 1051, *Standard for Wildland Fire Fighter Professional Qualifications*, 2016 edition.

NFPA 1500, *Standard on Fire Department Occupational Safety and Health Program*, 2018 edition.

NFPA 1561, *Standard on Emergency Services Incident Management System*, 2014 edition.

## Chapter 3 Definitions

**3.1 General.** The definitions contained in this chapter apply to the terms used in this guide. Where terms are not defined in this chapter or within another chapter, they should be defined using their ordinarily accepted meanings within the context in which they are used. *Merriam-Webster's Collegiate Dictionary*, 11th edition, is the source for the ordinarily accepted meaning.

### 3.2 NFPA Official Definitions.

**3.2.1\* Approved.** Acceptable to the authority having jurisdiction.

**3.2.2\* Authority Having Jurisdiction (AHJ).** An organization, office, or individual responsible for enforcing the requirements of a code or standard, or for approving equipment, materials, an installation, or a procedure.

**3.2.3 Guide.** A document that is advisory or informative in nature and that contains only nonmandatory provisions. A guide may contain mandatory statements such as when a guide can be used, but the document as a whole is not suitable for adoption into law.

**3.2.4 Labeled.** Equipment or materials to which has been attached a label, symbol, or other identifying mark of an organization that is acceptable to the authority having jurisdiction and concerned with product evaluation, that maintains periodic inspection of production of labeled equipment or materials, and by whose labeling the manufacturer indicates compliance with appropriate standards or performance in a specified manner.

**3.2.5\* Listed.** Equipment, materials, or services included in a list published by an organization that is acceptable to the authority having jurisdiction and concerned with evaluation of products or services, that maintains periodic inspection of production of listed equipment or materials or periodic evaluation of services, and whose listing states that either the equipment, material, or service meets appropriate designated standards or has been tested and found suitable for a specified purpose.

**3.2.6 Should.** Indicates a recommendation or that which is advised but not required.

### 3.3 General Definitions.

**3.3.1 Clean-Up Personnel.** Personnel primarily responsible for restoring a racing surface by mitigating liquid spills and removing debris.

**3.3.2 Command Post.** The location where the incident commander and associated staff are located during an emergency incident.

**3.3.3 Competition Area.** The designated area of a motorsports venue in which vehicles compete, perform, train, demonstrate, or test at competitive speeds.

**3.3.4 Critical Incident Stress.** An unusual or traumatic event that creates or might create stress or other adverse condition for persons who have been exposed to the event but who have not necessarily incurred bodily injury from the event.

**3.3.5 Drag Strip.** A straight, open-ended course without turns that generally does not incorporate changes in elevation.

**3.3.6 Emergency Incident.** Any situation to which an emergency services organization responds to deliver emergency services, including rescue, fire suppression, emergency medical care, special operations, law enforcement, and other forms of hazard control and mitigation. [1561, 2014]

**3.3.7 Emergency Medical Personnel.** Personnel primarily responsible for providing emergency medical care or having additional responsibilities of extrication.

**3.3.8 Emergency Medical Services (EMS).** The provision of treatment, such as first aid, cardiopulmonary resuscitation, basic life support, advanced life support, and other pre-hospital procedures, including ambulance transportation, to patients. [1500, 2018]

**3.3.9 Emergency Services Personnel.** Personnel who are designated by the emergency action plan or who are operating above the motorsports safety awareness level to serve in responder or safety roles, including emergency medical personnel, marshals, vehicle recovery personnel, rescue personnel, security personnel, track fire fighters, and pit area fire fighters.

**3.3.10 Event.** A planned activity or gathering of participants in which one or more motorized vehicles are operated for speed and/or performance, which is conducted at a motorsports venue and includes, but is not limited to, all related activities, such as a designated race as well as all periods for participant registration, vehicle inspections, time trials, qualifying races, practice runs, exhibitions, post-race inspections, or postponed dates related thereto.

**3.3.11 Event/Venue Official.** An individual assigned to oversee the operation of a particular event or the facility and who might serve as both the event official and venue official.

**3.3.12 Garage.** A secured area, protected from the elements by a structure or structures, in which competition vehicles are parked or stored and in which work is performed.

**3.3.13 Hazard.** That which is capable of posing an unreasonable risk to health, safety, or the environment; capable of causing harm.

**3.3.14 Hazardous Materials Incident.** An incident involving hazardous or volatile chemicals or other materials that, pursuant to local, state, or federal law, requires prescribed actions for clean-up, disposal, or both.

**3.3.15 Hazardous Situation.** An act or condition that is judged to present a danger to persons or property that is so urgent and severe that it requires immediate corrective or preventive action.

**3.3.16 Incident Action Plan (IAP).** A written or verbal plan stating the overall objectives, strategy, and specific tactics for a specified period of time. [1051, 2016]

**3.3.17 Incident Commander (IC).** The individual responsible for all incident activities, including the development of strategies and tactics and the ordering and the release of resources. [472, 2017]

**3.3.18 Incident Management System (IMS).** A system that defines the roles and responsibilities to be assumed by responders and the standard operating procedures to be used in the management and direction of emergency incidents and other functions. [1561, 2014]

**3.3.19 Incipient Stage.** The early stage of a fire, in which the progression has not developed beyond that which can be extinguished using either portable fire extinguishers or handlines flowing up to 473 L/min (125 gpm). [600, 2015]

**3.3.20 Local Authority.** See 3.2.2, Authority Having Jurisdiction.

**3.3.21 Major Facility.** A purpose-built motorsports venue occupying a large amount of land that can accommodate a mass gathering to witness a motorsports event.

**3.3.22\* Marshal.** An individual assigned to provide observation and communications, to show flags to drivers, to provide first-response fire fighting and first-response emergency medical care, and to remove debris and assist in removing vehicles.

**3.3.23 Medical Gloves.** An item of emergency medical protective clothing that is designed and configured to provide barrier protection to the wearer's hand to at least the wrist.

**3.3.24 Motorsports Safety Awareness Level.** A designation for the capability expected of an individual who has been given basic safety information as provided by the venue/event incident action plan.

**3.3.25 Motorsports Safety Command Manager.** An individual in management assigned to oversee the direction and supervision of the venue/event incident action plan and operations.

**3.3.26 Motorsports Safety Operations Level.** A designation for the capability expected of operations personnel that pertains to their specific responsibilities and duties as provided by the venue/event incident action plan.

**3.3.27 Motorsports Safety Specialist Level.** A designation for the capability expected of highly specialized personnel that pertains to the performance of their specific areas of rescue or emergency expertise as provided by the venue/event incident action plan.

**3.3.28 Motorsports Safety Technician Level.** A designation for the capability expected of emergency personnel that pertains to the implementation of rescue procedures as provided by the venue/event incident action plan.

**3.3.29 Motorsports Venue.** A facility or designated area at which motorsports and related activities are conducted.

**3.3.30 Multi-Casualty Incident (MCI).** An emergency casualty incident involving multiple persons with bodily injuries that exceeds the capacity of the medical resources available at the motorsports venue/event.

**3.3.31 Multi-Use Facility.** A motorsports venue that incorporates more than one type of course and is adaptable to a variety of motorsports disciplines.

**3.3.32\* National Incident Management System (NIMS).** A system mandated by Homeland Security Presidential Directive 5 (HSPD-5) that provides a consistent nationwide approach for federal, state, local, and tribal governments; the private sector; and nongovernmental organizations to work effectively and efficiently together to prepare for, respond to, and recover from domestic incidents, regardless of cause, size, or complexity.

**3.3.33 Off-Track Emergency Response.** Response to emergencies at a motorsports facility in areas other than the competition area and immediately adjacent areas including, but not limited to, hospitality areas, concession stands, cooking facilities, grandstands, parking areas, and media areas.

**3.3.34\* Paddock Area.** A secured or restricted area in which competition and support vehicles are parked or staged, or both, and in which work is performed.

**3.3.35 Pit Area.** A designated area in which work is performed on competition vehicles during the race or performance.

**3.3.36 Pit Area Fire Fighter.** A fire fighter who is responsible for providing fire suppression in the pit area and who might be responsible for fire suppression at the fueling depot.

**3.3.37 Recovery Personnel.** See 3.3.49, Vehicle Recovery Personnel.

**3.3.38 Rescue Personnel.** Personnel assigned to extricate injured or trapped occupants from disabled competition vehicles.

**3.3.39 Road Course.** A closed, permanent course on which there are turns in both directions and that might incorporate changes in elevation.

**3.3.40 Sanctioning Body.** The individual or organization responsible for the rules and conduct of the competition.

**3.3.41 Security Personnel.** Personnel, with or without arrest authority, assigned to control crowds and traffic at a motorsports venue and whose duties might also include checking of credentials and identification and deterring theft.

**3.3.42 Site Emergency Team.** An organized group of trained response personnel operating under an emergency response plan and appropriate standard operating procedures that handles and controls actual or potential emergency incidents and that responds to emergencies for the purpose of control or stabilization of the incident.

**3.3.43 Street Circuit.** A closed, temporary course on closed public or private roadways on which there are turns in both directions and that might incorporate changes in elevation.

**3.3.44 Terrorist Activities.** Disruptive or violent actions taken by an organized group or individuals in order to intimidate a population group or civil authorities.

**3.3.45 Track Clean-Up Personnel.** Personnel whose primary responsibility is to keep the racing surface in proper condition for racing; sometimes called track restoration personnel.

**3.3.46 Track Emergency Medical Personnel.** Personnel assigned to emergency medical duties on and adjacent to the competition area who respond by ambulance, safety vehicles, other vehicles, or on foot and whose training levels range from first responder to medical doctor.

**3.3.47 Track Fire Fighter.** A fire fighter primarily responsible for competition area fire suppression activities and possibly extrication efforts.

**3.3.48 Track Restoration Personnel.** See 3.3.45, Track Clean-Up Personnel.

**3.3.49 Vehicle Recovery Personnel.** Personnel primarily responsible for the operation of vehicle recovery equipment and the removal of disabled competition vehicles and their components from the competition and adjacent areas.

## Chapter 4 Incident Action Plan

**4.1 General.** For each motorsports event, an incident action plan (IAP) should be prepared by the venue owner/operator working in conjunction with the authority having jurisdiction (AHJ). Changing resources and event characteristics might require ongoing modifications or built-in adaptability. A designated person should be responsible for the maintenance of the plan. (See Annex B for sample IAPs.)

**4.1.1** For the purpose of this document, an IAP is a formal written plan that defines roles and responsibilities; identifies potential emergency conditions at the event site; and

prescribes the procedures and objectives reflecting the overall incident/event strategy, tactics, risk management, and member safety to be followed to minimize or prevent loss of life and property. In certain jurisdictions, this may also be referred to as an emergency action plan (EAP) or emergency operations plan (EOP). It should be noted that for the purposes of this document, an IAP does not refer to an IAP as defined by the National Response Framework and the National Incident Management System (NIMS).

**4.2 Level of Event.** For the purpose of developing IAPs, motorsports events are classified as Level I through Level III in this document.

**4.2.1** A Level I motorsports event is an event that is generally perceived as posing less risk of injury than that encountered in legal and responsible travel in an automobile on public roads. Events in this level typically have less than 1000 people on site. Examples include, but are not limited to, club or private events held usually in parking lots or other temporary facilities and autocrosses, manufacturer ride and drives, or new car introductions at racing facilities.

**4.2.2** A Level II motorsports event is an event that is generally perceived as posing a risk of injury similar to that encountered in legal and responsible travel in an automobile on public roads. Events in this level typically have 1000 to 6000 people on site. Examples would include, but not be limited to, entry-level competitions, noncompetitive driving schools, motorcycle enduros, closed-course rallies, street legal drag racing, stand-alone time trials, or karting or quarter midget competitions.

**4.2.3** A Level III motorsports event is an event that is generally perceived as posing a risk of injury higher than those encountered in legal and responsible travel in an automobile on public roads. Events in this level typically have greater than 6000 people on site. Examples include, but are not limited to, oval competitions, speed tests, road course speed events, tractor pulls, monster truck events, drag racing, drifting, or motocross.

## 4.3 Statement of Purpose.

**4.3.1** The IAP should begin with a statement of purpose that defines the goals of the plan.

**4.3.1.1** An example of a statement of purpose for a motorsports venue running Level I and II events is as follows: "This plan defines response systems for on-track and off-track incidents. This plan also provides for coordination between the site emergency team response and AHJs to promote an effective response."

**4.3.1.2** An example of a statement of purpose for a motorsports venue running Level III events is as follows: "The purpose of this incident action plan is to provide response procedures to protect people and property during an emergency or disaster situation. This plan identifies and assigns personnel to various tasks and responsibilities, thus creating the site emergency team. This plan defines response systems for on-track and off-track incidents. This plan also provides for coordination between the site emergency team response and AHJs to promote an effective response."

**4.3.2** All parties involved in the operations described in the IAP should know their responsibilities under the plan.



#### 4.4 Adapting IAP to Resources and Event.

**4.4.1** The IAP should be capable of being scaled to the size and type of event. The venue or event operator may need to modify standing plans to address variability in crowd size, differences in competition vehicles, or design of racing surface. If the planned event is different from what occurs on a regular basis, then the IAP should change accordingly.

**4.4.2** The IAP should be applied based on the level of event. This requires the owner/operator to address the hazards expected from the type of event planned as well as the expected quantity of persons present.

**4.4.3** The IAP should identify the number and types of roles necessary to carry out the objectives of the plan.

#### 4.5 Consistency with Plans of the AHJ.

**4.5.1** The IAP should be consistent with emergency operation plans of the authority or AHJs. Motorsports venues are designed in different configurations, based on the type of competition/performance that takes place at a facility. Facilities include, but are not limited to, ovals, drag strips, road courses, street circuits, arenas, major facilities, and multi-use facilities. The facility might be located within a major city or in a rural area. Due to these variables, it is important that the facility, when preparing an IAP, work closely with the local providers of emergency services to incorporate its plan into their community emergency plan.

**4.5.2** The venue might be responsible for meeting the requirements placed on it by the AHJs beyond the guidelines given in this document.

#### 4.6 Management Structure.

**4.6.1** The IAP should define a management structure for handling emergency situations.

Δ **4.6.2** The management structure should be based on an incident management system (IMS) consistent with NFPA 1561.

**4.6.2.1** For Level I and II events, the IAP may depend on the expertise and resources of outside responding agencies and personnel to initiate response and manage the emergency based on the National Incident Management System (NIMS).

**4.6.2.2** For Level III events, venue officials and responders should provide a coordinated response based on the NIMS.

**4.6.3** The IAP should provide for the coordination of efforts by the wide variety of agencies that might interact in an emergency situation, including event staff, local agencies, state agencies, and federal authorities.

**4.6.4** The IAP should be provided to all agencies identified in the plan, and such agencies should acknowledge their participating roles in the plan.

**4.6.5** The IAP should provide for unified command with an incident commander (IC) and a predefined command post location. For Level I motorsports events, such a command post location could be a designated meeting location where coordinators for each of the emergency operations could gather. For Level II and Level III motorsports events, the command post might be a fixed facility equipped with communications and command/control technology.

**4.6.6** The IAP should establish a predetermined area for staging of resources, giving consideration to arrival and departure access.

**4.6.7** The IAP should provide for the creation and distribution to participating agencies designated in the plan and to on-site personnel of current site location information that includes significant features on the property. This information could be disseminated as a map. However, to provide more flexibility, some features, such as gates, might be better described as being located near a seating section or a particular building, rather than being included as part of a map detail.

**4.7 IAP Components.** The IAP should contain the components specified in 4.7.1 through 4.7.10.4 for all motorsports venues, events, or both. The amount of detail included for each component is dependent on the level of the event, the identified hazards of the event, and the Incident Action Plan Checklist (see Figure 4.12).

#### 4.7.1 Fire Protection Component.

**4.7.1.1** The IAP should include fire protection information for the facility, the event, or both. It is important that the plan include information on any materials that present a fire hazard specific to the event, including their location, the quantity of material, and how the materials are distributed, together with the impact the presence of the materials could have on the event or on the persons present at the event.

**4.7.1.2** The IAP should include information on the fire protection available at the venue. This could include information related to fire alarm systems, standpipe systems, sprinkler systems, fire extinguishing systems, and fire hydrants or other available water resources. The identification of the agencies and a method to contact those responsible for the maintenance or repair of these fire protection systems are important if a system needs repair.

**4.7.1.3** To supplement the fixed fire protection, an inventory of fire suppression vehicles and equipment scheduled to be on the property and the methods of contact for agencies and management personnel responsible for response to fire-related scenarios should be part of an IAP.

#### 4.7.2 Traffic Control Component.

**4.7.2.1** The traffic control component should include plans for inbound and outbound flow of emergency vehicles and provisions for emergency evacuation of all or part of the site.

**4.7.2.2** The traffic control component should include the identification and method of contact for agencies or persons, or both agencies and persons, responsible for traffic flow management and emergency traffic scenarios.

**4.7.3 Emergency Medical Services (EMS) Component.** The IAP should include EMS response information for the venue, the event, or both.

**4.7.3.1** EMS response information generally should include an inventory of EMS equipment and staffing scheduled to be at the venue as well as the identification and method of contact of agencies and management personnel responsible for response to a medical emergency.

**4.7.3.2** The IAP should identify the emergency medical care provided at the event and the procedure for obtaining an additional level of care or a higher level of care if necessary.

#### **4.7.4 Multi-Casualty Incident (MCI).**

**4.7.4.1** The IAP should identify agencies that would respond to an MCI. This should include a method of contact, names of management or supervisory personnel, and resources expected to respond from those agencies.

**4.7.4.2** Agencies and management personnel responsible for response to MCIs should be identified along with methods of contact.

**4.7.5 Civil Disturbance/Terrorist Incident/Active Shooter Incidents.** The IAP should consider the venue or event impact from violent incidents such as terrorism, active shooter incidents, or hybrid targeted violence. Planning for these types of incidents should be discussed with the law enforcement agency having jurisdiction and/or responsibility for the venue or event.

#### **4.7.6 Hazardous Materials Incidents.**

**4.7.6.1** The IAP should identify any necessary resources anticipated to mitigate any hazardous materials incident that impacts the site.

**4.7.6.2** The IAP should include information on the location of the material safety data sheet (MSDS) for hazardous materials on the site.

**4.7.6.3** The IAP should include contact information for response agencies that could assist with hazardous materials incidents that might occur on site.

#### **4.7.7 Environmentally Threatening Incidents, Including Weather-Related Problems.**

**4.7.7.1** The IAP should consider the management of weather-related and environmental problems, including factors such as the geographic location of the venue and conditions unique to the local area or time of year.

**4.7.7.2** The IAP should contain procedures for the following:

- (1) Receipt of weather and other emergency warnings
- (2) Event cancellation prior to or after the start of activities
- (3) Notification of warnings to participants, staff, and guests
- (4) Evacuating, sheltering, or providing direction to people potentially affected by the threat

**4.7.7.3** Planning should consider conditions that can adversely impact an event, such as the following:

- (1) Simultaneous events at other nearby venues
- (2) Government-declared emergencies or warnings, such as predicted deteriorating weather or environmental problems
- (3) Proximity to other locations or operations with the potential for creating environmental hazards, such as rail yards, manufacturing facilities, and nuclear power plants

**4.7.8 Relocation/Evacuation.** Planning for the complete or partial relocation/evacuation of a facility should include the following:

- (1) Person(s) authorized to order the relocation/evacuation prior to or after the start of activities
- (2) Consideration of the estimated time to complete the relocation/evacuation

- (3) Notification procedure for the relocation/evacuation of participants, staff, and guests
- (4) Assistance and resources needed to effect an orderly relocation/evacuation
- (5) Availability and utilization of shelters on site or off site

**4.7.9 Resources.** The IAP should consider the utilization of available resources to deal with an emergency situation.

**4.7.9.1 Personnel.** The IAP should describe each position key to the provisions of the plan and the primary responsibilities of that position as it relates to the plan. Personnel resources that the plan may identify include the following:

- (1) Administrative/event/maintenance staff
- (2) Sanctioning body staff/officials
- (3) Security/law enforcement personnel
- (4) Fire personnel
- (5) EMS personnel
- (6) Emergency management representatives
- (7) Contracted service providers

**4.7.9.2 Equipment and Supplies.** The IAP should identify and determine the availability of internal and external resources that could be used in an emergency situation, such as the following:

- (1) Heavy equipment
- (2) Generators
- (3) Power tools
- (4) Traffic barriers
- (5) Fencing
- (6) Construction materials
- (7) Fire-fighting equipment
- (8) Technical rescue equipment
- (9) Portable lighting
- (10) Patient care equipment and multi-casualty equipment
- (11) Refrigeration facilities
- (12) Welding and cutting tools
- (13) Debris removal equipment
- (14) Hazardous waste mitigation equipment

**4.7.9.3 Transportation.** The IAP should identify and determine the availability of transportation resources that could be used in an emergency situation, such as the following:

- (1) Trams
- (2) Tractors
- (3) Buses
- (4) Trucks
- (5) Personal vehicles
- (6) Agency vehicles available for movement of personnel and victims

#### **4.7.10 Communication Component.**

**4.7.10.1** The IAP should include an emergency communication component to establish coordination of all communication systems operating at the event, including the following:

- (1) Public address system and digital message board (if available)
- (2) Broadcast radio frequency for public announcements
- (3) Two-way radio system, channel assignments, or both
- (4) Telephone systems (internal and external)
- (5) Cell/satellite systems information
- (6) Data systems
- (7) Social media

**4.7.10.2** Consideration should be given to communication challenges that might arise, especially during an emergency, such as the following:

- (1) Communication with marshals, response personnel, and administrative/event staff
- (2) Notification of guests and participants
- (3) Responsibility for the following:
  - (a) Communication with the news media
  - (b) Authorized release of information and the wording of media releases
  - (c) Locations for interviews or press conferences
  - (d) Identification of contacts to provide information
- (4) Communication systems failures due to equipment failure, interference, or systems overload

**4.7.10.3** Where a backup communication system that could be used in the event of a failure of the primary system is identified, the backup system should consist of a technology sufficiently different from the primary system to make failure of the backup system unlikely in the event of a primary system failure.

**4.7.10.4** Pre-event testing of communication systems should be part of the IAP. It might not be possible to test some parts of the system until the event is in full progress. At that time, problems related to equipment positioning and radio channel interference might first become apparent, and alternatives should be considered.

#### **4.8 Pre-Event Agreements.**

**4.8.1** Prior arrangements for assistance from outside agencies for resources such as fire, rescue, law enforcement, EMS, and contracted services should be established where needed.

**4.8.2** Incidents or events that might require multiple jurisdictional response should be identified.

#### **4.9 Critical Incident Stress Management (CISM).**

**4.9.1** Personnel present at the venue may be exposed to incidents that cause a strong adverse emotional reaction, whether immediate or delayed. The event or venue should identify methods to provide behavioral health resources or support to adversely affected personnel.

**4.9.2** CISM and peer support behavioral health resources should be identified and included in the plan.

**N 4.9.3** Local emergency medical services, police, fire agencies, or mental health providers may provide these resources.

**4.10 Death at the Venue.** The IAP should include procedures for notification of appropriate authorities and compliance with local statutes in the event of a death at the venue.

#### **4.11 IAP Review.**

**4.11.1** The IAP should be reviewed periodically and changed as appropriate to meet current or future conditions.

**4.11.2** A post-incident review should be held with participating agencies to identify practices that could benefit from additional attention or plan revision.

**4.12 IAP Checklist.** The use of a checklist might help event organizers verify that their IAP has addressed all appropriate elements. Figure 4.12 shows an IAP checklist that can be modified as appropriate to fit local needs.

INCIDENT ACTION PLAN (IAP) CHECKLIST				
“ <input type="checkbox"/> ” Indicates an item that should be considered in the IAP for the indicated level.				
IAP Component	Event Level			Assistance Needed and Possible Resources
	I	II	III	
Plan distribution				
Local public safety	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Sanction body	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Event coordinator	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Track management	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Subcontractors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Management structure				
Incident Commander			<input type="checkbox"/>	
Operations Officer		<input type="checkbox"/>	<input type="checkbox"/>	
Safety Officer			<input type="checkbox"/>	
Unified command			<input type="checkbox"/>	
Personnel				
Liaison Officer			<input type="checkbox"/>	
Communications Officer			<input type="checkbox"/>	
Public Information Officer			<input type="checkbox"/>	
Other positions			<input type="checkbox"/>	
Responsibility of track personnel detailed		<input type="checkbox"/>	<input type="checkbox"/>	
Consistent with and coordinated with emergency operations plans of authorities having jurisdiction	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Consistent with and coordinated with sanctioning body requirements	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Access to on-site emergency services		<input type="checkbox"/>	<input type="checkbox"/>	
Access to off-site emergency services	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Command post identified		<input type="checkbox"/>	<input type="checkbox"/>	
Resource staging location identified		<input type="checkbox"/>	<input type="checkbox"/>	
Communications system				
On-site		<input type="checkbox"/>	<input type="checkbox"/>	
Off-site			<input type="checkbox"/>	
Radio			<input type="checkbox"/>	
Telephone	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Centralized system			<input type="checkbox"/>	
Testing of system			<input type="checkbox"/>	
Release of information to media considered			<input type="checkbox"/>	
Site maps			<input type="checkbox"/>	

© 2018 National Fire Protection Association NFPA 610 (p. 1 of 2)

**FIGURE 4.12 Checklist for Verifying Completeness of an IAP.**



INCIDENT ACTION PLAN (IAP) CHECKLIST (Continued)				
“□” Indicates an item that should be considered in the IAP for the indicated level.				
IAP Component	Event Level			Assistance Needed and Possible Resources
	I	II	III	
Fire protection plan				
Hazards identified	□	□	□	
Equipment resources				
On-site	□	□	□	
Off-site	□	□	□	
Personnel resources				
On-site	□	□	□	
Off-site	□	□	□	
Traffic control				
On-site			□	
Off-site			□	
Emergency medical services (EMS)				
On-site	□	□	□	
Off-site	□	□	□	
Does the IAP include methods for handling the following?				
Multi-casualty incidents (MCIs)		□	□	
Terrorism incidents		□	□	
Hazardous materials incidents		□	□	
Environmental and weather incidents		□	□	
Evacuation decisions, process, and notification methods		□	□	
Death management		□	□	
Critical incident stress management			□	
Process identified for receiving government, weather, and other warnings		□	□	
Evacuation resources identified			□	
Arrangements for requesting and receiving outside assistance when necessary	□	□	□	
Process for amending and updating plan	□	□	□	
<p>© 2018 National Fire Protection Association</p> <p>NFPA 610 (p. 2 of 2)</p>				

**Δ** FIGURE 4.12 *Continued*

## Chapter 5 Training

### 5.1 General.

**5.1.1** Any paid or volunteer personnel having an assignment or defined responsibility with a motorsports facility or serving a designated function at a motorsports venue should be informed or trained using the levels defined in Sections 5.2 through 5.6 commensurate with their assigned function. Personnel performing the described assignments should receive periodic, updated training.

**5.1.2** Training to meet Sections 5.2 through 5.6 should be conducted by personnel who are qualified through formal training and have experience in this field. This includes trainers such as an equipment manufacturer or a sanctioning body that has a formal training program.

### 5.2 Motorsports Safety Awareness Level.

**5.2.1** Persons functioning at the motorsports awareness level should be informed of the facilities and the possible hazards, how to call for assistance, and their role, if any, in the incident action plan (IAP). This information, if applicable, should include the following:

- (1) Recognition of what hazards exist in their area of operation and the potential incidents associated with those hazards
- (2) Recognition of the presence of a hazardous situation or safety threat
- (3) Identification of an emergency incident
- (4) Familiarization of basic safety measures to take to protect themselves from the risks associated with the incident
- (5) Realization of the need for immediate assistance and the ability to make appropriate notifications as identified in the IAP
- (6) Familiarization of reasonable and prudent initial actions that might reduce the severity of the incident
- (7) Familiarization of the existence of the incident management system (IMS) and the public relations plan
- (8) Knowledge of facility features and access/egress points

**5.2.2** It is not the intent of this guide to expect someone informed at the awareness level to take an aggressive role in reducing the severity of the incident. However, there might be actions the person could take as they move to a safe area, such as closing a door, shutting off a fuel valve on a burner, shutting off a power switch, or directing people away from the incident area, as these actions could reduce the severity of the incident without jeopardizing their own safety.

**5.2.3** The motorsports safety awareness level training might be accomplished with a briefing and/or handout that can include a map.

### 5.3 Motorsports Safety Operations Level.

**5.3.1** Persons expected to function at the motorsports safety operations level should be informed to the motorsports safety awareness level; have knowledge of the facilities and the event-specific hazards; know how to call for emergency assistance; have the knowledge, skill, and ability to take first emergency mitigation actions in their areas of operation; and understand their role in the IAP.

**▲ 5.3.2** Motorsports safety operations-level persons typically include track clean-up personnel, repair and maintenance workers, off-track emergency responders, track emergency

medical personnel (nonrescue), marshals, vehicle recovery workers, security, and event/venue officials. Training programs should be identified that can assist the individual to develop the following:

- (1) Knowledge, skill, and ability to recognize and identify hazards
- (2) Knowledge, skill, and ability to select and properly use personal protective equipment (PPE) appropriate to the function or assignment
- (3) Knowledge, skill, and ability to function within an assigned role in the National Incident Management System (NIMS)
- (4) Knowledge, skill, and ability to suppress incipient fires with a portable fire extinguisher
- (5) Knowledge, skill, and ability to perform hazard control operations, incident mitigation, and extrication operations within the capabilities of the resources and PPE available in their areas of operation
- (6) Knowledge, skill, and ability to use basic equipment and follow established emergency guidelines
- (7) Knowledge, skill, and ability of appropriate measures to assist or rescue victims
- (8) Knowledge, skill, and ability of procedures to return to routine operation

### 5.4 Motorsports Safety Technician Level.

**5.4.1** Persons expected to function at the motorsports safety technician level should have the knowledge, skills, and ability of the motorsports safety operations level; have knowledge of the facilities and the event-specific hazards; have the knowledge, skill, and ability to take emergency mitigation actions in their areas of operation; and understand their role in the IAP.

**5.4.2** Typically, persons trained to the motorsports safety technician level may include pit area fire fighters, track fire fighters, and combination or cross-trained personnel responsible for extrication, rescue, and/or emergency medical services (EMS). Training programs should be identified that can assist the individual to develop the following:

- (1) Knowledge, skill, and ability to implement the venue's IAP
- (2) Knowledge, skill, and ability to function within an assigned role in the NIMS
- (3) Knowledge, skill, and ability to select and use proper PPE for the technician level
- (4) Knowledge, skill, and ability to use hazard and risk assessment techniques
- (5) Knowledge, skill, and ability to suppress fires that are commonly expected at the venue/event or in their specific assignment, given adequate equipment
- (6) Knowledge, skill, and ability to perform advanced hazard control operations, incident mitigation, and rescue operations within the capabilities of the resources and PPE available in their areas of operation
- (7) Knowledge, skill, and ability to extricate or remove victims
- (8) Knowledge, skill, and ability to conduct basic patient assessment, initiate patient care, and call for advanced medical support
- (9) Knowledge of the type of competitive vehicles and specific features and hazards associated with those vehicles

- (10) Knowledge, skill, and ability to use event-specific special equipment, including power tools used to cut or remove vehicle body and structural components
- (11) Knowledge, skill, and ability to apply the relevant standard operating procedures guidelines
- (12) Knowledge, skill, and ability to implement the procedures to return to routine operation
- (13) Knowledge, skill, and ability to drive and operate an on-track emergency response vehicle

### 5.5 Motorsports Safety Specialist Level.

**5.5.1** Persons expected to function to the motorsports safety specialist level should have the knowledge, skills, and ability of the motorsports safety operations level; have knowledge of the facilities and the event-specific hazards; have a specific knowledge, skill, or ability to take specialized mitigation actions in their demonstrated areas of expertise; and understand their role in the IAP.

**5.5.2** Typically, the motorsports safety specialist would include on-track physicians; hazardous entry, stabilization, and extrication specialists; recovery vehicle operators; and specialized track maintenance personnel. Training programs should be identified that can assist the individual to develop the following:

- (1) Knowledge, skill, and ability to select, apply, and use specialized equipment, PPE, and procedures necessary to perform their assigned function
- (2) Knowledge, skill, and ability to perform specific and specialized hazard control operations, incident mitigation, or extrication operations within the capabilities of the resources in their specific areas of operation

**5.6 Motorsports Safety Command/Manager.** Persons expected to function to the motorsports safety command/manager level should have the knowledge, skills, and ability of the motorsports safety operations level; have detailed knowledge of the facilities and the event-specific hazards; have the knowledge, skill, and ability to command or direct emergency mitigation actions; and understand all roles in the IAP. Training programs should be identified that can assist the individual to develop the following:

- (1) Knowledge, skill, and ability to implement and direct the IMS
- (2) Knowledge, skill, and ability to implement and manage the event/venue IAP
- (3) Knowledge of the hazards and risks associated with personnel working in motorsports safety roles
- (4) Knowledge, skill, and ability to activate and coordinate with external emergency resources
- (5) Knowledge of the responsibility to the AHJ

## Chapter 6 Personal Protective Equipment (PPE)

### 6.1 General.

**6.1.1** All personnel with assigned responsibilities at a motorsports venue should wear appropriate personal protective equipment (PPE) commensurate with the hazards associated with their assignment, as determined by a risk assessment.

**N 6.1.1.1** All PPE should meet the requirements of the current edition of its appropriate specification.

**6.1.2** A PPE program should be established that might contain such items as the following:

- (1) PPE selection and use (*See Annex C.*)
- (2) Storage, maintenance, and inspection procedures
- (3) Training considerations

**6.1.3** Personnel functioning in multiple capacities should wear PPE commensurate with the task associated with the highest level of exposure. For example, personnel whose primary responsibility is emergency medical service (EMS) might also be responsible for fire fighting. When such personnel are performing the more hazardous duty, in this case fire fighting, they should be protected to that higher level when performing that task. Therefore, members can be attired in their EMS uniform, while having the fire-fighting PPE available for use when a fire occurs.

**Δ 6.1.4** PPE should be selected and used in accordance with the manufacturer's instructions.

**6.1.5** During selection of PPE, careful consideration should be given to fit and comfort. PPE that fits poorly will not afford the necessary protection. Initial and continued wearing of the PPE are more likely if it fits the wearer comfortably.

**6.1.6** PPE should be maintained and stored in accordance with the manufacturer's instructions.

**6.1.7** PPE alone should not be relied on to provide all levels of protection against all hazards.

**6.1.7.1** PPE should be used in conjunction with proper use of tools and equipment, proper training, standard operating guidelines, and deployment of personnel to minimize the risk(s) to responders.

**6.1.7.2** PPE meeting the requirements of a standard or specification is designed to provide a specific level of protection and should not be used beyond the level for which it is intended.

### 6.2 Eye Protection.

**6.2.1** Care should be taken to recognize the possibility of multiple and simultaneous exposure to a variety of eye hazards. A list of the hazards expected to be encountered should be developed. Examples of the expected hazards are impact from flying debris, dust, heat, chemical splash, bloodborne pathogens, glare, and optical radiation from welding or a cutting torch.

**6.2.2** Personnel exposed to a potential hazard or dealing with a specific incident should use primary face and eye protection appropriate for that given specific hazard.

**6.2.3** Face and eye protection should meet the requirements of 29 CFR 1910.133, "Eye and face protection," or ANSI/ISEA Z87.1, *Occupational and Educational Personal Eye and Face Protection Devices*.

**6.2.4** Emergency medical personnel or others with potential exposure to bloodborne pathogens should wear eye protection in accordance with the requirements of 29 CFR 1910.1030, "Bloodborne pathogens."

**6.2.5** Persons whose vision requires the use of prescription lenses should wear either protective devices fitted with prescription lenses or protective devices designed to be worn over regular prescription eyewear when required.

**6.2.6** Wearers of contact lenses should wear appropriate eye and face protection devices in a hazardous environment. Dust, high heat, or chemical environments might represent an additional hazard to contact lens wearers.

### 6.3 Foot Protection.

**6.3.1** All personnel with assigned responsibilities at a motorsports venue should wear appropriate protective footwear commensurate with the hazards associated with their assignment. The footwear appropriate for motorsports emergency response can be variable.

**6.3.2** Track clean-up personnel, vehicle recovery personnel, marshals, and EMS personnel should wear appropriate closed-toe protective footwear commensurate with the tasks they routinely perform.

**6.3.2.1** Purpose-built shoes designed expressly for the needs of an emergency response team can be used but should consist of a sole with heel, totally enclosed upper of leather or heat- and flame-resistant material, insole, and shank, and should provide some amount of penetration, impact, and compression protection. Both the sole and heel should be of nonslip tread. Additional considerations should include double-welt construction, toe and metatarsal protection, and bloodborne pathogen protection.

- ▲ **6.3.2.2** Boots that meet the requirements of NFPA 1951, NFPA 1977, NFPA 1971, or ASTM F2413, *Standard Specification for Performance Requirements for Protective (Safety) Toe Cap Footwear*, are examples of boots that could be chosen. These standards are noted for guidance and suggestion and are not intended to limit the user.

### 6.4 Hand Protection.

**6.4.1** The activities of each function should be studied to determine the degree of dexterity required and the duration, frequency, and degree of exposure to the hazard. No single glove can provide protection against all potential hand hazards.

**6.4.2** Track clean-up and vehicle recovery personnel should wear gloves that provide protection from heat, sharp objects, or rough surfaces.

- ▲ **6.4.3** Personnel engaged in fire fighting should wear gloves that provide thermal protection, conductive heat resistance, flame resistance, cut resistance, puncture resistance, dexterity, and grip characteristics. Gloves that meet the requirements of NFPA 1971 or NFPA 1977 (protective work glove only) are examples of gloves that could be chosen. These standards are noted for guidance and suggestion and are not intended to limit the user.
- ▲ **6.4.4** Personnel engaged in extrication should wear gloves that provide thermal protection, conductive heat resistance, cut resistance, puncture resistance, dexterity, and grip characteristics. Gloves that meet the requirements of NFPA 1951, NFPA 1971, or NFPA 1977 (protective work glove only), are examples of gloves that could be chosen. These standards are noted for guidance and suggestion and are not intended to limit the user.

**6.4.5** Personnel should wear emergency medical gloves when providing emergency medical care that exposes them to the hazards of bloodborne pathogens.

**6.4.5.1** Medical gloves should be single-use, be disposable, and meet the requirements of ASTM D3578, *Standard Specification for Rubber Examination Gloves*.

- ▲ **6.4.5.2** Universal precautions should be followed when treating any victim of illness or injury. Different localities and jurisdictions mandate different levels of protection for the worker. NFPA 1581 and 29 CFR 1910.1030, "Bloodborne pathogens," can be used as reference to determine the proper level of protection for the worker.

### 6.5 Head Protection.

#### 6.5.1 Thermal Protection.

**6.5.1.1** Thermal protection should be provided by a protective hood designed to provide limited protection to the head, face, and neck.

- ▲ **6.5.1.2** Pit area fire fighters and track fire fighters involved in fire suppression operations should wear a hood that meets the requirements of NFPA 1971.

- ▲ **6.5.1.3** EMS and rescue personnel who might be exposed to flash fire should wear a hood that meets the requirements of NFPA 1971 or SFI 3.3, *Driver Accessories*.

#### 6.5.2 Impact Protection.

**6.5.2.1** Personnel riding in or on response vehicles should be seated and restrained with a safety belt at all times while the vehicle is in motion.

- ▲ **6.5.2.2** If the job function is such that personnel cannot be seated and belted, they should wear impact protection that provides protection for the head. Helmets that meet the requirements of Snell SA2010, SA2015, *Helmet Standard for Use in Competitive Automotive Sports*; Snell M2010, M2015, *Helmet Standard for Use in Motorcycling*; SFI Spec 31.1, *Flame Resistant Motorsports Helmets*; SFI Spec 41.1, *Motorsports Helmets*; or DOT helmets are some examples of the type of head protection that could be worn by personnel exposed to falls from moving vehicles. These documents are noted for guidance and suggestion and are not intended to limit the user.
- ▲ **6.5.2.3** Pit area fire fighters who are exposed to the hazards of flying debris and tools should wear head protection that provides impact protection. Helmets that meet the requirements of NFPA 1971; Snell SA2010, SA2015, *Helmet Standard for Use in Competitive Automotive Sports*; Snell M2000, M2015, *Helmet Standard for Use in Motorcycling*; SFI Spec 31.1, *Flame Resistant Motorsports Helmets*; SFI Spec 41.1, *Motorsports Helmets*; or DOT helmets are some examples of the type of head protection that could be worn. These documents are noted for guidance and suggestion and are not intended to limit the user.

**6.6 Hearing Protection.** Hearing protection should be worn by all personnel exposed to high noise-level hazards in accordance with 29 CFR 1910.95, "Occupational noise exposure."

### 6.7 Torso Protection.

**6.7.1** Pit fire fighters, track fire fighters, and rescue personnel have the potential to be exposed to both flash fires and running fuel fires and should be protected from the dangers from both types of fires as well as the radiant heat expected while engaged in fire-fighting operations.



▲ **6.7.2** Pit area fire fighters, track fire fighters, and certain rescue personnel who actively engage in or are exposed to the hazards of fire fighting should wear a protective garment that meets or exceeds the requirements of NFPA 1971.

▲ **6.7.2.1** Alternatively, a protective garment that meets or exceeds the requirements of SFI Spec 3.2A, *Driver Suits*, may be used only when worn in conjunction with fire-resistant thermal protective underwear that meets the requirements of SFI Spec 3.3, *Driver Accessories*.

**6.7.2.2** Personnel who actively engage in or are exposed to the hazards of fire fighting should avoid wearing clothing that is considered unsafe due to poor thermal stability or poor flame-resistant characteristics, such as nylon or polyester. Such garments could cause injury to the wearer despite the appropriate protective garments worn over or under such clothing.

▲ **6.7.3** EMS personnel or rescue personnel who are actively engaged in extrication that exposes the personnel to flash fires should wear a protective garment that meets the requirements of NFPA 1951, NFPA 1977, or SFI Spec 3.2A, *Driver Suits*.

■ **6.7.3.1** EMS personnel who do not participate in extrication should be protected as outlined in 6.7.5. Flame-resistant thermal protective underwear that meets the requirements of SFI Spec 3.3, *Driver Accessories*, should be worn under an SFI Spec 3.2A-rated protective garment.

**6.7.4** Track clean-up and vehicle recovery personnel and marshals should wear cotton, wool, or similarly flame-retardant, long-sleeved, long-legged clothing.

**6.7.5** All EMS personnel should use appropriate PPE when providing emergency medical care that potentially exposes the personnel to the hazards of bloodborne pathogens. The federal OSHA standard 29 CFR 1910.1030(d)(3)(i), “Bloodborne pathogens,” defines protective equipment as “appropriate” only if it does not permit blood or other potentially infectious materials to pass through or to reach the employee’s work clothes, street clothes, undergarments, skin, eyes, mouth, or other mucous membranes under normal conditions of use and for the duration of time that the protective equipment will be used.

**6.7.6** Personnel operating at motorsports events should be attired in clothing that provides function identification and maximum visibility within the operational environment.

**6.7.7** Consideration should be given for protective garments to have fluorescent and/or retroreflective trim permanently attached to the outer layer of protective garments to provide visibility. Some garments meeting NFPA PPE standards will already meet this requirement. If other protective garments do not already have fluorescent and/or retroreflective properties, a secondary garment such as a vest that meets the requirements of ANSI/ISEA 107, *American National Standard for High-Visibility Safety Apparel* should be worn.

## Chapter 7 Equipment

**7.1 General.** The goal of emergency services personnel at any motorsports venue/event is to respond to an emergency situation with minimal time delays and with the necessary equipment to handle the incident and to protect persons from further injury.

**7.2 Fire Suppression Equipment.** Fire suppression equipment should be available for immediate deployment at a motorsports venue. Fire extinguishers or other fire-fighting equipment should also be available in, but not limited to, competition areas and areas designated for working on competitive vehicles. These areas can include garages, paddock areas, staging areas, and pit areas not adjacent to the competition area. Fire extinguishers should also be available anywhere fuel is handled, transferred, or stored. Such equipment is the first line of defense in the event of a fire. Fire suppression equipment can be divided into two categories: portable fire extinguishers and motorized fire-fighting vehicles.

▲ **7.2.1 Portable Extinguishers.** NFPA 10 provides detailed information about the selection, use, installation, and maintenance of portable fire extinguishers.

**7.2.1.1** The five common classes of fires are as follows:

- (1) Class A, which are fires in ordinary combustible materials such as wood, paper, cloth, rubber, and many plastics.
- (2) Class B, which are fires in flammable liquids such as gasoline, alcohol, and nitromethane; and combustible liquids such as diesel oil, motor oil, and greases.
- (3) Class C, which are fires that involve energized electrical equipment. Water should not be used on energized electrical equipment, since it exposes the user to the risk of electrocution.
- (4) Class D, which are fires in combustible metals, such as magnesium and titanium. Application of water on combustible metals might cause a violent reaction.
- (5) Class K, which are fires in cooking appliances that involve combustible cooking media (vegetable or animal oils and fats).

**7.2.1.2\*** Only listed and labeled portable fire extinguishers should be used, to ensure that compliance with minimum construction and performance requirements has been met.

**7.2.1.3** The size of the portable fire extinguisher should be matched to the hazard that is being protected. The extinguisher or a combination of extinguishers must be able to extinguish the various types of fires that might occur in each area to be protected. In the case of exotic fuels or special hazards, it might be necessary to refer to material safety data sheets (MSDSs) for health hazards and special fire-fighting agents or equipment that should be used. Some materials used in the construction of motorsports vehicles might present health hazards, unique extinguishing requirements, or both.

**7.2.1.4** Dry chemical extinguishers having a minimum agent capacity of 10 lb (4.54 kg) and having a discharge rate of at least 1 lb/sec (0.45 kg/sec) or more should be available.

**7.2.1.5\*** Each fire extinguisher should be inspected and maintained as recommended by the manufacturer service manual before each deployment for an event.

**7.2.1.6** Each extinguisher should be maintained annually by a trained and certified fire extinguisher service technician.

**7.2.1.7** An adequate supply of replacement units should be on hand and available to be deployed prior to resuming the event.

**7.2.1.8** Fire extinguishers should be placed at intervals around the competition area to facilitate rapid deployment and application. It might also be necessary to provide other types of suppression agents or backup fire suppression capabilities such as water buckets or supplied water hose reels. It is important

that properly trained personnel are stationed near the extinguishers to minimize response time during a fire.

**7.2.1.9** Fire extinguishers or other fire-fighting equipment should also be available in areas designated for working on competitive vehicles. These areas can include garages, paddock areas, staging areas, and pit areas not adjacent to the competition area. Fire extinguishers should also be available anywhere fuel is transferred from one container to another, whether from fuel storage facilities to a vehicle or intermediate container, or from an intermediate container to a vehicle.

**7.2.2 Motorized Fire-Fighting Vehicles/Apparatus.** A motorized fire-fighting vehicle should be provided where the distances are such that there is not time for a sufficient number of emergency services personnel with portable extinguishers to respond on foot, or where there is a potential need for fire-fighting capability beyond that which can be delivered with portable fire extinguishers. The size and layout of the competition area to be covered, the access points, and the type of motorsports event to be held must all be considerations when determining on-track fire suppression needs.

**7.2.2.1** The motorized fire-fighting vehicle can be a specifically designed fire-fighting apparatus, or a vehicle as simple as a pickup truck, quad-runner, or golf cart-type vehicle equipped with fire-fighting equipment.

**7.2.2.2** The motorized fire-fighting vehicle should be **e-****quipped** with a fire-extinguishing agent(s) appropriate for the location and hazard expected to be encountered. Examples include, but are **not** limited to, the following:

- (1) A large listed and labeled portable fire extinguisher mounted in or secured to the vehicle, that typically contains about 125 lb (57 kg) or more of a dry chemical extinguishing agent that is discharged through a hose with a control nozzle at the end of the hose
- (2) A minimum 75 gal (285 L) water tank with a pump or a pressurized water tank and a minimum of 50 ft (15 m) of hose with appropriate fire-fighting nozzle, with consideration given to the following:
  - (a) In certain types of motorsports or with certain fuels, a fire suppression additive might be appropriate for use in the water.
  - (b) Such additives should be used in compliance with the equipment and additive manufacturers' recommendations.
- (3) A minimum 30 gal (115 L) capacity alcohol-resistant aqueous film-forming foam (AR-AFFF) system with a pump or pressurized tank and with a minimum of 50 ft (15 m) of hose and an appropriate fire-fighting nozzle
- (4) One or more of each of the following types of portable fire extinguishers:
  - (a) A dry chemical fire extinguisher having a minimum agent capacity of 20 lb (9.1 kg), a minimum 20 "B" rating, and minimum agent discharge flow rate of 1 lb/sec (0.45 kg/sec)
  - (b) Pressurized water-type fire extinguisher having a minimum agent capacity of 2.5 gal (9.5 L)
- (5) Fire extinguishers listed and labeled for Class D fires or special extinguishing agents appropriate for the special hazards of the motorsports type

**7.2.2.3** Appropriate restoration tools and equipment, for the type of event, should be provided on a motorized vehicle such as the following:

- (1) Tool box with common hand tools and seat belt cutter
- (2) Heavy tools such as a pry bar, bolt cutters, flat shovel, crowbar, sledge hammer, and crash axe
- (3) Tow strap or rope of approximately 30 ft (10 m)
- (4) Push brooms
- (5) Containers of coarse oil-absorbent material, fine oil-absorbent material, or both

**7.2.2.4** All of the equipment carried on the vehicle should be securely mounted to the vehicle.

**7.3 Extrication Equipment.** Rescue and extrication equipment to release a driver or any other persons trapped as a result of an incident within the venue should be available. Such equipment might include manual, electric, hydraulic, or otherwise powered spreaders and cutters.

**7.3.1** Extrication cutting equipment should be sufficient to cut roll bars, the vehicle body, or cockpit materials of the type found in motorsports competitive vehicles expected at an event.

**7.3.2** The equipment should be on site at the venue or close by with a local emergency response agency with the capability and willingness to respond to the venue.

**7.3.3** All powered rescue tools should be in compliance with NFPA 1936.

#### **7.4 Emergency Medical Services (EMS).**

**7.4.1** EMS should be provided in accordance with the requirements of the local authority with responsibility for setting EMS requirements. Consideration should be given to providing emergency medical capability on site, depending on the type of event and locally available resources.

**7.4.2** Ambulances and other EMS vehicles used at the venue should be equipped and staffed in accordance with the requirements of the AHJ. Methods of EMS delivery could include the following:

- (1) Advanced life support (ALS) unit(s) on site
- (2) Basic life support (BLS) unit(s) on site
- (3) BLS or ALS equipped personnel on site with local medical transport available
- (4) Off-site local emergency medical provider for a Level I event

**7.4.3** The number of units and the level of care should be in accordance with the incident action plan (IAP).

**7.5 Hazardous Materials Mitigation.** Equipment and materials to handle hazardous material spill mitigation and disposal should be available based on the hazardous materials present at the venue and the potential for a spill. The equipment and materials might vary depending on the design of the course and the type of motorsports event to be held. All containment and clean-up procedures should conform to federal, state, and local governmental regulations.

**7.6 Course Restoration Equipment.** Course restoration equipment should be available. This equipment might be as simple as brooms, shovels, and leaf/lawn blowers used with absorbent materials, or as elaborate as special vehicles designed to spread and pick up items such as absorbent materials,

motorized blowers or jets, street-type vacuums, and mechanized street brushes. The restoration equipment needed will depend on the competition area size and type and the expected event type.

**7.7 Communications.** Portable communications equipment should be provided to allow designated emergency services personnel to communicate with the event/venue official and with each other. Provisions should be made to communicate with off-site responders.

**N 7.7.1** All on-track personnel should be provided with communications equipment and should refer to the IAP checklist for event scalability.

**7.8 Vehicle Recovery Equipment.** Vehicle recovery equipment includes boom-type tow trucks, flat bed tow trucks (rollback), or any other specialized equipment appropriate for removing crashed or disabled vehicles from the competition area. The type and amount of equipment will vary depending on the type of vehicles entered in the competition, the design of the particular competition area, and the urgency for resuming full racing competition.

**7.9 Vehicle Marking.** Response vehicles used on a competition area where movement of competitive vehicles continues after an incident should be conspicuously marked and have appropriate visual warning devices. All on-course emergency, clean-up, or recovery vehicles should be equipped with some type of manually operated, portable visual warning devices to be deployed by personnel working on the competition area. These warning devices can include flags, lights, signs, or paddles or any combination thereof.

**7.10 Parking or Staging Areas.** Safe parking areas, staging areas, or both, should be provided for response vehicles. These response vehicles should be staged in proximity to the competition area for easy access but should be protected by barriers or space from potential collision with competition vehicles.

## Chapter 8 Operations

**8.1 General.** The success of incident response operations does not depend only on incident action planning, training and equipping of personnel, and provision of equipment. It is equally important that all personnel understand the nature of the specific event and their roles in the incident response operations. Incident response operations may include non-emergency and emergency activity.

**8.2 Review of Incident Action Plan (IAP).** The incident action plan (IAP) should be reviewed to ensure that all requirements for handling on-site incidents can be met with the resources available. Where the plan calls for using off-site resources, it should be verified that those resources have been contacted, are aware of the event, are available, and understand their role in the IAP.

**8.3 Review of Operational Readiness.** The overall event emergency operations checklist shown in Figure 8.3 is provided to assist the event/venue official in preparing for and providing emergency services. The event/venue official should adapt this checklist to the specific needs of the event/venue.

### 8.4 Deployment.

**Δ 8.4.1** Individual crews, including, but not limited to, fire crews, extrication crews, EMS crews, vehicle recovery crews, restoration crews, and marshals, should be provided with the following information to assist them in understanding, preparing for, and executing their role during an emergency:

- (1) Name of the individual to whom the crew reports and that individual's position in the chain of command
- (2) Name(s) of individual(s) to call if needs develop such as replacing a crew member or equipment
- (3) Names of all other members of the crew
- (4) Individual crew member assignments at the venue, including where each crew member is stationed and identification of each member's geographic area of responsibility
- (5) Identification of the appropriate personal protective equipment (PPE) that should be worn for the crew's assignment
- (6) Equipment provided for the assignment
- (7) Means of communicating the crew's status and needs, e.g., the radio channels to be used
- (8) Time the crew is expected to start its assignment and when and how the assignment is considered complete
- (9) Identification of the method and circumstances under which the crew is to respond to render assistance

**8.4.2** Figure 8.4.2 shows a form that, if completed, will provide staffing with the necessary information recommended in 8.4.1.



## OVERALL EVENT INCIDENT OPERATIONS CHECKLIST

### Event evaluated for potential fire and rescue needs

- \_\_\_\_\_ Type of event, i.e., competition, performance, training, demonstration, or testing
- \_\_\_\_\_ Type of participating vehicles
- \_\_\_\_\_ Type of fuel and location fuel transfers take place
- \_\_\_\_\_ Number of spectators and their access to competition area

### Emergency services personnel

- \_\_\_\_\_ Incident Commander assigned
- \_\_\_\_\_ Sufficient and trained personnel available
- \_\_\_\_\_ Personnel and crews assigned
- \_\_\_\_\_ Crew function(s) assigned
- \_\_\_\_\_ Equipped with proper PPE
- \_\_\_\_\_ Daily briefings conducted
- \_\_\_\_\_ Specific operations checklists distributed to individuals and crews

### Fire suppression equipment

- \_\_\_\_\_ Adequate equipment available on site
- \_\_\_\_\_ Equipment checked for proper operation
- \_\_\_\_\_ Equipment issued to persons expected to use it
- \_\_\_\_\_ Equipment properly deployed
- \_\_\_\_\_ Backup supplies or inventories available
- \_\_\_\_\_ Additional equipment available off site
- \_\_\_\_\_ Persons providing off-site equipment or service aware of event and their role

### Rescue equipment

- \_\_\_\_\_ Adequate equipment available on site
- \_\_\_\_\_ Equipment checked for proper operation
- \_\_\_\_\_ Equipment issued to persons expected to use it
- \_\_\_\_\_ Equipment properly deployed
- \_\_\_\_\_ Additional equipment available off site
- \_\_\_\_\_ Persons providing off-site equipment or service aware of event and their role

### EMS equipment

- \_\_\_\_\_ Adequate equipment available on site
- \_\_\_\_\_ Equipment checked for proper operation
- \_\_\_\_\_ Equipment issued to persons expected to use it
- \_\_\_\_\_ Equipment properly deployed
- \_\_\_\_\_ Additional equipment available off site
- \_\_\_\_\_ Persons providing off-site equipment or service aware of event and their role

### Vehicle recovery equipment

- \_\_\_\_\_ Adequate equipment available on site
- \_\_\_\_\_ Equipment checked for proper operation
- \_\_\_\_\_ Equipment issued to persons expected to use it
- \_\_\_\_\_ Equipment properly deployed
- \_\_\_\_\_ Additional equipment available off site
- \_\_\_\_\_ Persons providing off-site equipment or service are aware of event and their role

### Clean-up equipment

- \_\_\_\_\_ Adequate equipment available on site
- \_\_\_\_\_ Equipment checked for proper operation
- \_\_\_\_\_ Equipment issued to persons expected to use it
- \_\_\_\_\_ Equipment properly deployed
- \_\_\_\_\_ Additional equipment available off site
- \_\_\_\_\_ Persons providing off-site equipment or services aware of event and their role

### Communications systems and equipment

- \_\_\_\_\_ Adequate equipment available on site
- \_\_\_\_\_ Equipment operational and tested
- \_\_\_\_\_ Technical support for communications equipment problems identified
- \_\_\_\_\_ Unit designations/radio call sign assigned
- \_\_\_\_\_ Equipment issued to persons expected to use it
- \_\_\_\_\_ Equipment properly deployed

### Deployment of emergency personnel

- \_\_\_\_\_ Dispatch procedures in place
- \_\_\_\_\_ Emergency personnel briefed on when to respond
- \_\_\_\_\_ Emergency personnel briefed on their role at incident

### Method of replenishing resources after use during the event identified

- \_\_\_\_\_ EMS supplies
- \_\_\_\_\_ Suppression agents
- \_\_\_\_\_ Staff

### Transportation plan in place to support security, fire, rescue, EMS, and recovery operations

- \_\_\_\_\_ Routing in and out of venue and access points
- \_\_\_\_\_ Movement of emergency vehicles within the venue
- \_\_\_\_\_ Helicopter landing zone identified

**FIGURE 8.3 Sample Incident Operations Checklist.**

**INFORMATION SHEET (CIRCLE ONE)**  
**FIRE CREW, EXTRICATION CREW, EMS CREW, VEHICLE RECOVERY CREW,**  
**RESTORATION CREW, MARSHAL**

Event: \_\_\_\_\_ Date: \_\_\_\_\_

Crew designation: \_\_\_\_\_

Crew reports to: \_\_\_\_\_

Members of the crew:

Crew chief/supervisor: \_\_\_\_\_

Crew members: \_\_\_\_\_

Crew station/assignment: \_\_\_\_\_

Geographic area of responsibility: \_\_\_\_\_

Personal protective equipment required for assignment: \_\_\_\_\_

Tools and equipment required for assignment: \_\_\_\_\_

Communications equipment required for assignment: \_\_\_\_\_

Starting time of assignment: \_\_\_\_\_

Release of assignment: \_\_\_\_\_

Service is to be rendered under the following conditions: \_\_\_\_\_

Contact for resolving needs or problems: \_\_\_\_\_

Contact for situation updates: \_\_\_\_\_

**The crew chief/supervisor should ensure that all members of the crew understand their individual assignments and are familiar with and comfortable deploying and using the equipment assigned to the crew.**

**▲ FIGURE 8.4.2 Sample Form for Providing Information to Staffing.**

## Annex A Explanatory Material

*Annex A is not a part of the recommendations of this NFPA document but is included for informational purposes only. This annex contains explanatory material, numbered to correspond with the applicable text paragraphs.*

**A.3.2.1 Approved.** The National Fire Protection Association does not approve, inspect, or certify any installations, procedures, equipment, or materials; nor does it approve or evaluate testing laboratories. In determining the acceptability of installations, procedures, equipment, or materials, the authority having jurisdiction may base acceptance on compliance with NFPA or other appropriate standards. In the absence of such standards, said authority may require evidence of proper installation, procedure, or use. The authority having jurisdiction may also refer to the listings or labeling practices of an organization that is concerned with product evaluations and is thus in a position to determine compliance with appropriate standards for the current production of listed items.

**A.3.2.2 Authority Having Jurisdiction (AHJ).** The phrase “authority having jurisdiction,” or its acronym AHJ, is used in NFPA documents in a broad manner, since jurisdictions and approval agencies vary, as do their responsibilities. Where public safety is primary, the authority having jurisdiction may be a federal, state, local, or other regional department or individual such as a fire chief; fire marshal; chief of a fire prevention bureau, labor department, or health department; building official; electrical inspector; or others having statutory authority. For insurance purposes, an insurance inspection department, rating bureau, or other insurance company representative may be the authority having jurisdiction. In many circumstances, the property owner or his or her designated agent assumes the role of the authority having jurisdiction; at government installations, the commanding officer or departmental official may be the authority having jurisdiction.

**A.3.2.5 Listed.** The means for identifying listed equipment may vary for each organization concerned with product evaluation; some organizations do not recognize equipment as listed unless it is also labeled. The authority having jurisdiction should utilize the system employed by the listing organization to identify a listed product.

**A.3.3.22 Marshal.** Marshals are also referred to as flaggers, communicators, observers, course marshals, and pit marshals.

**A.3.3.32 National Incident Management System (NIMS).** To provide for interoperability and compatibility among federal, state, local, and tribal capabilities, the NIMS includes a core set of concepts, principles, and terminology. HSPD-5 identifies these as the incident command system (ICS); multi-agency coordination systems; training; identification and management of resources (including systems for classifying types of resources); qualification and certification; and the collection, tracking, and reporting of incident information and incident resources.

**A.3.3.34 Paddock Area.** At some racing events, the paddock area is referred to as the “pit area” or “garage.”

**A.7.2.1.2** For safety, only fire extinguishers properly designed, tested, and listed to comply with NFPA 10 requirements should be utilized. Extinguishers should not be modified, altered, or converted to use different extinguishing agents.

**A.7.2.1.5** The person inspecting the extinguisher should look for evidence of damage, such as dents and corrosion. Persons performing extinguisher inspections should be properly instructed in how to verify that visual tamper inspection seals are intact and pressure gauges, if present, are properly charged for operation. The fire extinguisher nozzle should be examined to make certain that mud, insects, or insect nests have not blocked it. If there are any problems detected during the inspection, the extinguisher should be replaced immediately so that, in an emergency, a fully functional fire extinguisher will be available.

## Annex B Sample Incident Action Plans

*This annex is not a part of the recommendations of this NFPA document but is included for informational purposes only.*

**B.1** Figure B.1 is an example of an incident action plan (IAP) for a Level I motorsports event. It is provided to show the depth of a plan for a small event that depends primarily on outside resources to handle incidents. Users of this document are invited to use this example as is or in a modified format in creating an IAP for their venue. This example can be modified to develop an IAP for a Level II event by adding needed items from the checklist in Figure 4.12.

**B.2** Figure B.2 is an example of an IAP for a Level III motorsports event. It is provided to show the depth of a typical plan in covering procedures, resources, and systems that should be in place during an incident at a motorsports venue. Users of this document are invited to use portions of this example as is or in a modified format in creating an IAP for their venue. By deleting some items, this example could be modified to create an IAP for a Level II event.

## INCIDENT ACTION PLAN (IAP) FOR LEVEL I MOTORSPORTS EVENT

### Contact Information

Anyone with questions regarding his or her role in the Incident Action Plan should contact the event director:

Name \_\_\_\_\_

Address \_\_\_\_\_

Telephone \_\_\_\_\_

Cell phone \_\_\_\_\_

Fax number \_\_\_\_\_

E-mail \_\_\_\_\_

### Statement of Purpose

This plan defines emergency response systems for on-track emergencies and off-track occurrences during speedway events.

### In the Event of an Emergency

1. Do not place yourself in danger of becoming a victim of the incident.
2. Call emergency dispatch at \_\_\_\_\_. Provide the dispatcher with information regarding the nature of the incident, location, and best access point.
3. Take actions consistent with your training and experience to provide assistance and prevent additional injuries or damage to property while waiting for assistance to arrive.
4. As much as possible, prevent entry to the area by those not needed for assistance and preserve the scene for investigation of incident by authorities.
5. Notify the event director of the incident.
6. Coordination and direction of the emergency response will be handled by event emergency responders upon their arrival.

### Communication During Event

Communications during the event will be handled by cell phone using direct connect and Family Radio Service radios using channel \_\_\_\_\_ and privacy code \_\_\_\_\_.

### On-Site Hazards

The following hazards are located on the event site in the locations indicated.

Racing fuel: \_\_\_\_\_

Compressed gases: \_\_\_\_\_

Propane tanks: \_\_\_\_\_

© 2018 National Fire Protection Association

NFPA 610 (p. 1 of 2)

**▲ FIGURE B.1 Sample IAP for Level I Motorsports Event.**

## INCIDENT ACTION PLAN (IAP) FOR LEVEL I MOTORSPORTS EVENT (Continued)

### On-Site Resources

The following emergency response resources are located on the event site in the location indicated.

Fire extinguisher: \_\_\_\_\_

First aid kit: \_\_\_\_\_

Telephone: \_\_\_\_\_

### Emergency Contacts

Outside assistance can be obtained from the following resources: \_\_\_\_\_

\_\_\_\_\_

Service	Contact	Telephone	Cell Phone
Fire, EMS, law enforcement emergency dispatch			
Event director			
Operations director			
EMS provider			
Hospital			
Towing service			
Specialized equipment			
Law enforcement			

### Plan Distribution

Copies of this plan and the event schedule should be distributed to local emergency services and others who should be aware of the event.

### Plan Amendment

This incident plan will be reviewed and updated, including confirmation of listed contact and phone information, on an annual basis by the event director.

**Date of Last Review/Amendment:** \_\_\_\_\_

**Signed (Event Director):** \_\_\_\_\_

**FIGURE B.1** *Continued*

# Incident Action Plan (IAP) for Level III Motorsports Event

## Contents

(Page numbers correspond to those shown in the bottom right-hand corner.)

Contact Information	2	Other Emergencies	
Statement of Purpose	2	Fire, Fire Alarms, and/or Explosions	16
Incident Management System		Security Issues	16
An Overview	2	Bomb Threat Checklist	17
Command	3	Medical Problems	18
Creation of an Incident Command Post	3	Hazardous Material Incidents	18
Response Levels	4	Suspected Terrorism Incidents	19
Operational Overview	4	Severe Weather Plan	20
MCI Initial Response	7	Earthquakes	21
Triage	8	Apparent Death at the Scene	21
Treatment Areas	8	Critical Incident Stress Management (CISM)	22
Transportation	9	Media Relations	23
Staging Areas	10	Fire Protection Component	23
Aircraft	10	Emergency Medical Services (EMS)	
Position Descriptions	10	Component	25
Assignments During a Major Incident	14	Traffic Control Component	26
Communications Plan	15	Facility Map	26

**Δ FIGURE B.2** Sample IAP for Level III Motorsports Event.

## Contact Information

Anyone with questions regarding his or her role in the Incident Action Plan should contact the Emergency Services Coordinator:

Name \_\_\_\_\_

Address \_\_\_\_\_

Telephone \_\_\_\_\_

Pager \_\_\_\_\_

E-mail \_\_\_\_\_

## Statement of Purpose

### Introduction

The following Incident Action Plan provides procedures to protect people and property during an emergency or disaster situation. This plan also identifies and assigns personnel to various emergency tasks and responsibilities, thus creating the Site Emergency Team and defines emergency response systems for on-track emergencies and off-track occurrences. This plan also provides for coordination between the Site Emergency Team and government authorities to promote an effective response.

This document describes the emergency management procedures for handling incidents involving everything from minor single vehicle crashes to complex scenes requiring a variety of outside resources. Its primary intent is to give first responders, local fire departments, Emergency Medical Service (EMS) agencies, and track management an understanding of how they fit into the plan. After reading the plan, personnel should be able to answer the following questions:

- (1) What positions might I be required to fill?
- (2) Whom would I report to, and whom would I supervise in an emergency incident?
- (3) Where should I report in the event of an incident?

All personnel should familiarize themselves with this plan and be able to render assistance as needed in order to reduce injury, loss of life, and property damage. This document includes position descriptions and specific duties required for the positions. Some of the assignments are predetermined for individuals with specialized administrative or support functions.

## Incident Management System (IMS)

### An Overview

Emergency incidents on track property are managed using the Incident Management System (IMS). IMS (NFPA 1561, *Standard on Emergency Services Incident Management System*) is a nationally recognized system for managing emergency situations. It is a system with considerable flexibility, allowing it to grow or shrink based on the demands and magnitude of the situation.

A basic IMS operating guideline designates the person responsible for the incident as the "Incident Commander (IC)," who is responsible until authority is delegated to another person. Thus, in small situations (like an ambulance response to a call for help involving one victim), where additional personnel are not required, the IC will manage all aspects of the incident from beginning to end.

As the magnitude of the situation increases, the management structure expands. The goal is to expand the structure in such a way that no more than three to seven people report directly to any single person.



Additional layers of management and branches to the management structure are pulled into play as required. An incident, for example, with ten victims is likely to be over quickly and will probably not require a Logistics/Support Section Chief. Instead, the IC will assign people to the duties coming under that Section Chief position as needed. An incident with a hundred victims, on the other hand, is likely to require that all positions on the organizational chart be filled.

In a worst case situation, with large numbers of victims and involvement by multiple agencies, the organizational structure evolves into one of “Unified Command,” in which representatives of different agencies provide input and direction at the IC level.

Flexibility is a key element in the IMS. In the evolving emergency situation, positions shift as more appropriate or experienced people arrive. Initially, for example, the IC will be the most experienced person on the first unit to arrive. That person might become the Operations Section Chief when the track’s designee arrives and assumes the position of IC, and then might be shifted to Transportation Group Leader as the operation expands. Flexibility helps ensure that personnel can be utilized to perform needed functions rather than waiting for specific work assigned to them in a written plan. The same flexibility also allows for changes in personnel at specific positions over time if an incident becomes prolonged.

## Command

Overall command is the responsibility of the IC.

The IC may designate an Operations Section Chief, Medical Branch Director, Fire/Rescue Branch Director, Security Branch Director, and/or other appropriate supervisory personnel depending on the nature of the situation.

The IC is responsible for ensuring the safety of the scene, rescuers, and bystanders. The IC may appoint a Safety Officer to carry out this responsibility.

The IC is responsible for ensuring that adequate resources are summoned. Additional requested resources should report to the staging area for assignment.

The track physician/medical director provides on-site medical control. If the track physician/medical director is not available, then medical control resorts to the jurisdictional EMS agency/base hospital physician responsible for medical control under the local EMS regulations.

Law enforcement and/or security are responsible for securing the site for rescue operations.

Equipment, supplies, and personnel are assembled at the staging area, where they are inventoried and dispensed as needed.

## Creation of an Incident Command Post

When an incident becomes complex enough to require the appointment of Section Chiefs and/or activation of outside resources, establishment of a command post is essential. The command post should be created at a location with good access and good communications capabilities. It is usually preferred that the command post not be right at the incident location. While the IC is responsible for selecting a location, the following are prearranged areas that could be used:

### Possible Command Post Locations

---

---

---

---

**△ FIGURE B.2** *Continued*

## Response Levels

The response to an emergency situation is dictated in part by the commitment of resources required to successfully resolve the problem. The Sample Speedway IAP defines four levels of responses for emergency services.

**Level A Response.** A level A response is an emergency that requires no more than the resources to manage one patient requiring advanced life support. Security may respond at its discretion or upon request.

**Level B Response.** An emergency that requires additional resources and manpower above those described for a level A response is defined as a level B response. A level B response includes situations with two or more patients requiring advanced life support or two patients meeting the “Immediate” criteria in the START triage system (see Figure 6). **A level B response requires the naming of an Incident Command Post and announcement of the Incident Command location on the radio.**

**Level C Response.** A level C response is an emergency requiring extensive resources, extrication, or other logistical support. A level C response includes situations with three or more patients requiring advanced life support or three or more patients falling in the “Immediate” category in the START triage system.

**Level D Response.** A sudden, unexpected or expected event that creates a situation **requiring outside mutual aid** for fire, EMS, and/or law enforcement support results in a level D response. The Medical Director, Fire/Safety Director, and/or a senior management official for the speedway normally declares this level.

**The following items are required for both level C and level D responses:**

- (1) The incident name and command post location is announced on the radio.
- (2) All incoming units report to the staging area.
- (3) The IC establishes the Operations Section.
- (4) The IC position is transferred to the speedway’s senior management official or designee.
- (5) The Incident Management Team reports to its predesignated assignments.
- (6) The Incident Command Post is activated, and a Unified Command is established as needed with local law enforcement, EMS, and fire officials.

In a level D incident, it is essential that a jurisdictional fire agency official work directly with the designated Operations Chief to get the most out of the internal and external resources.


## Operational Overview

Figure 1 shows how the IMS would function in a large multi-casualty incident (MCI). While its complexity may appear overwhelming at first, it can be used as a reminder of items that must be considered even in a smaller situation. For example, documentation of the evolving incident, handling of claims from injured rescue workers, and feeding workers as the incident becomes prolonged are items that could easily be overlooked.


## Level A Response

At the time of the initial response to an incident, the first responding unit handles all command and general staff responsibilities. Additional arriving resources become triage and treatment personnel as dictated by the size of the incident.

In a level A response, the organizational structure does not progress beyond that shown in Figure 2. However, arriving units may discover the situation to require a higher level response. The organizational structure can grow easily from this point if it is determined that a level C or level D response is necessary.



**Figure 1. Incident Management System as it Is Designed to Operate in a Level D MCI Response.**



**Figure 2. Example of a Possible Level A MCI Response.**

## Level B Response

Based on the characteristics of the incident found at the time of the initial response, additional resources are requested by the IC and dispatched. A Command Post is established and announced.

In the example in Figure 3, the IC designates a Triage Unit Leader, Treatment Unit Leader, and a Patient Transportation Group Supervisor. Security and/or law enforcement are involved as needed. A Staging Manager may be needed.




Figure 3. Example of a Possible Level B MCI Response.

Level C Response

When the nature of the situation is such that extrication and additional support are required, a level C response is required. The Track Fire/Safety representative arrives and is assigned to become the Fire/Rescue Branch Director. The IC assigns the Operations Section Chief who appoints the Medical Branch Director. The Medical Branch Director confirms that the Triage Unit Leader, Treatment Unit Leader, and Patient Transportation Group Supervisor are in place. The additional positions are necessary to keep the span of control of the Operations Section Chief manageable. Unified Command is initiated if deemed necessary by the IC.





Figure 4. Example of a Possible Level C MCI Response.

Level D Response

When the incident is large enough to require use of outside resources, the organizational structure becomes more comprehensive. Many of the positions described in Figure 1 are still unfilled. They may be utilized as the IC sees fit. At this point a Unified Command System becomes essential to assure appropriate utilization of all available resources.

▲ FIGURE B.2 Continued



**Figure 5. Initial Command Structure Likely in the Management of a Level D Response.**

### MCI Initial Response

- A. The first unit on scene should stop or park outside the affected area, assess the safety of the scene for responding personnel, and get an idea of the boundaries and scope of the emergency.
- B. The IMS is established by contacting the communications center and providing a Size-Up Report within the *first 30 seconds* of arrival. The Size-Up Report consists of 3 elements:
  - (1) Location of the incident
  - (2) Type of incident
  - (3) Approximate number of patients
- C. The most qualified member of the team on the first arriving unit functions as the IC and continues in that role until relieved by a more appropriate individual. It is important to remember that the IC needs to remain in an area where the majority of the incident can be seen, but not in the middle of the scene.
- D. Triage should begin immediately. It is important to remember that the first part of START triage is to remove the patients designated in “minor category” or “walking wounded” from the scene. A responsible individual should be appointed to watch over this group and to keep them away from both those patients needing immediate care and bystanders who were not affected by the incident.

E. A Follow-Up Report should be given *within 3 minutes*. This report also has 3 elements:

- (1) Situation — What is going on right now?
- (2) Progress — What have you done so far?
- (3) Needs — What do you still need to handle the problem?

Additionally, during a Follow-Up Report, the name of the IC, the location of the Command Post, and the location of the staging area to which all incoming resources are to report, will need to be announced on the radio.

F. Additional responding units report to the designated staging area and request an assignment. It is imperative that these resources not go directly to the scene until directed. Once at the scene, additional units should contact the IC and confirm their assignment.

## Triage

Triage is carried out using the Simple Triage and Rapid Treatment (START) system. No more than 30–60 seconds should be spent on a single patient. All medical personnel should be familiar with the process and keep in mind that patients assigned to a treatment area may undergo a change in their status requiring re-triage and assignment to a different treatment area. Triage tags should be used any time there are three or more patients. See Figure 6 for an example of the START triage system.




Figure 6. Triage System.

## Treatment Areas

Treatment areas may be established at the request of the IC, Medical Branch Director, or any other individual who believes it would benefit patient care. Predetermined treatment areas or any location deemed appropriate by the IC may be used. See the diagram below for examples of locations that have been predetermined.

The first area that should be established is for those victims with minimal or minor injuries (walking wounded). By removing these patients from the scene first, the emergency responders are provided with quicker access to those critically injured and begin the incident stabilization process. Trams, buses, and other vehicles may be used to move these victims to treatment facilities.

The Immediate and Delayed Treatment areas should be designated. They should be located in an area that is as follows:

- (1) Safe
- (2) Large enough to handle the number of victims easily
- (3) Easily accessible to rescue vehicles
- (4) Located away from the morgue

Once they have been triaged, patients are sent to the Immediate, Delayed, or Minor Treatment areas. Continuous triage and patient evaluation should occur in these areas until all patients have been transported to their receiving facilities.

Personnel assigned to the treatment areas should at all times function only within their scope of practice and under medical control as allowed by local regulations.

Physicians and RNs are normally assigned to the treatment areas.

Selection of the most appropriate treatment areas will depend on the size, location, and nature of the incidents. The following are predetermined treatment areas that are likely to be used during an MCI.

#### Predetermined Treatment Areas

Immediate Treatment Area	Delayed Treatment Area	Minor Treatment Area	Morgue

### Transportation

The Transportation Group Supervisor, in cooperation with the managers of the treatment areas and the communication center, will arrange transport of patients to the most appropriate available facility.

Whenever possible, the patients in the Immediate category should be transported first to the most appropriate medical facility. A lower level of medically trained personnel as determined by the Transportation Group Supervisor in cooperation with the Treatment Unit Leader may transport patients when appropriate.

Patient distribution should occur in such a way that no one facility is overloaded to prevent moving the disaster from the field to the hospital.

Additional resources should report to the staging area established by the IC or the Operations Section.

▲ FIGURE B.2 *Continued*



## Staging Areas

Staging areas are used as a gathering point for incoming resources to wait prior to being assigned tasks by the IC. The area selected for staging will depend on a number of factors, including location and type of incident. Some possible sites could include the following:

### Possible Staging Areas for Outside Resources

---



---



---



---

## Aircraft

The use of helicopters for medical evacuation provides a means for rapid patient transportation to the receiving facility. However, at large-scale incidents, it is suggested that helicopters not be used immediately until the IC has an understanding of the size and complexity of the incident. Helicopters can also be used to assist the IC for a rapid reconnaissance of the incident. Helicopter landing areas should be predetermined prior to the event.

## Position Descriptions

### FIRST RESPONDER/INITIAL UNIT

**Function:** Overall management of the incident in level A and level B incidents. Management of scene until others assume IMS positions in higher level incidents.

**Duties:**

- (1) Stop outside the affected area and get the “big picture.”
- (2) Provide Size-Up Report to Communications including the following:
  - (a) Location of incident
  - (b) Type of incident
  - (c) Number of patients
  - (d) Any additional resources required
- (3) Remember Safety, Isolate and Deny entry, and Notify (SIN).
- (4) Start triage using START triage system. Begin by removing minor injury patients.
- (5) Provide Follow-Up Report to communications, including the following:
  - (a) Situation
  - (b) Progress
  - (c) Needs
- (6) Establish and announce location of command post and staging areas.

### INCIDENT COMMANDER (IC)

**Function:** The IC’s responsibility is the overall management of the incident. On most incidents, the command activity is carried out by a single IC. The IC is selected by qualifications and experience.

**▲ FIGURE B.2** *Continued*

**Duties:**

- (1) Go to the scene and get a briefing from the current IC.
- (2) Establish the immediate priorities.
- (3) Establish an Incident Command Post.
- (4) Establish an appropriate organization.
- (5) Ensure that adequate safety measures are in place.
- (6) Coordinate activity for all Command and General Staff.
- (7) Coordinate with key people and officials.
- (8) Approve requests for additional resources or for the release of resources.
- (9) Keep agency administrators informed of incident status.
- (10) Authorize release of information to the news media.
- (11) Order the demobilization of the incident when appropriate.

**INFORMATION OFFICER**

**Function:** The Information Officer acts as a liaison between the media and the Incident Commander.

**Duties:**

- (1) Determine from the IC if there are any limits on information release.
- (2) Release and update media on the incident.

**LIAISON OFFICER**

**Function:** The Liaison Officer provides a point of contact for assisting and cooperating agencies.

**Duties:**

- (1) Establish and coordinate interagency contacts.
- (2) Monitor incident operations to identify interagency needs and potential problems.
- (3) Keep agencies supporting the incident aware of the incident status.
- (4) Maintain a resource list of agencies including limitations and capabilities.

**SAFETY OFFICER**

**Function:** The Safety Officer immediately corrects situations that create an imminent hazard to personnel.

**Duties:**

- (1) Go to scene and get briefing from IC.
- (2) Identify hazardous situations associated with the incident.
- (3) Exercise emergency authority to stop and prevent unsafe acts.

**OPERATIONS SECTION CHIEF**

**Function:** The Operations Section Chief is responsible for the management of all operations directly applicable to the primary mission.

**Duties:**

- (1) Go to the scene and get a briefing from the IC.
- (2) Meet with the IC and all of the branch directors at the scene (Fire/Rescue, Medical, and Security branches). Determine immediate priorities.
- (3) Confirm that all predetermined management positions are filled.

**Δ** FIGURE B.2 *Continued*

- (4) Go to the command post location.
- (5) Supervise operations.
- (6) Determine need and request additional resources.
- (7) Assure timely reporting and resource requests to outside agencies through IC.

### STAGING AREA MANAGER

**Function:** The Staging Area Manager is responsible for establishing a staging area and managing all activities within the staging area.

**Duties:**

- (1) Establish staging area.
- (2) Determine (and request) any support needs for equipment, ambulances, security, etc.
- (3) Establish a check-in process, as appropriate.
- (4) Dispatch resources as requested by Operations Section Chief.
- (5) Monitor and record resource utilization.
- (6) Advise the Operations Section Chief when reserve levels reach minimums.

### FIRE/RESCUE BRANCH DIRECTOR

**Function:** The Fire/Rescue Branch Director supervises all fire/rescue personnel and equipment assigned to the speedway.

**Duties:**

- (1) Coordinate all fire and rescue resources at the scene.
- (2) Provide manpower as needed for medical branch, including litter teams and teams to assist with transportation between the triage and treatment areas.

### MEDICAL BRANCH DIRECTOR

**Function:** The Medical Branch Director supervises all medical personnel and equipment assigned to the speedway. The Medical Branch Director supervises the Triage Unit Leader, Treatment Unit Leader, and Patient Transportation Group Supervisor.

**Duties:**

- (1) Go to the scene and get briefing from IC.
- (2) Designate Unit Leaders, Patient Transportation Group Supervisor, and Treatment Area locations as appropriate.
- (3) Request additional personnel and resources as needed to handle incident.
- (4) Isolate Morgue and Minor Treatment Area from Immediate and Delayed Treatment Areas.
- (5) Request law enforcement/coroner involvement as needed.
- (6) Establish communications and coordination with Patient Transportation Group Supervisor.
- (7) Ensure notification local EMS/health agencies.
- (8) Ensure proper security, traffic control, and access for medical operations.
- (9) Direct medically trained personnel to the appropriate Unit Leader.
- (10) Maintain summary of events as time permits.

▲ FIGURE B.2 *Continued*

### **TRIAGE UNIT LEADER**

**Function:** The Triage Unit Leader supervises all personnel in triage unit and is responsible for triage management and movement of patients to the treatment areas.

**Duties:**

- (1) Advise Medical Branch Director and/or IC of resource needs.
- (2) Implement triage process.
- (3) Request triage personnel as needed and supervise.
- (4) Coordinate all patient movement to treatment areas.
- (5) Give periodic status reports to Medical Branch Director.
- (6) Maintain security and control of the Triage Area.

### **TREATMENT UNIT LEADER**

**Function:** The Treatment Unit Leader supervises treatment operations for transport and movement of patients to loading areas.

**Duties:**

- (1) Develop treatment organization sufficient to handle incident.
- (2) Direct and supervise Treatment Dispatch, Immediate, Delayed, and Minor Treatment areas.
- (3) Coordinate movement of patients from Triage Area to Treatment Areas with Triage Unit Leader.
- (4) Request sufficient medical caches and supplies as necessary.
- (5) Establish communications and coordination with Patient Transportation Group Supervisor.
- (6) Ensure continual triage of patients throughout Treatment Areas.
- (7) Direct movement of patients to ambulance loading area(s).
- (8) Give periodic status reports to Medical Branch Director.

### **TREATMENT DISPATCH MANAGER**

**Function:** The Treatment Dispatch Manager is responsible for coordinating transportation of patients out of the treatment areas.

**Duties:**

- (1) Establish communications with the Immediate, Delayed, and Minor Treatment managers.
- (2) Establish communications with the Patient Transportation Group.
- (3) Verify that patients are prioritized for transportation.
- (4) Coordinate ambulance loading with Treatment Manager.
- (5) Record patient tracking information.

### **TREATMENT MANAGERS (Immediate, Delayed, and Minor)**

**Function:** Treatment Managers are responsible for the treatment and re-triage of patients assigned to their respective areas.

**Duties:**

- (1) Set up assigned treatment areas.
- (2) Request personnel and supplies as needed.
- (3) Establish medical treatment teams as needed and assign patients received.
- (4) Assure appropriate prioritization of patients for transport.

**▲ FIGURE B.2** *Continued*

- (5) Coordinate patient transportation with Treatment Dispatch Manager.
- (6) Assure appropriate recording of patient information.

### PATIENT TRANSPORTATION GROUP SUPERVISOR

**Function:** The Patient Transportation Group Supervisor manages ground and air ambulance resources, dispatches ambulances as requested, and manages loading of ground and air ambulances.

**Duties:**

- (1) Establish communications with hospital(s) and/or local dispatch centers.
- (2) Designate ambulance staging area(s).
- (3) Determine routes of travel for ambulances.
- (4) Direct the transportation of patients as determined by Treatment Unit Leader.
- (5) Request additional ambulances, as required.
- (6) Assure appropriate recording of patient information and destination.

### SECURITY BRANCH DIRECTOR

**Function:** The Security Branch Director is responsible for security functions related to management of the incident.

**Duties:**

- (1) Secure the incident scene and access routes for emergency personnel.
- (2) Provide spotters to direct emergency responders to incident scene.
- (3) Secure staging areas, ambulance routes, and helicopter landing areas as needed.
- (4) Coordinate activities with local law enforcement personnel.

## Assignments During a Major Incident

Event: \_\_\_\_\_ Date: \_\_\_\_\_

The following positions are predesignated for the management of MCIs during this event. Actual assignments may vary depending on availability of specific people, the type of incident, and management decisions. Descriptions of the responsibilities associated with each position can be found in the MCI plan.

Title	Assigned Person	Radio Channel	Reports To
Incident Commander			
Safety Officer			Incident Commander
Information Officer			Incident Commander
Liaison Officer			Incident Commander
Operations Section Chief			Incident Commander
Security Branch Director			Operations Section Chief
Fire/Rescue Branch Director			Operations Section Chief
Medical Branch Director			Operations Section Chief

▲ FIGURE B.2 Continued



Title	Assigned Person	Radio Channel	Reports To
Staging Manager			Operations Section Chief
Triage Unit Leader			Medical Branch Director
Treatment Unit Leader			Medical Branch Director
Transportation Group Supervisor			Medical Branch Director

Radio channel used by responding medical units (normally “3”) may be changed in the event of a serious incident. Any such change will be announced on the radio.

### Site Emergency Team Reporting Locations Based on Level of Response

Position	Level A	Level B	Level C	Level D
Incident Commander	S	S	S	S
Fire Safety Officer			S	S
Operations Section Chief			S	S
Security Branch Director	*	S	S/EOC STAGING	S/EOC STAGING
Fire Rescue Branch Director	*	*	*	*
Medical Branch Director			S	S
Staging Manager			S	S
Treatment Unit Leader	S	S	S	S
Public Relations Officer			EOC	EOC

Key To Assignment Locations:

S = Report to scene

\* = Requested as needed

EOC = Report to Emergency Operations Center

STAGING = Report to Staging Area

## Communications Plan

### On-Site Communications

Department	Radio Channel	Telephone	Other
Administration			
Security			
Fire/Safety			
Medical			
Race Control			

▲ FIGURE B.2 *Continued*

### Off-Site Communications

Organization	Radio Channel	Telephone	Other
Air ambulance			
Ground ambulance			
Fire department			
Law enforcement			
Emergency department			
Trauma center			
Communications center			
Hazardous materials team			
Other			

**Note:** When personnel have an emergency, the radio term “**emergency radio traffic**” should be used to clear nonemergency radio traffic. Personnel should use **clear text** (i.e., no radio codes) to identify the type of emergency, request additional resources, or advise of change in conditions, etc. When the emergency is concluded, the person who declared an emergency shall conclude it by transmitting the statement, “**All clear, resume radio traffic.**”

**Additional Note:** All communications systems should be tested prior to the beginning of any event whenever possible.

### Other Emergencies

#### Fires, Fire Alarms, and/or Explosions

- (1) If an audible alarm is heard, ask guests to remain calm and await further instructions.
- (2) If a fire is observed, activate the nearest alarm and immediately notify security and speedway management on Channel \_\_\_\_.
- (3) If unable to immediately contact security or management, notify the fire department by dialing 911.
- (4) Alert co-workers and/or supervisors.
- (5) Remove guests and others from the area.

#### Security Issues

##### If you receive a bomb threat:

- (1) Remain calm and courteous.
- (2) Listen to what the person making the threat is saying.
- (3) Keep the person who is making the threat talking and ask the person to repeat the message. Obtain as much information as possible.
- (4) Use the Bomb Threat Checklist to document as much information as possible.
- (5) Immediately notify security and speedway management of the information, and follow their instructions.

▲ FIGURE B.2 Continued

## Bomb Threat Checklist

### Instructions:

DO NOT HANG UP THE TELEPHONE!!!!

Be calm and courteous. Listen, do not interrupt caller. Quietly attract the attention of someone else to listen in, if possible. Pretend difficulty with hearing to keep caller talking and repeating the message.

Date: \_\_\_\_\_

Your Name: \_\_\_\_\_

Your Position: \_\_\_\_\_

Your Phone Number: \_\_\_\_\_

### Questions to Ask:

1. What is going to happen?
2. When will the bomb explode?
3. Where is the bomb located?
4. What kind of bomb is it?
5. What does it look like?
6. What kind of damage will it do?
7. How is the object being put in place?
8. Who is putting the object in place?
9. Why are you doing this?
10. What is your address and telephone number?
11. What is your name?
12. Where are you now?

### Exact Wording of Threat:

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

### Caller's Voice (circle characteristics that apply):

Calm	Angry	Coherent	Irrational
Deliberate	Excited	Incoherent	Emotional
Slow	Rapid	Soft	Normal
Loud	Laughter	Crying	Stutter
Distinct	Slurred	Nasal	Ragged
Lisp	Raspy	Deep	Intoxicated
Clearing throat	Accent	Familiar	
Whispered	Disguised	High pitched	

### If voice is familiar, whom does it sound like?

\_\_\_\_\_

### Background Sounds (circle those that apply):

Street noises	Factory machinery
Dishes clanking	Animal noises
Voices	Clear
PA system	Static
Music	Local
House noises	Long distance
Motor	Phone booth
Office	Office machinery
Race track sounds	Traffic
Music	Trains
Other:	_____

### Threat Language:

Well spoken (educated)	Incoherent
Foul	Irrational
Read by threat maker	Taped

### Remarks:

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Time: \_\_\_\_\_ Date: \_\_\_\_\_

Sex of caller: \_\_\_\_\_ Race: \_\_\_\_\_

Adult or juvenile: \_\_\_\_\_

Estimated age: \_\_\_\_\_

Length of call: \_\_\_\_\_

Origin of call:

Local Long distance Internal

### Number at which call was received:

\_\_\_\_\_

### Report call immediately to:

\_\_\_\_\_

Δ FIGURE B.2 Continued

**If you find a suspicious package, bag, boxes, or envelopes:**

- (1) Do not remove the item.
- (2) Notify Security and speedway management.
- (3) Remove guests and employees from the area.
- (4) Remain at a safe distance and await instructions from security and/or law enforcement.

**Verbal or Personal Threats:**

- (1) Remove yourself as soon as possible from the situation.
- (2) Notify Security as soon as possible on Channel \_\_\_\_ .

**Civil Disturbances:**

- (1) Notify Security on Channel \_\_\_\_ immediately.
- (2) Remove yourself from the problem and go to a safe area.
- (3) Continue to observe the situation and await instructions from security.

**Medical Problems****If you encounter a medical emergency:**

- (1) Request medical assistance on Channel \_\_\_\_ .
- (2) If you are without a radio, find the nearest supervisor or security personnel.
- (3) Remain calm, speak clearly, and be as accurate as possible. Describe your specific location of nearby gates or other landmarks in the area.
- (4) If unable to make contact as noted above, call 911.
- (5) After the call for assistance is made, have a responsible person remain with the patient, and direct first responders.
- (6) Do not move a seriously injured person.

Anyone exposed to blood or body fluids should report to the nearest first aid station as soon as practical. The effectiveness of treatments to prevent the transmission of serious diseases after exposure to blood and body fluids depends on the type of exposure and on how much time is allowed to elapse between the exposure and treatment.

**Hazardous Material Incidents**

Although there are many definitions for hazardous materials, a commonly accepted definition is a substance or material that has been determined to be capable of posing an unreasonable risk to health, safety, and property. Speedway employees must recognize that many of these substances are used safely every day, at the facility. On rare occasions, either by accidents or misuse, problems with these products can occur.

**First On-Scene Initial Actions**

The first operational objective for all responders is safety. If first responders don't think safety, they may become part of the problem, not the solution, and possibly may be killed or injured. The first responding unit operational priorities can be summed up using the acronym SIN.

**▲ FIGURE B.2** *Continued*

### **Safety, Isolate, and Notify**

- (1) **Safety** — Safe approach: Uphill/upwind at a safe distance, observe incident from a distance and report findings to the communications center.
- (2) **Isolate and Deny Entry** — Use barrier tape, vehicles, and manpower to isolate the problem and minimize access to those not affected. Remember to isolate those individuals who may have been exposed to the product.
- (3) **Notify** — Request needed assistance via safe route. One of the most important points to remember is that the speedway does not possess the appropriate hazardous materials equipment and training. Notify security and speedway management on Channel \_\_\_\_\_. If no response is obtained via the radio, contact the local fire department by calling 911.

### **Suspected Terrorism Incidents**

According to the U.S. Department of Justice and Federal Emergency Management Agency, “All communities — especially those in free societies — are vulnerable to incidents involving terrorism.” Areas of public assembly are considered potential targets. It is the intent of the perpetrators of such incidents to cause damage, inflict harm, and/or kill. The incident may even be planned to inflict further harm on those whose job it is to respond to the incident. Whether the incident is terrorist induced may not actually be established until hours or even days after the initial danger has passed. As such, the first responder should refer back to Safety, Isolate, and Notify (SIN) procedures in dealing with hazardous materials incidents.

**When evidence of an incident of terrorism is suspected, rapid involvement of law enforcement and appropriately trained hazardous materials teams is essential.**

### **Nuclear Weapons**

The use of nuclear devices is rare because of the difficulty in obtaining reliable devices of this nature. Recognition and protection from such devices requires the use of radiation detection equipment along with the concepts of time, distance, and shielding.

### **Biological Weapons**

Biological weapons (BW) pose the greatest threat to the first responder because of the difficulty in the detection of their use. In fact, recognition of the use of BW will probably come from the Public Health Service personnel several hours to days after the event has occurred.

### **Chemical Weapons**

Chemical weapons (CW) are becoming increasingly popular due to their availability and potential impact on a society. Many of these agents are manufactured from common household or natural ingredients, such as chlorine or castor beans. Their ability to produce nearly immediate symptomatic responses from victims makes them relatively easy to recognize, protect against, and/or treat. The most important protective measure is to ensure respiratory protection through distance and personal protective equipment (PPE).

### **Some of the Indicators for a Nuclear, Biological, or Chemical (NBC) Incident**

- (1) Unusual or unexplained dead, dying, or sick people or animals
- (2) Unusual liquids, sprays, or vapors and low-lying clouds or fog unrelated to the weather
- (3) Unexplained odors or oily film on surfaces
- (4) Suspicious devices or packages

**Δ FIGURE B.2** *Continued*



**Dissemination Methods**

- (1) Breaking devices are the easiest to make and use. They are most often constructed from common containers such as thermos bottles, glass jars, balloons, light bulbs, etc. The agent is sealed in the container and simply thrown to break and disseminate the agent.
- (2) Spraying devices use pressure rather than an explosion to disseminate an agent from the container such as garden sprayers, crop dusters, mosquito control trucks, building ventilation systems, or water systems.
- (3) Bursting/exploding devices are those that use explosives to break the agent container and have been used in any incident where a small explosion has occurred.

**Explosive and Incendiary Incidents**

The favored device of terrorists is an explosive. Any reported explosion carries with it the suspicion of having been created by a terrorist act until proven otherwise. Explosive devices have been widely used by terrorists due to their destructive impact both physically and emotionally. The relative ease in which these items are obtained or manufactured, as compared to a nuclear device, adds to their popularity. If an incident is suspected to have been caused by a terrorist act, the greatest threat to the first responder is the possible existence of secondary devices. Only trained personnel should handle incendiary devices discovered prior to or after ignition.

**Indicators**

- (1) Presence of multiple fires
- (2) Evidence of gasoline, rags, or other accelerants
- (3) Odor of accelerants
- (4) Unusually heavy burning or fire volume

**Procedures**

At the first indication that an incident may be of a terrorist nature, the first responding company is to retreat to a safe location and institute First Responder Operational (FRO) procedures, which are the same as for a hazardous material incident. They are Safety, Isolate and deny access, and make Notifications (SIN). Normally the necessary protective equipment and/or training to mitigate these types of incidents is lacking. By following SIN, responders do the most for themselves, and for those that are directly affected by the incident.

**Crime Scene Investigation**

Terrorist incidents are, by definition, crime scenes. Efforts must be made to preserve evidence for those charged with the subsequent investigation of the incident.

**Severe Weather Plan**

Severe weather warnings are special situations in which there is often time to prepare for a potentially serious major incident. When a severe thunderstorm warning, tornado watch, or tornado warning is issued, this plan should be implemented in a limited form. Minimizing injuries and property damage are top priorities. The positions of Incident Commander, Operations Section Chief, Medical Branch Director, and Fire/Safety Branch Director should be activated. The following are important considerations:

- (1) Consideration of event cancellation by the track owner/manager.
- (2) Rapid notification of the crowd and workers by radio and PA system. Other mechanisms of notification may be necessary at night. Notification should be done using track notification lists.
- (3) Use of the warning siren, if available, when it is determined the speedway is in the direct path of a severe weather phenomenon.
- (4) Evacuation of the grandstands, tower, skyboxes, and other potentially dangerous locations.
- (5) Assurance that crossover and other access gates are open as appropriate.

- (6) Assurance that all exit gates are open if a “take cover” warning is issued.
- (7) Protection and security of equipment.
- (8) Assignment of track official to monitor weather.
- (9) Consideration of the distribution of equipment and personnel in a manner that will reduce the chance of significant losses during a direct hit by a storm and the chance the rescuers will be cut off from the incident scene.

## Earthquakes

- (1) You will receive no warning.
- (2) If you are inside, stay inside.
- (3) Stay away from outside walls, stairways, windows, and perimeters of grandstands and buildings.
- (4) If evacuation is necessary, follow the evacuation procedures.
- (5) Remember that after the shaking stops, think SIN:

### Safety, Isolate, and Notify

**Safety** — Safe approach: Uphill/upwind at a safe distance, observe incident from a distance and report findings to the communications center.

**Isolate and Deny Entry** — Use barrier tape, vehicles, and manpower to isolate the problem and minimize access to those not affected.

**Notify** — Request needed assistance via safe route. Remember that everyone else around you felt the same quake. Be patient. Unless you have an emergency, and need assistance immediately, let those with other emergencies get on the radio first.

### Apparent Death at the Scene

Medical team response times are normally much faster at the racetrack than in normal community EMS operations. For this reason, there are very few incidents in which attempts at resuscitation should not be made. There are some instances in which the declaration of death is unavoidable. High public visibility and the potential for creating a public spectacle require a special approach to death in the setting of a mass gathering event. At the same time, the importance of preserving evidence that might be necessary to complete investigations by the police and medical examiner or coroner must be recognized. Indications that a patient cannot be resuscitated include the following:

- (1) Decomposition
- (2) Obvious signs of rigor mortis such as rigidity or stiffening of muscular tissues and joints in the body, which occurs any time after death and usually appears in the head, face, and neck muscles first
- (3) Obvious signs of venous pooling in dependent body parts, lividity such as mottled, bluish-tinged discoloration of the skin, often accompanied by cold extremities
- (4) Decapitation
- (5) Incineration of the torso and/or head
- (6) Massive crush injury and/or penetrating injury with evisceration or total destruction of the heart, lung, and/or brain and absence of vital signs
- (7) Gross dismemberment of the trunk

### Procedure for Off-Track Incidents

- (1) No victim of natural medical arrest is to be declared dead until the victim is placed in the ambulance and fully assessed out of the view of bystanders.

▲ FIGURE B.2 *Continued*

- (2) It is recommended that the patient assessment be done during the initiation of transport.
- (3) If determination of death is made during transport, Code 3 transport is to be terminated immediately. The patient will then be transported to the nearest medical facility, and the coroner will be notified.
- (4) The only exceptions to items (1) through (3) are any death resulting from a traumatic event or any death as a result of a homicide.

**Procedure for On-Track Incidents**

- (1) No victim of medical or traumatic arrest on the racetrack is to be declared dead until the victim is placed in the ambulance and fully assessed out of the view of bystanders.
- (2) It is recommended that the patient assessment be done during the initiation of transport.
- (3) If determination of death is made during transport, Code 3 transport is to be terminated immediately. The patient will then be transported to the nearest medical facility.
- (4) The only exceptions to items (1) through (3) are decapitation or incineration.
- (5) Scene control and preservation of evidence are vital. Security should be utilized as needed.
- (6) Documentation of the medical response and care provided are the responsibility of those involved in handling the situation.
- (7) *The situation is not to be discussed with any media representatives.*

**Procedure for a Multiple Death Incident**

- (1) If an incident involving multiple deaths occurs, consideration should be given to the evacuation and/or closure of the affected areas. The coroner/designee is to be requested in accordance with normal determination of death protocols.
- (2) The track management is to be notified promptly. Telephone communication is preferred. Radio communication of this information is discouraged, acknowledging that the situation may, at times, require its use.
- (3) Scene control and preservation of evidence (when a criminal act has taken place) are vital. Security should be utilized as needed.
- (4) Documentation of the medical response and care provided is the responsibility of those involved in handling the situation.
- (5) *The situation is not to be discussed with any media representatives.*

**Critical Incident Stress Management (CISM)**

While a certain amount of stress is a normal and healthy part of all types of work, some types of incidents can cause high degrees of stress that can be detrimental to emotional health, interpersonal relationships, and the ability to function as an effective member of the team. CISM services are available to staff on a voluntary basis.

Any medical or safety team member can request CISM services by contacting the following:

Name/Title	Work Phone	Pager

▲ FIGURE B.2 Continued

## Media Relations

Responsibility for communicating with the media, authorizing release of information, determining location for interviews/press conferences, etc., shall be done solely via the following person(s):

Position	Name
General Manager	
Public Relations Director	

## Fire Protection Component

Hazardous materials present: ☐ Yes ☐ No

Location of MSDSs: \_\_\_\_\_

Hazardous materials inventory attached: ☐ Yes ☐ No

Location for use in emergency: \_\_\_\_\_

Materials reactive with air, water, or other materials present: ☐ Yes ☐ No

Type of materials: \_\_\_\_\_

Location of materials: \_\_\_\_\_

Quantity of materials: \_\_\_\_\_

### Water Supply

Primary water supply location: \_\_\_\_\_

Alternative water supply location: \_\_\_\_\_

Location of pumps: \_\_\_\_\_

On-site fire hydrants: ☐ Yes ☐ No

Location of hydrants: \_\_\_\_\_

### Protection Systems

Fire alarm system: ☐ Yes ☐ No

Annunciator location: \_\_\_\_\_

Type of alarms: \_\_\_\_\_

Extent of coverage: \_\_\_\_\_

If monitored system, fire alarm company contact information: \_\_\_\_\_

Sprinkler system: ☐ Yes ☐ No

▲ FIGURE B.2 Continued

Size of fire department connection threads: \_\_\_\_\_

Type of system: \_\_\_\_\_

Extent of coverage: \_\_\_\_\_

Areas protected: \_\_\_\_\_

Location of main valves: \_\_\_\_\_

Location of sectional valves: \_\_\_\_\_

Standpipe system: ☐ Yes ☐ No

Combined with sprinkler system: ☐ Yes ☐ No

FDC same as for sprinkler system: ☐ Yes ☐ No

Location of FDC: \_\_\_\_\_

Size of FDC threads: \_\_\_\_\_

Type of standpipes: \_\_\_\_\_

Extent of coverage — full/partial: \_\_\_\_\_

Outlet locations: \_\_\_\_\_

Outlet size and type: \_\_\_\_\_

Special protection systems: ☐ Yes ☐ No

Type of system: \_\_\_\_\_

Locations: \_\_\_\_\_

Extent of coverage — full/partial: \_\_\_\_\_

### Inventory of Fire Suppression Vehicles/Equipment

Equipment	Description	Quantity	Location
Motorized fire-fighting apparatus			
Portable fire-fighting apparatus			
Rescue tools			

**FIGURE B.2** *Continued*

Equipment	Description	Quantity	Location
Cleanup equipment			

### Emergency Medical Services Component

On-site emergency physician present: ☐ Yes ☐ No

Location of physician: \_\_\_\_\_

Time on site: \_\_\_\_\_

Contact info (radio channel, phone number, pager, etc.): \_\_\_\_\_

Air ambulance available: ☐ Yes ☐ No

Location of air ambulance (off-site vs. specific on-site location): \_\_\_\_\_

Time at location: \_\_\_\_\_

Contact info (radio channel, phone number, etc.): \_\_\_\_\_

If not on site, response time: \_\_\_\_\_

Advanced life support ambulance present: ☐ Yes ☐ No

Location of ALS ambulance: \_\_\_\_\_

Time at location: \_\_\_\_\_

Contact info (radio channel, phone number, etc.): \_\_\_\_\_

Basic life support ambulance present: ☐ Yes ☐ No

Location of BLS ambulance: \_\_\_\_\_

Time at location: \_\_\_\_\_

Contact info (radio channel, phone number, etc.): \_\_\_\_\_

First aid station(s) present: ☐ Yes ☐ No

Location(s) of first aid station(s): \_\_\_\_\_

Time station(s) staffed: \_\_\_\_\_

**FIGURE B.2** *Continued*



Contact info (radio channel, phone number, etc.): \_\_\_\_\_  
\_\_\_\_\_

**Facility and Contact Information/Phone Numbers**

Closest trauma center: \_\_\_\_\_

Closest burn center: \_\_\_\_\_

Closest emergency department: \_\_\_\_\_

**Traffic Control Component**

(map of inbound and outbound traffic patterns)

**Facility Map**

(map of local facility)

**Δ** FIGURE B.2 *Continued*

### Annex C Personal Protective Equipment (PPE) Matrix

*This annex is not a part of the recommendations of this NFPA document but is included for informational purposes only.*

- ▲ C.1 Table C.1 provides a matrix of the recommended types of protective equipment as described in Chapter 6 to be worn by different personnel to provide protection for different parts of

their bodies. The numbers in the “Body Protection” column refer to the appropriate section in Chapter 6. The standards listed in the “PPE Recommended” column represent design and manufacturing standards. The PPE selected should be matched for compliance with the referenced standard(s).

▲ Table C.1 Personal Protection Matrix

Body Protection	Personnel Type	PPE Recommended	Comments
6.2 Eye Protection	All	ANSI/ISEA Z87.1 or 29 CFR 1910.133	
	EMS	29 CFR 1910.1030	Recommended for bloodborne pathogen protection
6.3 Foot Protection	Pit fire fighter, track fire fighter	NFPA 1977, NFPA 1971, NFPA 1951, or ASTM F2413	Closed-toe protection and thermal protection
	Track cleanup, vehicle recovery, marshals, EMS	Footwear with closed-toe protection	
6.4 Hand Protection	Track clean-up, vehicle recovery	Heat- and cut-resistant gloves	
	Pit fire fighter, track fire fighter	NFPA 1971 or NFPA 1977 (protective work glove only)	
	Rescue/extrication	NFPA 1951, NFPA 1971, or NFPA 1977 (protective work glove only)	
	EMS	ASTM D3578 and/or 29 CFR 1910.1030	Disposable medical gloves and/or bloodborne pathogen protection
6.5 Head Protection	Pit fire fighter, track fire fighter, rescue, EMS	NFPA 1971, Snell, SFI, or DOT	Specifically for impact protection
	Rescue (not seated)	Snell, SFI, or DOT	Specifically for impact protection
	Pit fire fighter, track fire fighter, rescue, EMS	NFPA 1971, SFI 3.3	Hood specifically for thermal protection
6.6 Hearing Protection	All	29 CFR 1910.95	
6.7 Torso Protection	Pit fire fighter, track fire fighter, rescue	NFPA 1971 or SFI 3.2A with SFI 3.3 underclothing	Thermal protection
	EMS, rescue (involved with extrication)	NFPA 1977, NFPA 1951, or SFI 3.2A with SFI 3.3 underclothing	Thermal protection
	EMS (no extrication involvement)	29 CFR 1910.1030	Bloodborne pathogen protection
	Track clean-up, vehicle recovery, marshals	FR clothing similar to long-sleeved-legged cotton or wool (no synthetics)	

## Annex D Useful Construction, Maintenance, and Operations Codes and Standards

*This annex is not a part of the recommendations of this NFPA document but is included for informational purposes only.*

**D.1** Most jurisdictions have one or more sets of regulations that describe how buildings and related facilities are constructed, maintained, and operated. These codes, standards, and regulations are adopted at the state, county, or local level and can be administered at all three levels. Where no adopted code, standard, or regulation pertains to the construction, maintenance, or operation of a facility, the facility owner or operator should refer to one of the following documents, as appropriate, for guidance. The edition indicated for each document is the current edition as of the date of the NFPA issuance of this document.

NFPA 1, *Fire Code*, 2018 edition.

NFPA 13, *Standard for the Installation of Sprinkler Systems*, 2016 edition.

NFPA 24, *Standard for the Installation of Private Fire Service Mains and Their Appurtenances*, 2016 edition.

NFPA 30, *Flammable and Combustible Liquids Code*, 2018 edition.

NFPA 30A, *Code for Motor Fuel Dispensing Facilities and Repair Garages*, 2018 edition.

NFPA 54, *National Fuel Gas Code*, 2018 edition.

NFPA 58, *Liquefied Petroleum Gas Code*, 2017 edition.

NFPA 70®, *National Electrical Code®*, 2017 edition.

NFPA 72®, *National Fire Alarm and Signaling Code®*, 2016 edition.

NFPA 88A, *Standard for Parking Structures*, 2015 edition.

NFPA 96, *Standard for Ventilation Control and Fire Protection of Commercial Cooking Operations*, 2017 edition.

NFPA 101®, *Life Safety Code®*, 2018 edition.

NFPA 102, *Standard for Grandstands, Folding and Telescopic Seating, Tents, and Membrane Structures*, 2016 edition.

NFPA 160, *Standard for the Use of Flame Effects Before an Audience*, 2016 edition.

NFPA 241, *Standard for Safeguarding Construction, Alteration, and Demolition Operations*, 2018 edition.

NFPA 418, *Standard for Heliports*, 2016 edition.

NFPA 1123, *Code for Fireworks Display*, 2018 edition.

NFPA 1126, *Standard for the Use of Pyrotechnics Before a Proximate Audience*, 2016 edition.

NFPA 5000®, *Building Construction and Safety Code®*, 2018 edition.

## Annex E Informational References

**E.1 Referenced Publications.** The documents or portions thereof listed in this annex are referenced within the informational sections of this guide and are not advisory in nature unless also listed in Chapter 2 for other reasons.

**E.1.1 NFPA Publications.** National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02169-7471.

NFPA 1, *Fire Code*, 2018 edition.

NFPA 10, *Standard for Portable Fire Extinguishers*, 2018 edition.

NFPA 13, *Standard for the Installation of Sprinkler Systems*, 2016 edition.

NFPA 24, *Standard for the Installation of Private Fire Service Mains and Their Appurtenances*, 2016 edition.

NFPA 30, *Flammable and Combustible Liquids Code*, 2018 edition.

NFPA 30A, *Code for Motor Fuel Dispensing Facilities and Repair Garages*, 2018 edition.

NFPA 54, *National Fuel Gas Code*, 2018 edition.

NFPA 58, *Liquefied Petroleum Gas Code*, 2017 edition.

NFPA 70®, *National Electrical Code®*, 2017 edition.

NFPA 72®, *National Fire Alarm and Signaling Code®*, 2016 edition.

NFPA 88A, *Standard for Parking Structures*, 2015 edition.

NFPA 96, *Standard for Ventilation Control and Fire Protection of Commercial Cooking Operations*, 2017 edition.

NFPA 101®, *Life Safety Code®*, 2018 edition.

NFPA 102, *Standard for Grandstands, Folding and Telescopic Seating, Tents, and Membrane Structures*, 2016 edition.

NFPA 160, *Standard for the Use of Flame Effects Before an Audience*, 2016 edition.

NFPA 241, *Standard for Safeguarding Construction, Alteration, and Demolition Operations*, 2018 edition.

NFPA 418, *Standard for Heliports*, 2016 edition.

NFPA 1123, *Code for Fireworks Display*, 2018 edition.

NFPA 1126, *Standard for the Use of Pyrotechnics Before a Proximate Audience*, 2016 edition.

NFPA 1561, *Standard on Emergency Services Incident Management System*, 2014 edition.

NFPA 1951, *Standard on Protective Ensembles for Technical Rescue Incidents*, 2013 edition.

NFPA 1971, *Standard on Protective Ensembles for Structural Fire Fighting and Proximity Fire Fighting*, 2018 edition.

NFPA 1977, *Standard on Protective Clothing and Equipment for Wildland Fire Fighting*, 2016 edition.

NFPA 5000®, *Building Construction and Safety Code®*, 2018 edition.

## E.1.2 Other Publications.

**E.1.2.1 ANSI Publications.** American National Standards Institute, Inc., 25 West 43rd Street, 4th Floor, New York, NY 10036.

ANSI/ISEA Z87.1, *Occupational and Educational Personal Eye and Face Protection Devices*, 2015.

**E.1.2.2 ASTM Publications.** ASTM International, 100 Barr Harbor Drive, P.O. Box C700, West Conshohocken, PA 19428-2959.

ASTM D3578, *Standard Specification for Rubber Examination Gloves*, 2005, reapproved 2015.

ASTM F2413, *Standard Specification for Performance Requirements for Protective (Safety) Toe Cap Footwear*, 2011.

**E.1.2.3 SFI Publications.** SFI Foundation, Inc., 15708 Pomerado Road, Suite N208, Poway, CA 92064-2036.

SFI Spec 3.2A, *Driver Suits*, March 27, 2013.

SFI Spec 3.3, *Driver Accessories*, August 26, 2016.

SFI Spec 31.1, *Flame Resistant Motorsports Helmets*, March 27, 2013.

SFI Spec 41.1, *Motorsports Helmets*, March 27, 2013.

**E.1.2.4 Snell Publications.** Snell Memorial Foundation, Inc., 3628 Madison Avenue, Suite 11, North Highlands, CA 95660-5067.

M2010, *Helmet Standard for Use in Motorcycling*, 2010.

M2015, *Helmet Standard for Use in Motorcycling*, 2015.

SA2010, *Helmet Standard for Use in Competitive Automotive Sports*, 2010.

SA2015, *Helmet Standard for Use in Competitive Automotive Sports*, 2015.

**E.1.2.5 U.S. Government Publications.** U.S. Government Publishing Office, 732 North Capitol Street, NW, Washington, DC 20401-0001.

Homeland Security Presidential Directive 5 (HSPD-5), 2003.

Title 29, Code of Federal Regulations, Part 1910.95, "Occupational noise exposure," 2008.

Title 29, Code of Federal Regulations, Part 1910.133, "Eye and face protection," 2009.

Title 29, Code of Federal Regulations, Part 1910.1030, "Bloodborne pathogens," 2012.

## **E.2 Informational References. (Reserved)**

## **E.3 References for Extracts in Informational Sections. (Reserved)**

## Index

Copyright © 2018 National Fire Protection Association. All Rights Reserved.

The copyright in this index is separate and distinct from the copyright in the document that it indexes. The licensing provisions set forth for the document are not applicable to this index. This index may not be reproduced in whole or in part by any means without the express written permission of NFPA.

- A-**
- Administration**, Chap. 1
  - Application, 1.3
  - Equivalency, 1.4
  - Purpose, 1.2
  - Scope, 1.1
- Approved**
  - Definition, 3.2.1, A.3.2.1
- Authority Having Jurisdiction (AHJ)**
  - Definition, 3.2.2, A.3.2.2
- C-**
- Clean-Up Personnel**
  - Definition, 3.3.1
- Command Post**
  - Definition, 3.3.2
- Competition Area**
  - Definition, 3.3.3
- Critical Incident Stress**
  - Definition, 3.3.4
- D-**
- Definitions**, Chap. 3
- Drag Strip**
  - Definition, 3.3.5
- E-**
- Emergency Incident**
  - Definition, 3.3.6
- Emergency Medical Personnel**
  - Definition, 3.3.7
- Emergency Medical Services (EMS)**
  - Definition, 3.3.8
- Emergency Services Personnel**
  - Definition, 3.3.9
- Equipment**, Chap. 7
  - Communications, 7.7
  - Course Restoration Equipment, 7.6
  - Emergency Medical Services (EMS), 7.4
  - Extrication Equipment, 7.3
  - Fire Suppression Equipment, 7.2
    - Motorized Fire-Fighting Vehicles/Apparatus, 7.2.2
    - Portable Extinguishers, 7.2.1
  - General, 7.1
  - Hazardous Materials Mitigation, 7.5
  - Parking or Staging Areas, 7.10
  - Vehicle Marking, 7.9
  - Vehicle Recovery Equipment, 7.8
- Event**
  - Definition, 3.3.10
- Event/Venue Official**
  - Definition, 3.3.11
- Explanatory Material**, Annex A
- G-**
- Garage**
  - Definition, 3.3.12
- Guide**
  - Definition, 3.2.3
- H-**
- Hazard**
  - Definition, 3.3.13
- Hazardous Materials Incident**
  - Definition, 3.3.14
- Hazardous Situation**
  - Definition, 3.3.15
- I-**
- Incident Action Plan**, Chap. 4
  - Adapting IAP to Resources and Event, 4.4
  - Consistency with Plans of the AHJ, 4.5
  - Critical Incident Stress Debriefing (CISD), 4.9
  - Death at the Venue, 4.10
  - General, 4.1
  - IAP Checklist, 4.12
  - IAP Components, 4.7
    - Civil Disturbance/Terrorist Incident/Active Shooter, 4.7.5
    - Communication Component, 4.7.10
    - Emergency Medical Services (EMS) Component, 4.7.3
    - Environmentally Threatening Incidents, Including Weather-Related Problems, 4.7.7
    - Fire Protection Component, 4.7.1
    - Hazardous Materials Incidents, 4.7.6
    - Multi-Casualty Incident (MCI), 4.7.4
    - Relocation/Evacuation, 4.7.8
    - Resources, 4.7.9
      - Equipment and Supplies, 4.7.9.2
      - Personnel, 4.7.9.1
      - Transportation, 4.7.9.3
    - Traffic Control Component, 4.7.2
  - IAP Review, 4.11
  - Level of Event, 4.2
  - Management Structure, 4.6
  - Pre-Event Agreements, 4.8
  - Statement of Purpose, 4.3
- Incident Action Plan (IAP)**
  - Definition, 3.3.16
- Incident Commander (IC)**
  - Definition, 3.3.17

**Incident Management System (IMS)**

Definition, 3.3.18

**Incipient Stage**

Definition, 3.3.19

**Informational References, Annex E****-L-****Labeled**

Definition, 3.2.4

**Listed**

Definition, 3.2.5, A.3.2.5

**Local Authority**

Definition, 3.3.20

**-M-****Major Facility**

Definition, 3.3.21

**Marshal**

Definition, 3.3.22, A.3.3.22

**Medical Gloves**

Definition, 3.3.23

**Motorsports Safety Awareness Level**

Definition, 3.3.24

**Motorsports Safety Command Manager**

Definition, 3.3.25

**Motorsports Safety Operations Level**

Definition, 3.3.26

**Motorsports Safety Specialist Level**

Definition, 3.3.27

**Motorsports Safety Technician Level**

Definition, 3.3.28

**Motorsports Venue**

Definition, 3.3.29

**Multi-Casualty Incident (MCI)**

Definition, 3.3.30

**Multi-Use Facility**

Definition, 3.3.31

**-N-****National Incident Management System (NIMS)**

Definition, 3.3.32, A.3.3.32

**-O-****Off-Track Emergency Response**

Definition, 3.3.33

**Operations, Chap. 8**

General, 8.1

Review of Incident Action Plan (IAP), 8.2

Review of Operational Readiness, 8.3

Staffing, 8.4

**-P-****Paddock Area**

Definition, 3.3.34, A.3.3.34

**Personal Protective Equipment (PPE), Chap. 6**

Eye Protection, 6.2

Foot Protection, 6.3

General, 6.1

Hand Protection, 6.4

Head Protection, 6.5

Impact Protection, 6.5.2

Thermal Protection, 6.5.1

Hearing Protection, 6.6

Torso Protection, 6.7

**Personal Protective Equipment (PPE) Matrix, Annex C****Pit Area**

Definition, 3.3.35

**Pit Area Fire Fighter**

Definition, 3.3.36

**-R-****Recovery Personnel**

Definition, 3.3.37

**Referenced Publications, Chap. 2****Rescue Personnel**

Definition, 3.3.38

**Road Course**

Definition, 3.3.39

**-S-****Sample Incident Action Plans, Annex B****Sanctioning Body**

Definition, 3.3.40

**Security Personnel**

Definition, 3.3.41

**Should**

Definition, 3.2.6

**Site Emergency Team**

Definition, 3.3.42

**Street Circuit**

Definition, 3.3.43

**-T-****Terrorist Activities**

Definition, 3.3.44

**Track Clean-Up Personnel**

Definition, 3.3.45

**Track Emergency Medical Personnel**

Definition, 3.3.46

**Track Fire Fighter**

Definition, 3.3.47

**Track Restoration Personnel**

Definition, 3.3.48

**Training, Chap. 5**

General, 5.1

Motorsports Safety Awareness Level, 5.2

Motorsports Safety Command/Manager, 5.6

Motorsports Safety Operations Level, 5.3

Motorsports Safety Specialist Level, 5.5

Motorsports Safety Technician Level, 5.4

**-U-****Useful Construction, Maintenance, and Operations Codes and Standards, Annex D****-V-****Vehicle Recovery Personnel**

Definition, 3.3.49



## Sequence of Events for the Standards Development Process

Once the current edition is published, a Standard is opened for Public Input.

### Step 1 – Input Stage

- Input accepted from the public or other committees for consideration to develop the First Draft
- Technical Committee holds First Draft Meeting to revise Standard (23 weeks); Technical Committee(s) with Correlating Committee (10 weeks)
- Technical Committee ballots on First Draft (12 weeks); Technical Committee(s) with Correlating Committee (11 weeks)
- Correlating Committee First Draft Meeting (9 weeks)
- Correlating Committee ballots on First Draft (5 weeks)
- First Draft Report posted on the document information page

### Step 2 – Comment Stage

- Public Comments accepted on First Draft (10 weeks) following posting of First Draft Report
- If Standard does not receive Public Comments and the Technical Committee chooses not to hold a Second Draft meeting, the Standard becomes a Consent Standard and is sent directly to the Standards Council for issuance (see Step 4) or
- Technical Committee holds Second Draft Meeting (21 weeks); Technical Committee(s) with Correlating Committee (7 weeks)
- Technical Committee ballots on Second Draft (11 weeks); Technical Committee(s) with Correlating Committee (10 weeks)
- Correlating Committee Second Draft Meeting (9 weeks)
- Correlating Committee ballots on Second Draft (8 weeks)
- Second Draft Report posted on the document information page

### Step 3 – NFPA Technical Meeting

- Notice of Intent to Make a Motion (NITMAM) accepted (5 weeks) following the posting of Second Draft Report
- NITMAMs are reviewed and valid motions are certified by the Motions Committee for presentation at the NFPA Technical Meeting
- NFPA membership meets each June at the NFPA Technical Meeting to act on Standards with “Certified Amending Motions” (certified NITMAMs)
- Committee(s) vote on any successful amendments to the Technical Committee Reports made by the NFPA membership at the NFPA Technical Meeting

### Step 4 – Council Appeals and Issuance of Standard

- Notification of intent to file an appeal to the Standards Council on Technical Meeting action must be filed within 20 days of the NFPA Technical Meeting
- Standards Council decides, based on all evidence, whether to issue the standard or to take other action

#### Notes:

1. Time periods are approximate; refer to published schedules for actual dates.
2. Annual revision cycle documents with certified amending motions take approximately 101 weeks to complete.
3. Fall revision cycle documents receiving certified amending motions take approximately 141 weeks to complete.

## Committee Membership Classifications<sup>1,2,3,4</sup>

The following classifications apply to Committee members and represent their principal interest in the activity of the Committee.

1. M *Manufacturer*: A representative of a maker or marketer of a product, assembly, or system, or portion thereof, that is affected by the standard.
2. U *User*: A representative of an entity that is subject to the provisions of the standard or that voluntarily uses the standard.
3. IM *Installer/Maintainer*: A representative of an entity that is in the business of installing or maintaining a product, assembly, or system affected by the standard.
4. L *Labor*: A labor representative or employee concerned with safety in the workplace.
5. RT *Applied Research/Testing Laboratory*: A representative of an independent testing laboratory or independent applied research organization that promulgates and/or enforces standards.
6. E *Enforcing Authority*: A representative of an agency or an organization that promulgates and/or enforces standards.
7. I *Insurance*: A representative of an insurance company, broker, agent, bureau, or inspection agency.
8. C *Consumer*: A person who is or represents the ultimate purchaser of a product, system, or service affected by the standard, but who is not included in (2).
9. SE *Special Expert*: A person not representing (1) through (8) and who has special expertise in the scope of the standard or portion thereof.

NOTE 1: “Standard” connotes code, standard, recommended practice, or guide.

NOTE 2: A representative includes an employee.

NOTE 3: While these classifications will be used by the Standards Council to achieve a balance for Technical Committees, the Standards Council may determine that new classifications of member or unique interests need representation in order to foster the best possible Committee deliberations on any project. In this connection, the Standards Council may make such appointments as it deems appropriate in the public interest, such as the classification of “Utilities” in the National Electrical Code Committee.

NOTE 4: Representatives of subsidiaries of any group are generally considered to have the same classification as the parent organization.

## Submitting Public Input / Public Comment Through the Online Submission System

Soon after the current edition is published, a Standard is open for Public Input.

Before accessing the Online Submission System, you must first sign in at [www.nfpa.org](http://www.nfpa.org). *Note: You will be asked to sign-in or create a free online account with NFPA before using this system:*

- a. Click on Sign In at the upper right side of the page.
- b. Under the Codes and Standards heading, click on the “List of NFPA Codes & Standards,” and then select your document from the list or use one of the search features.

*OR*

- a. Go directly to your specific document information page by typing the convenient shortcut link of [www.nfpa.org/document#](http://www.nfpa.org/document#) (Example: NFPA 921 would be [www.nfpa.org/921](http://www.nfpa.org/921)). Sign in at the upper right side of the page.

To begin your Public Input, select the link “The next edition of this standard is now open for Public Input” located on the About tab, Current & Prior Editions tab, and the Next Edition tab. Alternatively, the Next Edition tab includes a link to Submit Public Input online.

At this point, the NFPA Standards Development Site will open showing details for the document you have selected. This “Document Home” page site includes an explanatory introduction, information on the current document phase and closing date, a left-hand navigation panel that includes useful links, a document Table of Contents, and icons at the top you can click for Help when using the site. The Help icons and navigation panel will be visible except when you are actually in the process of creating a Public Input.

Once the First Draft Report becomes available there is a Public Comment period during which anyone may submit a Public Comment on the First Draft. Any objections or further related changes to the content of the First Draft must be submitted at the Comment stage.

To submit a Public Comment you may access the online submission system utilizing the same steps as previously explained for the submission of Public Input.

For further information on submitting public input and public comments, go to: <http://www.nfpa.org/publicinput>.

### Other Resources Available on the Document Information Pages

**About tab:** View general document and subject-related information.

**Current & Prior Editions tab:** Research current and previous edition information on a Standard.

**Next Edition tab:** Follow the committee’s progress in the processing of a Standard in its next revision cycle.

**Technical Committee tab:** View current committee member rosters or apply to a committee.

**Technical Questions tab:** For members and Public Sector Officials/AHJs to submit questions about codes and standards to NFPA staff. Our Technical Questions Service provides a convenient way to receive timely and consistent technical assistance when you need to know more about NFPA codes and standards relevant to your work. Responses are provided by NFPA staff on an informal basis.

**Products & Training tab:** List of NFPA’s publications and training available for purchase.

## Information on the NFPA Standards Development Process

**I. Applicable Regulations.** The primary rules governing the processing of NFPA standards (codes, standards, recommended practices, and guides) are the NFPA *Regulations Governing the Development of NFPA Standards (Regs)*. Other applicable rules include NFPA *Bylaws*, NFPA *Technical Meeting Convention Rules*, NFPA *Guide for the Conduct of Participants in the NFPA Standards Development Process*, and the NFPA *Regulations Governing Petitions to the Board of Directors from Decisions of the Standards Council*. Most of these rules and regulations are contained in the *NFPA Standards Directory*. For copies of the *Directory*, contact Codes and Standards Administration at NFPA Headquarters; all these documents are also available on the NFPA website at “www.nfpa.org.”

The following is general information on the NFPA process. All participants, however, should refer to the actual rules and regulations for a full understanding of this process and for the criteria that govern participation.

**II. Technical Committee Report.** The Technical Committee Report is defined as “the Report of the responsible Committee(s), in accordance with the Regulations, in preparation of a new or revised NFPA Standard.” The Technical Committee Report is in two parts and consists of the First Draft Report and the Second Draft Report. (See *Regs* at Section 1.4.)

**III. Step 1: First Draft Report.** The First Draft Report is defined as “Part one of the Technical Committee Report, which documents the Input Stage.” The First Draft Report consists of the First Draft, Public Input, Committee Input, Committee and Correlating Committee Statements, Correlating Notes, and Ballot Statements. (See *Regs* at 4.2.5.2 and Section 4.3.) Any objection to an action in the First Draft Report must be raised through the filing of an appropriate comment for consideration in the Second Draft Report or the objection will be considered resolved. [See *Regs* at 4.3.1(b).]

**IV. Step 2: Second Draft Report.** The Second Draft Report is defined as “Part two of the Technical Committee Report, which documents the Comment Stage.” The Second Draft Report consists of the Second Draft, Public Comments with corresponding Committee Actions and Committee Statements, Correlating Notes and their respective Committee Statements, Committee Comments, Correlating Revisions, and Ballot Statements. (See *Regs* at 4.2.5.2 and Section 4.4.) The First Draft Report and the Second Draft Report together constitute the Technical Committee Report. Any outstanding objection following the Second Draft Report must be raised through an appropriate Amending Motion at the NFPA Technical Meeting or the objection will be considered resolved. [See *Regs* at 4.4.1(b).]

**V. Step 3a: Action at NFPA Technical Meeting.** Following the publication of the Second Draft Report, there is a period during which those wishing to make proper Amending Motions on the Technical Committee Reports must signal their intention by submitting a Notice of Intent to Make a Motion (NITMAM). (See *Regs* at 4.5.2.) Standards that receive notice of proper Amending Motions (Certified Amending Motions) will be presented for action at the annual June NFPA Technical Meeting. At the meeting, the NFPA membership can consider and act on these Certified Amending Motions as well as Follow-up Amending Motions, that is, motions that become necessary as a result of a previous successful Amending Motion. (See 4.5.3.2 through 4.5.3.6 and Table 1, Columns 1-3 of *Regs* for a summary of the available Amending Motions and who may make them.) Any outstanding objection following action at an NFPA Technical Meeting (and any further Technical Committee consideration following successful Amending Motions, see *Regs* at 4.5.3.7 through 4.6.5.3) must be raised through an appeal to the Standards Council or it will be considered to be resolved.

**VI. Step 3b: Documents Forwarded Directly to the Council.** Where no NITMAM is received and certified in accordance with the Technical Meeting Convention Rules, the standard is forwarded directly to the Standards Council for action on issuance. Objections are deemed to be resolved for these documents. (See *Regs* at 4.5.2.5.)

**VII. Step 4a: Council Appeals.** Anyone can appeal to the Standards Council concerning procedural or substantive matters related to the development, content, or issuance of any document of the NFPA or on matters within the purview of the authority of the Council, as established by the Bylaws and as determined by the Board of Directors. Such appeals must be in written form and filed with the Secretary of the Standards Council (see *Regs* at Section 1.6). Time constraints for filing an appeal must be in accordance with 1.6.2 of the *Regs*. Objections are deemed to be resolved if not pursued at this level.

**VIII. Step 4b: Document Issuance.** The Standards Council is the issuer of all documents (see Article 8 of *Bylaws*). The Council acts on the issuance of a document presented for action at an NFPA Technical Meeting within 75 days from the date of the recommendation from the NFPA Technical Meeting, unless this period is extended by the Council (see *Regs* at 4.7.2). For documents forwarded directly to the Standards Council, the Council acts on the issuance of the document at its next scheduled meeting, or at such other meeting as the Council may determine (see *Regs* at 4.5.2.5 and 4.7.4).

**IX. Petitions to the Board of Directors.** The Standards Council has been delegated the responsibility for the administration of the codes and standards development process and the issuance of documents. However, where extraordinary circumstances requiring the intervention of the Board of Directors exist, the Board of Directors may take any action necessary to fulfill its obligations to preserve the integrity of the codes and standards development process and to protect the interests of the NFPA. The rules for petitioning the Board of Directors can be found in the *Regulations Governing Petitions to the Board of Directors from Decisions of the Standards Council* and in Section 1.7 of the *Regs*.

**X. For More Information.** The program for the NFPA Technical Meeting (as well as the NFPA website as information becomes available) should be consulted for the date on which each report scheduled for consideration at the meeting will be presented. To view the First Draft Report and Second Draft Report as well as information on NFPA rules and for up-to-date information on schedules and deadlines for processing NFPA documents, check the NFPA website (www.nfpa.org/docinfo) or contact NFPA Codes & Standards Administration at (617) 984-7246.



# Xchange<sup>TM</sup>

The place to connect online with your fire, electrical, and life safety peers

**Have a question about the code or standard you're reading now?**

**NFPA Xchange<sup>TM</sup> can help!**

NFPA Xchange<sup>TM</sup> brings together over 30,000 professionals worldwide, asking and answering each other's questions, sharing ideas, and discussing the issues impacting your industry today.

**NFPA Xchange<sup>TM</sup> is free to join and offers:**

- ➔ A robust collection of previously asked and answered questions to search
- ➔ Access to thousands of peers for problem-solving and on-the-job advice
- ➔ NFPA blogs, white papers, and webinars in one convenient place

NFPA members also enjoy **Xchange<sup>TM</sup> Members Only**, the online space for technical questions\* answered by NFPA staff, exclusive NFPA live events, and premier access to curated content.

**Join NFPA Xchange<sup>TM</sup> TODAY!**

**[www.nfpa.org/xchange](http://www.nfpa.org/xchange)**

***Xchange Today. Safer Tomorrow.***

\*For the full terms of use, please visit [nfpa.org/standard\\_items/terms-of-use#xchange](http://nfpa.org/standard_items/terms-of-use#xchange). NFPA® is a registered trademark of the National Fire Protection Association, Quincy, MA 02169.