

NFPA®

2400

**Standard for
Small Unmanned Aircraft
Systems (sUAS) Used for
Public Safety Operations**

2019



IMPORTANT NOTICES AND DISCLAIMERS CONCERNING NFPA® STANDARDS

NFPA® codes, standards, recommended practices, and guides (“NFPA Standards”), of which the document contained herein is one, are developed through a consensus standards development process approved by the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus on fire and other safety issues. While the NFPA administers the process and establishes rules to promote fairness in the development of consensus, it does not independently test, evaluate, or verify the accuracy of any information or the soundness of any judgments contained in NFPA Standards.

The NFPA disclaims liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, or reliance on NFPA Standards. The NFPA also makes no guaranty or warranty as to the accuracy or completeness of any information published herein.

In issuing and making NFPA Standards available, the NFPA is not undertaking to render professional or other services for or on behalf of any person or entity. Nor is the NFPA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

The NFPA has no power, nor does it undertake, to police or enforce compliance with the contents of NFPA Standards. Nor does the NFPA list, certify, test, or inspect products, designs, or installations for compliance with this document. Any certification or other statement of compliance with the requirements of this document shall not be attributable to the NFPA and is solely the responsibility of the certifier or maker of the statement.

REMINDER: UPDATING OF NFPA STANDARDS

Users of NFPA codes, standards, recommended practices, and guides (“NFPA Standards”) should be aware that these documents may be superseded at any time by the issuance of a new edition, may be amended with the issuance of Tentative Interim Amendments (TIAs), or be corrected by Errata. It is intended that through regular revisions and amendments, participants in the NFPA standards development process consider the then-current and available information on incidents, materials, technologies, innovations, and methods as these develop over time and that NFPA Standards reflect this consideration. Therefore, any previous edition of this document no longer represents the current NFPA Standard on the subject matter addressed. NFPA encourages the use of the most current edition of any NFPA Standard [as it may be amended by TIA(s) or Errata] to take advantage of current experience and understanding. An official NFPA Standard at any point in time consists of the current edition of the document, including any issued TIAs and Errata then in effect.

To determine whether an NFPA Standard has been amended through the issuance of TIAs or corrected by Errata, visit the “Codes & Standards” section at www.nfpa.org.

ADDITIONAL IMPORTANT NOTICES AND DISCLAIMERS CONCERNING NFPA® STANDARDS

Updating of NFPA Standards

Users of NFPA codes, standards, recommended practices, and guides (“NFPA Standards”) should be aware that these documents may be superseded at any time by the issuance of a new edition, may be amended with the issuance of Tentative Interim Amendments (TIAs), or be corrected by Errata. It is intended that through regular revisions and amendments, participants in the NFPA standards development process consider the then-current and available information on incidents, materials, technologies, innovations, and methods as these develop over time and that NFPA Standards reflect this consideration. Therefore, any previous edition of this document no longer represents the current NFPA Standard on the subject matter addressed. NFPA encourages the use of the most current edition of any NFPA Standard [as it may be amended by TIA(s) or Errata] to take advantage of current experience and understanding. An official NFPA Standard at any point in time consists of the current edition of the document, including any issued TIAs and Errata then in effect.

To determine whether an NFPA Standard has been amended through the issuance of TIAs or corrected by Errata, visit the “Codes & Standards” section at www.nfpa.org.

Interpretations of NFPA Standards

A statement, written or oral, that is not processed in accordance with Section 6 of the Regulations Governing the Development of NFPA Standards shall not be considered the official position of NFPA or any of its Committees and shall not be considered to be, nor be relied upon as, a Formal Interpretation.

Patents

The NFPA does not take any position with respect to the validity of any patent rights referenced in, related to, or asserted in connection with an NFPA Standard. The users of NFPA Standards bear the sole responsibility for determining the validity of any such patent rights, as well as the risk of infringement of such rights, and the NFPA disclaims liability for the infringement of any patent resulting from the use of or reliance on NFPA Standards.

NFPA adheres to the policy of the American National Standards Institute (ANSI) regarding the inclusion of patents in American National Standards (“the ANSI Patent Policy”), and hereby gives the following notice pursuant to that policy:

NOTICE: The user’s attention is called to the possibility that compliance with an NFPA Standard may require use of an invention covered by patent rights. NFPA takes no position as to the validity of any such patent rights or as to whether such patent rights constitute or include essential patent claims under the ANSI Patent Policy. If, in connection with the ANSI Patent Policy, a patent holder has filed a statement of willingness to grant licenses under these rights on reasonable and nondiscriminatory terms and conditions to applicants desiring to obtain such a license, copies of such filed statements can be obtained, on request, from NFPA. For further information, contact the NFPA at the address listed below.

Law and Regulations

Users of NFPA Standards should consult applicable federal, state, and local laws and regulations. NFPA does not, by the publication of its codes, standards, recommended practices, and guides, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

NFPA Standards are copyrighted. They are made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of safe practices and methods. By making these documents available for use and adoption by public authorities and private users, the NFPA does not waive any rights in copyright to these documents.

Use of NFPA Standards for regulatory purposes should be accomplished through adoption by reference. The term “adoption by reference” means the citing of title, edition, and publishing information only. Any deletions, additions, and changes desired by the adopting authority should be noted separately in the adopting instrument. In order to assist NFPA in following the uses made of its documents, adopting authorities are requested to notify the NFPA (Attention: Secretary, Standards Council) in writing of such use. For technical assistance and questions concerning adoption of NFPA Standards, contact NFPA at the address below.

For Further Information

All questions or other communications relating to NFPA Standards and all requests for information on NFPA procedures governing its codes and standards development process, including information on the procedures for requesting Formal Interpretations, for proposing Tentative Interim Amendments, and for proposing revisions to NFPA standards during regular revision cycles, should be sent to NFPA headquarters, addressed to the attention of the Secretary, Standards Council, NFPA, 1 Batterymarch Park, P.O. Box 9101, Quincy, MA 02269-9101; email: stds_admin@nfpa.org.

For more information about NFPA, visit the NFPA website at www.nfpa.org. All NFPA codes and standards can be viewed at no cost at www.nfpa.org/docinfo.

Copyright © 2018 National Fire Protection Association®. All Rights Reserved.

NFPA® 2400

Standard for

Small Unmanned Aircraft Systems (sUAS) Used for Public Safety Operations

2019 Edition

This edition of NFPA 2400, *Standard for Small Unmanned Aircraft Systems (sUAS) Used for Public Safety Operations*, was prepared by the Technical Committee on Unmanned Aircraft Systems and released by the Correlating Committee on Professional Qualifications. It was issued by the Standards Council on November 5, 2018, with an effective date of November 25, 2018.

This edition of NFPA 2400 was approved as an American National Standard on November 25, 2018.

Origin and Development of NFPA 2400

NFPA 2400, *Standard for Small Unmanned Aircraft Systems (sUAS) Used for Public Safety Operations*, 2019 edition, is the first NFPA standard supporting sUAS integration into the public safety community. Creation of the Technical Committee on Unmanned Aircraft Systems (UAS), the committee responsible for NFPA 2400, was approved at the August 3–5, 2016, Standards Council meeting. It was charged with developing a standard for the implementation, deployment, and operation of UAS in the public safety community, including the creation of professional qualifications necessary for public safety operations. The committee includes representatives of a variety of public safety departments that deal with UAS, including the fire service, law enforcement, and emergency medical services.

NFPA 2400 is an all-encompassing standard providing a foundation for sUAS integration into the public safety community. Based on a clear stakeholder need, the project was accelerated and the committee produced a quality standard in approximately 2¼ years, completing every stage of the NFPA standards development process. Originally the project encompassed all types of unmanned aircraft systems, however, because sUAS constitute the most pressing public safety need, the committee chose to focus on them, as defined by the FAA, for this first edition.

NFPA 2400 divides sUAS integration into three main elements within three core chapters. Chapter 4, Organizational Deployment and Considerations for sUAS, provides requirements on program development, program assessment, deployment, general operations, and multiple aircraft operations. A key element of Chapter 4 is the identification of the need for a risk assessment and consideration of mission objectives. Chapter 5, Professional Qualifications for sUAS Public Safety Personnel, identifies the minimum job performance requirements (JPRs) a remote pilot in command (RPIC) and visual observer are required to perform. In essence, it covers essential job tasks that can be evaluated and tested. Finally, Chapter 6, Maintenance of sUAS, provides requirements aimed at identifying the maintenance needs within a sUAS program. It stipulates the need for core maintenance procedures identifying elements such as record keeping, cleaning, and decontamination.

Combined, these three chapters form the core of NFPA 2400 and provide a road map for public safety departments to begin to develop and integrate sUAS into their incident response operations. NFPA 2400 is the foundation from which public safety departments can develop sUAS programs and can do so based on the most current industry knowledge and with the backing of an ANSI-accredited standard.

Correlating Committee on Professional Qualifications

William E. Peterson, *Chair*

Kissimmee, FL [M]

Rep. International Fire Service Training Association

Brian R. Brauer, University of Illinois Fire Service Institute, IL [E]
Rep. National Board on Fire Service Professional Qualifications

Gregg A. Cleveland, La Crosse Fire Department, WI [U]
Rep. NFPA Fire Service Section

Gordon Descutner, Alaska DPS Fire Standards Council, AK [E]
Rep. Alaska Fire Standards Council

Angus Maclean Duff, Consolidated Fire District 2, KS [U]

Richard A. Dunn, SC State Firefighters' Association, SC [E]

Richard T. Dunton, Unified/ Rochester/Milton Fire Departments, NH [E]

Alec Feldman, Fulcrum Consultants, Ireland [SE]
Rep. JOIFF-International Organisation for Industrial Hazard Management

Douglas P. Forsman, Fairfield Bay Fire Department, AR [L]

Scott M. Gorgon, North Las Vegas Fire Department, NV [L]
Rep. International Association of Fire Fighters

R. Kirk Hankins, Fire Consulting & Case Review International, Inc., MO [U]

Rep. International Association of Arson Investigators, Inc.

Richard A. Mason, National Fallen Firefighters Foundation, NH [SE]

Bill Slosson, Washington State Patrol, WA [E]

Philip C. Stittleburg, La Farge Fire Department, WI [L]
Rep. National Volunteer Fire Council

Christopher A. Toten, U.S. Marine Corps, TX [E]

Charles "Randy" Watson, S-E-A, Ltd., GA [SE]

Tracie M. Young-Brungard, Pennsylvania Office of the State Fire Commissioner, PA [E]

Rep. International Fire Service Accreditation Congress

Michael J. Yurtec, Global Emergency Products, IL [M]

Dalan Lee Zartman, Rescue Methods, OH [U]

Alex Zielinski, Safety Training Services, IN [SE]

Alternates

Thomas W. Aurnhammer, Los Pinos Fire District, CO [U]
(Alt. to R. Kirk Hankins)

Wayne Bailey, North Carolina Fire & Rescue Commission, NC [E]
(Alt. to Tracie M. Young-Brungard)

David W. Lewis, Odenton, MD [L]
(Alt. to Philip C. Stittleburg)

Frederick W. Piechota, Jr., National Board on Fire Service Professional Qualifications, MA [E]

(Alt. to Brian R. Brauer)

Nonvoting

Stephen P. Austin, Cumberland Valley Volunteer Firemen's Association, DE [L]
Rep. TC on Traffic Control Incident Management Professional Qualifications

Alan W. Conkle, Ohio Association of Emergency Vehicle Technicians (OAEVT), OH [M]
Rep. TC on Emergency Vehicle Mechanic Technicians Professional Qualifications

John S. Cunningham, Nova Scotia Firefighters School, Canada [U]
Rep. TC on Fire Fighter Professional Qualifications

Jay Dornseif, III, Priority Dispatch Corporation, UT [M]
Rep. TC on Public Safety Telecommunicator Professional Qualifications

Richard C. Edinger, Chesterfield County Fire & Emergency Medical Services [E]
Rep. TC on Hazardous Materials Response Personnel

Ronald R. Farr, Plainwell Fire Department, MI [C]
Rep. TC on Electrical Inspection Practices

Dave E. Hanneman, Idaho Falls Fire Department, ID [U]
Rep. TC on Incident Management Professional Qualifications

Edward M. Hawthorne, Shell Oil Company, TX [U]
Rep. TC on Industrial Fire Brigades Professional Qualifications

Orlando P. Hernandez, Texas Division of Emergency Management, TX [E]
Rep. TC on Rescue Technician Professional Qualifications

Ronald L. Hopkins, TRACE Fire Protection & Safety Consultant, Ltd., KY [SE]
Rep. TC on Fire Service Instructor Professional Qualifications

Robert J. James, UL LLC, IL []

Rep. TC on Building Fire and Life Safety Director Professional Qualifications

Randy J. Krause, Port of Seattle Fire Department, WA [E]
Rep. TC on Fire Service Occupational Safety and Health

Peter J. Mulvihill, Reno, NV [SE]
Rep. TC on Fire Inspector Professional Qualifications

Randal E. Novak, Ames, IA [SE]
Rep. TC on Accreditation & Certification Professional Qualifications

Ryan Peterson, Orem Fire Department, UT [U]
Rep. TC on Unmanned Aircraft Systems

Lawrence L. Preston, Maryland Fire and Rescue Institute, MD [E]
Rep. TC on Fire Officer Professional Qualifications

Jim Stumpf, Organizational Quality Associates, ID [SE]
Rep. TC on Wildfire Suppression Professional Qualifications

Nancy J. Trench, Fire Protection Publications, OK [M]
Rep. TC on Public Fire Educator Professional Qualifications

Paul Valentine, TUV SUD America Inc./Global Risk Consultants, IL [M]
Rep. TC on Fire Marshal Professional Qualifications

George A. Wendt, Travelers Insurance Company, NJ [I]
Rep. TC on Fire Investigator Professional Qualifications

Robert Fash, NFPA Staff Liaison

This list represents the membership at the time the Committee was balloted on the final text of this edition. Since that time, changes in the membership may have occurred. A key to classifications is found at the back of the document.

NOTE: Membership on a committee shall not in and of itself constitute an endorsement of the Association or any document developed by the committee on which the member serves.

Committee Scope: This Committee shall have primary responsibility for the management of the NFPA Professional Qualifications Project and documents related to professional qualifications for fire service, public safety, and related personnel.

Technical Committee on Unmanned Aircraft Systems

Ryan Peterson, *Chair*
Orem Fire Department, UT [U]

Michael Baltrotsky, Montgomery County Fire & Rescue Service, MD [U]

Brian R. Brauer, University of Illinois Fire Service Institute, IL [SE]

John James Cefalu, L. N. Curtis & Sons, WA [IM]

Kai-Dee Chu, Department of Homeland Security, DC [E]

Robby Cordobes, Los Angeles Fire Department, CA [L]
Rep. California State Firefighters Association

Adam Dershowitz, Exponent, NY [SE]

Chris Dibona, Brewster Ambulance Service, MA [U]

Darshan Divakaran, NC Department of Transportation, NC [E]

Ritesh Ghimire, FAA, DC [E]

Darren Goodbar, Piedmont Virginia Community College, VA [SE]

Tim Henderson, L.N. Curtis & Sons, CA [IM]

Robert W. Hill, City Of Stillwater, OK [M]
Rep. International Fire Service Training Association

George C. Hough, FDNY, NY [U]

Rep. Fire Department City of New York

John Hudgins, Boeing Fire Department, WA [U]

David Ison, Embry-Riddle Aeronautical University - Worldwide, OR [SE]

Adam Jacoff, National Institute of Standards & Technology (NIST), MD [RT]

James Allan Kidd, Oklahoma State University, OK [SE]

Kevin Kimmel, Clark Nexsen, VA [U]

John Michael Looney, JML Engineering, MA [U]

Richard Michael Lusk, Oak Ridge National Laboratory, TN [RT]

David Martel, Las Vegas Metropolitan Police Department, NV [U]

Mike Miles, U.S. General Services Administration, DC [E]
Rep. U.S. General Services Administration

Michael A. Mocerino, W. S. Darley & Company, IL [M]

Robin Murphy, Texas A & M University, TX [SE]

Matt Nestor, LA Unified School District (LAUSD), CA [U]

Adam Norton, UMASS Lowell, MA [RT]

Michael O'Shea, U.S. Department Of Justice, DC [E]

Eddie Reyes, Police Foundation, DC [U]

Noah Ryder, Fire & Risk Alliance, MD [SE]

Christopher Wayne Sadler, York County Fire And Life Safety, VA [U]
Rep. International Association of Fire Chiefs

Peter M. Schecter, Oakland Park, FL [SE]

Daniel Schwarzbach, ALEA (Airborne Law Enforcement Association), MD [M]

Donald Shinnamon, Sr., Aeryon Labs, FL [M]

Matt Sloane, Skyfire Consulting, GA [M]

Kevin D. Westwood, BP International, United Kingdom [SE]

Doug Wiedman, Sacramento County Sheriff, CA [E]

Alternates

Ivanna Almanzar, JML Engineering, MA [U]
(Alt. to John Michael Looney)

Wayne Bailey, North Carolina Fire & Rescue Commission, NC [SE]
(Alt. to Peter M. Schecter)

Timothy P. Butters, VA Department Of Emergency Management, VA [E]
(Voting Alternate)

Brian Carlson, University Of Cincinnati, OH [SE]
(Voting Alternate)

Matthew Darley, W. S. Darley & Company, IL [M]
(Alt. to Michael A. Mocerino)

Romeo Durscher, DJI, CA [M]
(Voting Alternate)

Tim Henderson, L. N. Curtis & Sons, CA [IM]
(Alt. to John James Cefalu)

Michael T. Wixted, NFPA Staff Liaison

Matthew Kenney, Donan Engineering, KY [IM]
(Voting Alternate)

Coitt Kessler, Austin Fire Department, TX [L]
(Voting Alternate)

Benjamin Kroll, SkyFire Consulting, GA [M]
(Alt. to Matt Sloane)

Michael Leo, FDNY, NY [U]
(Alt. to George C. Hough)

Philip Mattson, Department of Homeland Security, DC [E]
(Alt. to Kai-Dee Chu)

Kamel Saidi, National Institute of Standards & Technology (NIST), MD [RT]
(Alt. to Adam Jacoff)

This list represents the membership at the time the Committee was balloted on the final text of this edition. Since that time, changes in the membership may have occurred. A key to classifications is found at the back of the document.

NOTE: Membership on a committee shall not in and of itself constitute an endorsement of the Association or any document developed by the committee on which the member serves.

Committee Scope: This Committee shall have primary responsibility for documents relating to the operation, deployment, and implementation of Unmanned Aircraft Systems (UAS) by public safety entities and public safety officials. This includes all documents that establish operational protocols for those who use and support UAS services and operator professional qualifications.

Contents

Chapter 1 Administration	2400– 6	4.6 Concepts of Operations (ConOps).	2400– 9
1.1 Scope.	2400– 6	4.7 Operational Applications.	2400– 10
1.2 Purpose.	2400– 6	Chapter 5 Professional Qualifications for sUAS	
1.3 Application.	2400– 6	Public Safety Personnel	2400– 10
1.4 Equivalency.	2400– 6	5.1 Administration.	2400– 10
1.5 Enforcement.	2400– 6	5.2 General Requirements.	2400– 11
1.6 Additional Administrative Information.	2400– 6	5.3 RPIC.	2400– 11
Chapter 2 Referenced Publications	2400– 7	5.4 Flight.	2400– 13
2.1 General.	2400– 7	Chapter 6 Maintenance of sUAS	2400– 13
2.2 NFPA Publications. (Reserved)	2400– 7	6.1 Administration.	2400– 13
2.3 Other Publications.	2400– 7	6.2 General Requirements.	2400– 13
2.4 References for Extracts in Mandatory Sections. (Reserved)	2400– 7	Annex A Explanatory Material	2400– 14
Chapter 3 Definitions	2400– 7	Annex B Explanation of Professional Qualification Standards and the Concepts of Job Performance Requirements (JPRs)	2400– 23
3.1 General.	2400– 7	Annex C An Overview of JPRs for RPIC and Visual Observer	2400– 25
3.2 NFPA Official Definitions.	2400– 7	Annex D Applicable Standard Test Methods	2400– 27
3.3 General Definitions.	2400– 7	Annex E Informational References	2400– 28
Chapter 4 Organizational Deployment and Considerations for sUAS	2400– 8	Index	2400– 29
4.1 Administration.	2400– 8		
4.2 General Requirements.	2400– 9		
4.3 sUAS Program Criteria.	2400– 9		
4.4 sUAS Mission Objectives and Goals — Operational Needs Assessment.	2400– 9		
4.5 sUAS Selection — Needs of the Public Safety Entity.	2400– 9		

NFPA 2400

Standard for

Small Unmanned Aircraft Systems (sUAS) Used for Public Safety Operations

2019 Edition

IMPORTANT NOTE: This NFPA document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notices and Disclaimers Concerning NFPA Standards.” They can also be viewed at www.nfpa.org/disclaimers or obtained on request from NFPA.

UPDATES, ALERTS, AND FUTURE EDITIONS: New editions of NFPA codes, standards, recommended practices, and guides (i.e., NFPA Standards) are released on scheduled revision cycles. This edition may be superseded by a later one, or it may be amended outside of its scheduled revision cycle through the issuance of Tentative Interim Amendments (TIAs). An official NFPA Standard at any point in time consists of the current edition of the document, together with all TIAs and Errata in effect. To verify that this document is the current edition or to determine if it has been amended by TIAs or Errata, please consult the National Fire Codes® Subscription Service or the “List of NFPA Codes & Standards” at www.nfpa.org/docinfo. In addition to TIAs and Errata, the document information pages also include the option to sign up for alerts for individual documents and to be involved in the development of the next edition.

NOTICE: An asterisk (*) following the number or letter designating a paragraph indicates that explanatory material on the paragraph can be found in Annex A.

A reference in brackets [] following a section or paragraph indicates material that has been extracted from another NFPA document. As an aid to the user, the complete title and edition of the source documents for extracts in mandatory sections of the document are given in Chapter 2 and those for extracts in informational sections are given in Annex E. Extracted text may be edited for consistency and style and may include the revision of internal paragraph references and other references as appropriate. Requests for interpretations or revisions of extracted text shall be sent to the technical committee responsible for the source document.

Information on referenced publications can be found in Chapter 2 and Annex E.

Chapter 1 Administration

1.1 Scope. This standard shall cover the minimum requirements relating to the operation, deployment, and implementation of small unmanned aircraft systems (sUAS) for public safety operations.

1.1.1 This standard shall establish operational protocols for public safety entities who use and support sUAS.

1.1.2 This standard shall include minimum job performance requirements (JPRs) for public safety personnel who operate and support sUAS.

1.1.3 This standard shall include minimum requirements for the maintenance of sUAS when used by public safety entities.

1.1.4 This standard shall provide additional minimum requirements specific to public safety entities.

1.2 Purpose. This standard shall specify the minimum criteria necessary to support safe, effective, and efficient sUAS operations when utilized by public safety entities.

1.3 Application. This standard shall apply to all public safety entities operating sUAS.

1.3.1 This standard shall apply to non-public entities who conduct sUAS operations for public safety.

1.3.2* This standard shall apply to sUAS that weigh less than 55 lb (25 kg).

1.4 Equivalency. Nothing in this standard is intended to prevent the use of systems, methods, devices, or technology of equivalent or superior quality, effectiveness, and performance over those prescribed by this standard.

1.4.1 The technical documentation shall be submitted to the authority having jurisdiction to demonstrate equivalency.

1.4.2 The system, method, device, or aircraft shall be approved for the intended purpose by the authority having jurisdiction.

1.5* Enforcement. This standard shall be administered and enforced by the authority having jurisdiction.

1.6 Additional Administrative Information. This standard shall be divided based on the different types of minimum requirements for sUAS when used by public safety entities.

1.6.1 Chapter 4 shall include the minimum requirements relating to the organization, deployment, and selection of sUAS when used for operations supporting public safety entities.

1.6.2 Chapter 5 shall identify the minimum JPRs for remote pilot in command (RPIC) and visual observer for sUAS when used by public safety personnel.

1.6.3 Chapter 6 shall include minimum requirements for the maintenance of sUAS when used for public safety operations.

1.6.4 Chapters 4, 5, and 6 shall contain the following administrative sections in relation to the applicable type of requirements:

- (1) Chapter(s) scope
- (2) Chapter(s) purpose
- (3) Chapter(s) application
- (4) Chapter(s) definitions

1.6.5 Definitions found in Chapters 4, 5, and 6 shall be repeated in Chapter 3 in accordance with the *Manual of Style for NFPA Technical Committee Documents*.

1.6.6* Annexes shall provide explanatory information based on the applicable section number.

1.6.7 Annex B shall contain an explanation of professional qualification standards and the concepts of JPRs.

Chapter 2 Referenced Publications

2.1 General. The documents or portions thereof listed in this chapter are referenced within this standard and shall be considered part of the requirements of this document.

2.2 NFPA Publications. (Reserved)

2.3 Other Publications.

2.3.1 U.S. Government Publications. U.S. Government Publishing Office, 732 North Capitol Street, NW, Washington, DC 20401-0001.

Title 14, Code of Federal Regulations, Part 107, “Small Unmanned Aircraft Systems,” 2016.

FEMA — ICS Glossary, Incident Command System Training, 2008.

2.3.2 Other Publications.

Merriam-Webster’s Collegiate Dictionary, 11th edition, Merriam-Webster, Inc., Springfield, MA, 2003.

2.4 References for Extracts in Mandatory Sections. (Reserved)

Chapter 3 Definitions

3.1 General. The definitions contained in this chapter shall apply to the terms used in this standard. Where terms are not defined in this chapter or within another chapter, they shall be defined using their ordinarily accepted meanings within the context in which they are used. *Merriam-Webster’s Collegiate Dictionary*, 11th edition, shall be the source for the ordinarily accepted meaning.

3.2 NFPA Official Definitions.

3.2.1* Approved. Acceptable to the authority having jurisdiction.

3.2.2* Authority Having Jurisdiction (AHJ). An organization, office, or individual responsible for enforcing the requirements of a code or standard, or for approving equipment, materials, an installation, or a procedure.

3.2.3 Shall. Indicates a mandatory requirement.

3.2.4 Should. Indicates a recommendation or that which is advised but not required.

3.2.5 Standard. An NFPA Standard, the main text of which contains only mandatory provisions using the word “shall” to indicate requirements and that is in a form generally suitable for mandatory reference by another standard or code or for adoption into law. Nonmandatory provisions are not to be considered a part of the requirements of a standard and shall be located in an appendix, annex, footnote, informational note, or other means as permitted in the NFPA Manuals of Style. When used in a generic sense, such as in the phrase “standards development process” or “standards development activities,” the term “standards” includes all NFPA Standards, including Codes, Standards, Recommended Practices, and Guides.

3.3 General Definitions.

3.3.1 Crew Readiness. The availability and readiness of the RPIC and visual observer to deploy for sUAS operations given their knowledge and completion of pre-flight duties. (PQU)

3.3.2 Data Acquisition. The collection of information from sUAS for the purpose of fulfilling the mission objectives and goals in accordance with the mission plan. (PQU)

3.3.3 Designated Operations Area. The operating area or location defining the volume of airspace to include altitude in Above Ground Level (AGL) or Mean Sea Level (MSL), and the defined geographical operational perimeter for a given public safety mission.

3.3.4 Digital Media Evidence (DME). The digital recording of images, sounds, and associated data with probative value stored or transmitted in binary form.

3.3.5 Incident Command System (ICS). A standardized on-scene emergency management construct specifically designed to provide for the adoption of an integrated organizational structure that reflects the complexity and demands of single or multiple incidents, without being hindered by jurisdictional boundaries. ICS is the combination of facilities, equipment, personnel, procedures, and communications operating within a common organizational structure, designed to aid in the management of resources during incidents. It is used for all kinds of emergencies and is applicable to small as well as large and complex incidents. ICS is used by various jurisdictions and functional agencies, both public and private, to organize field-level incident management operations. [FEMA — ICS Glossary, 2008]

3.3.6 Incident Commander (IC). The individual responsible for all incident activities, including the development of strategies and tactics and the ordering and the release of resources. The IC has overall authority and responsibility for conducting incident operations and is responsible for the management of all incident operations at the incident site. [FEMA — ICS Glossary, 2008]

3.3.7 Maintenance Program. A maintenance program is a system or set of procedures for the continuous maintenance of the sUAS in order to ensure air-worthiness.

3.3.8 Payload Drop. The release of an item or package from sUAS for the purpose of fulfilling the mission objectives and goals in accordance with the mission plan. (PQU)

3.3.9 Positive Aircraft Control. Consistently maintaining appropriate control of the aircraft, regardless of the phase of flight or potential distraction of other required tasks. (PQU)

3.3.10 Public Safety Entity. Any entity involved with public safety that has a mission to protect life, property, or the environment or any combination of these.

3.3.11 Public Safety Personnel. Any individual involved with public safety that has a mission to protect life, property, or the environment or any combination of these. (PQU)

3.3.12 Remote Pilot in Command (RPIC). The person who has been found by the public safety entity to be properly qualified to exercise the privileges of remote pilot and has the final authority and responsibility for the operation and safety of sUAS operation as determined by the authority having jurisdiction (AHJ). (PQU)

3.3.13 Resources. The equipment, personnel, and facilities required for the sUAS operations provided by the public safety department. (PQU)

3.3.14 Risk Assessment. The evaluation of the relative danger of sUAS operations when taking into consideration mission objectives and goals, sUAS, professional qualifications of the RPIC and visual observer, operational readiness of the crew, weather conditions, environmental conditions, regulatory requirements, potential hazards, and operating conditions. (PQU)

3.3.15 Small Unmanned Aircraft. An unmanned aircraft weighing less than 55 lb (25 kg) including everything that is on board the aircraft. [14 CFR Part 107, 2016]

3.3.16 Small Unmanned Aircraft Systems (sUAS). A small unmanned aircraft and its associated elements (including communication links and the components that control the small unmanned aircraft) that are required for the safe and efficient operation of the small unmanned aircraft in the national airspace system. [14 CFR Part 107, 2016]

3.3.17 sUAS Operations. The use of any sUAS for the purpose of protecting life, property, or the environment or any combination of these.

3.3.18 sUAS Program. The elements (administrative, operational, qualifications and training, safety, and maintenance) that are required within the structure of a public safety entity in order to support sUAS operations that are safe, efficient, and feasible.

3.3.19 Sustainable Life Cycle. A determination made by a public safety entity in relation to the ability of sUAS manufacturer, system provider, or both to supply replacement parts, critical maintenance, system updates, upgrades, and other applicable components critical to ensuring continuous sUAS operations.

3.3.20 UAS Coordinator. A public safety person responsible for mission coordination and local deconfliction of multiple aircraft. (PQU)

3.3.21 Unmanned Aircraft. An aircraft operated without the possibility of direct human intervention from within or on the aircraft. [14 CFR Part 107, 2016]

3.3.22 Visual Observer. A person who assists the RPIC and the person manipulating the flight controls of the small UAS (if that person is not the RPIC) to see and avoid other air traffic or objects aloft or on the ground. [14 CFR Part 107, 2016] (PQU)

Chapter 4 Organizational Deployment and Considerations for sUAS

4.1 Administration.

4.1.1 Scope. The chapter shall identify the minimum requirements relating to the organization, deployment, and selection of sUAS when used for operations supporting public safety entities (*see 1.6.1*).

4.1.2 Purpose. The purpose of this chapter shall be to provide minimum requirements that address the criteria a public safety entity is required to consider for sUAS operations.

4.1.3 Application. This chapter shall apply to all elements of sUAS when utilized by public safety entities, such as sUAS program criteria, sUAS mission objectives and goals, sUAS selection, concepts of operations (ConOps), and operational applications.

4.1.4 Definitions.

4.1.4.1 Designated Operations Area (DOA). The operating area or location defining the volume of airspace to include altitude in Above Ground Level (AGL) or Mean Sea Level (MSL), and the defined geographical operational perimeter for a given public safety mission.

4.1.4.2* Digital Media Evidence (DME). The digital recording of images, sounds, and associated data with probative value stored or transmitted in binary form.

4.1.4.3 Incident Commander (IC). The individual responsible for all incident activities, including the development of strategies and tactics and the ordering and the release of resources. The IC has overall authority and responsibility for conducting incident operations and is responsible for the management of all incident operations at the incident site. [FEMA — ICS Glossary, 2008]

4.1.4.4 Incident Command System (ICS). A standardized on-scene emergency management construct specifically designed to provide for the adoption of an integrated organizational structure that reflects the complexity and demands of single or multiple incidents, without being hindered by jurisdictional boundaries. ICS is the combination of facilities, equipment, personnel, procedures, and communications operating within a common organizational structure, designed to aid in the management of resources during incidents. It is used for all kinds of emergencies and is applicable to small as well as large and complex incidents. ICS is used by various jurisdictions and functional agencies, both public and private, to organize field-level incident management operations. [FEMA — ICS Glossary, 2008]

4.1.4.5* Public Safety Entity. Any entity involved with public safety that has a mission to protect life, property, or the environment or any combination of these.

4.1.4.6 Remote Pilot in Command (RPIC). The person who has been found by the public safety entity to be properly qualified to exercise the privileges of remote pilot and has the final authority and responsibility for the operation and safety of sUAS operation as determined by the AHJ. (PQU)

4.1.4.7 Risk Assessment. The evaluation of the relative danger of sUAS operations when taking into consideration mission objectives and goals, sUAS, professional qualifications of the RPIC and visual observer, operational readiness of the crew, weather conditions, environmental conditions, regulatory requirements, potential hazards, and operating conditions. (PQU)

4.1.4.8 Small Unmanned Aircraft. Small unmanned aircraft means an unmanned aircraft weighing less than 55 lb (25 kg) including everything that is on board the aircraft. [14 CFR Part 107, 2016]

4.1.4.9 Small Unmanned Aircraft Systems (sUAS). Small unmanned aircraft system (sUAS) means a small unmanned aircraft and its associated elements (including communication links and the components that control the small unmanned aircraft) that are required for the safe and efficient operation

of the small unmanned aircraft in the national airspace system. [14 CFR Part 107, 2016]

4.1.4.10 sUAS Operations. The use of any sUAS for the purpose of protecting life, property, the environment or any or all of the above.

4.1.4.11 sUAS Program. The elements (administrative, operational, qualifications and training, safety and maintenance) that are required within the structure of a public safety entity in order to support sUAS operations that are safe, efficient and feasible.

4.1.4.12 Sustainable Life Cycle. A determination made by a public safety entity in relation to the ability of sUAS manufacturers, system provider, or both to supply replacement parts, critical maintenance, system updates, upgrades and other applicable components critical to ensuring continuous sUAS operations.

4.1.4.13 Unmanned Aircraft. Unmanned aircraft means an aircraft operated without the possibility of direct human intervention from within or on the aircraft. [14 CFR Part 107, 2016]

4.1.4.14 Visual Observer. A person who assists the RPIC and the person manipulating the flight controls of the small UAS (if that person is not the RPIC) to see and avoid other air traffic or objects aloft or on the ground. [14 CFR Part 107, 2016] (PQU)

4.2 General Requirements. Public safety entities that perform sUAS operations shall comply with Sections 4.3 through 4.7.

4.3 sUAS Program Criteria.

4.3.1 Public safety entities shall develop policies and procedures for sUAS programs.

4.3.2 Prior to implementing an sUAS program, public safety entities shall adopt policies and procedures that address the following:

- (1) Overall program management
- (2) Operational procedures
- (3) Personnel qualifications, training, and certifications
- (4) Safety
- (5) Care and maintenance of the aircraft, systems, and equipment

4.3.3 The decision to develop an sUAS program shall be assessed based on the following:

- (1) Mission objectives
- (2) Environmental conditions
- (3) Resources
- (4) Cost-benefit analysis

4.3.4 Public safety entities shall establish a policy that addresses data captured by the sUAS.

4.3.5 Public safety entities shall handle data collected by the sUAS for evidentiary purposes in accordance with the regulatory requirements as determined by the AHJ and policies governing DME.

4.3.6 Public safety entities shall handle data collected by the sUAS not of evidentiary value in accordance with the regulatory requirements as determined by AHJ.

4.3.7 Public safety entities shall have a policy that restricts data collection to what is necessary to accomplish the sUAS operation.

4.4 sUAS Mission Objectives and Goals — Operational Needs Assessment.

4.4.1 The deployment of sUAS operations shall be considered an additional segment of an operation or an operation of its own.

4.4.2 The deployment of sUAS operations shall be assessed based on the following:

- (1) Mission objectives
- (2) Risk assessment
- (3) Availability and capability of resources

4.5 sUAS Selection — Needs of the Public Safety Entity.

4.5.1 A purchase specification for the sUAS shall be completed by the public safety entity prior to commencing the acquisition process.

4.5.2 The purchase specifications shall be based on the specific uses and applications as determined by the operational needs assessment.

4.5.3* Any purchase specification shall consider the following:

- (1) Operational requirements
- (2) Minimum system configuration and specifications
- (3) Quantitative data demonstrating sUAS capabilities
- (4) Sustainable life cycle

4.6 Concepts of Operations (ConOps).

4.6.1 General Operations.

4.6.1.1 The RPIC of sUAS shall be directly responsible for, and is the final authority on, the operation of that aircraft.

4.6.1.2 sUAS operations shall only be conducted following a risk assessment that is performed by the RPIC.

4.6.1.3* The risk assessment shall address the operational risks severity and the operational risks probability.

4.6.1.4 Prior to sUAS operations, the RPIC shall develop mitigations to reduce the risks identified.

4.6.1.5 The RPIC shall verify mitigations do not create new hazards to the operation.

4.6.1.6* sUAS operations shall comply with all regulatory requirements as determined by the AHJ based on their type of operation.

4.6.1.7 sUAS operations shall only be conducted for authorized missions in accordance with the public safety entities policies and procedures.

4.6.1.8 sUAS operations shall be incorporated within ICS, when established.

4.6.1.9 sUAS operations shall be performed by individuals meeting the requirements of Chapter 5.

4.6.1.10 Deployment of sUAS operations shall include the establishment of take-off, landing, and drop zones to allow for safe operations.

4.6.1.11* Contaminated sUAS shall be decontaminated in accordance with the policies and procedures established by the public safety entity.

4.6.2 Multiple Aircraft Operations.

4.6.2.1 A UAS Coordinator shall oversee multiple RPICs during active multiple aircraft operations.

4.6.2.2 The public safety entity shall conduct and document multiple sUAS training at a specific training site that will remain well clear of housing areas, roads, people, and watercraft.

4.6.2.3 Each aircraft and ground control station (GCS) shall have visible markings to individually identify the aircraft as a means to distinguish aircraft and GCS among others at the incident scene.

4.6.2.4 Lights of an individual color shall be used to identify the individual aircraft being controlled by the RPICs and observed by the visual observer.

4.6.2.5 Lights of an individual color used for day or night operations shall be designed to be visible from a distance of no less than 3 statute miles (4.8 km) at night.

4.6.2.6 A separate RPIC and visual observer shall be used for each aircraft operating in the DOA.

4.6.2.7 A protocol shall be established to minimize the risk of an in-flight conflict between multiple aircrafts during all of the following:

- (1) Launch
- (2) Flight and recovery
- (3) Lost communication link event
- (4) Loss of GPS signal

4.6.2.8 The UAS Coordinator shall conduct a pre-mission briefing with all RPICs and visual observers.

4.6.2.9 The pre-mission briefing shall include the following:

- (1) Airspace authorization
- (2) Altitudes to be flown
- (3) Mission overview, including handoff procedures
- (4) Frequencies to be used
- (5) Flight time, including reserve fuel or battery requirements
- (6) Contingency procedures, including lost link, divert, and flight termination
- (7) Hazards unique to the flight being flown
- (8) Protocol to prevent in-flight conflict

4.7 Operational Applications.

4.7.1* Fire Fighting. Public safety entities that utilize sUAS for fire-fighting applications shall identify what tactics and functions associated with fire fighting are supported by sUAS operations.

4.7.2* Search and Rescue. Public safety entities that utilize sUAS for search and rescue applications shall identify what tactics and functions associated with search and rescue are supported by sUAS operations.

4.7.3* Hazardous Materials Response. Public safety entities that utilize sUAS in hazardous materials response shall identify what tactics and functions associated with hazardous materials response are supported by sUAS operations.

4.7.4* Emergency Medical Services (EMS) Operations.

4.7.4.1 Public safety entities that utilize sUAS in emergency medical intervention shall identify what functions associated with EMS intervention are supported by sUAS operations.

4.7.4.2 EMS providers shall ensure all sUAS used in emergency medical intervention are in accordance with the local medical control authority.

4.7.4.3* Public safety entities shall comply with patient privacy regulations as relating to the data captured during sUAS operations.

4.7.5* Law Enforcement Operations.

4.7.5.1 Public safety entities that utilize sUAS for law enforcement applications shall identify what tactics and functions associated with law enforcement are supported by sUAS operations.

4.7.5.2 Law enforcement agencies shall have written policies that strictly comply with existing laws and statutes to ensure sUAS operations are conducted in a lawful manner.

4.7.6* Other Operational Applications. Public safety entities that perform sUAS operations for other ancillary public safety services shall identify what functions are supported by sUAS operations.

Chapter 5 Professional Qualifications for sUAS Public Safety Personnel

5.1 Administration.

5.1.1 Scope. This chapter shall identify the minimum JPRs for RPIC and visual observer for sUAS when used by public safety personnel (*see 1.6.2*).

5.1.2 Purpose. This chapter shall specify the minimum JPRs when serving as an RPIC and visual observer for sUAS operations by public safety entities.

5.1.2.1 This chapter shall define RPIC and visual observer positions for public safety entities.

5.1.2.2 The intent of this chapter shall be to ensure that individuals serving as an RPIC and visual observer in sUAS operations by public safety entities are qualified to do so.

5.1.2.3 This chapter shall not address organization or management responsibility.

5.1.2.4 It shall not be the intent of this chapter to restrict any jurisdiction from exceeding or combining these minimum requirements.

5.1.2.5 JPRs for each level and position are the tasks personnel shall be able to perform to carry out the job duties.

5.1.2.6 Public safety personnel who operate or support sUAS operations shall remain current with the general knowledge, skills, and JPRs addressed for each level or position of qualification.

5.1.2.7 Public safety personnel who operate or support sUAS operations shall remain current with practices and applicable standards.

5.1.2.8 sUAS shall be operated within the design limitations and manufacturer's specifications.

5.1.3 Application. The application of this chapter is to specify which requirements within the standard shall apply to specific personnel who operate and support sUAS operations by public safety entities.

5.1.3.1 The JPRs shall be accomplished in accordance with the requirements of the AHJ and all applicable NFPA and other standards development organization (SDO) standards.

5.1.3.2 Priority.

5.1.3.2.1 It shall not be required that the JPRs be mastered in the order in which they appear.

5.1.3.2.2 The public safety entity shall establish instructional priority and training program content to prepare personnel to meet the JPRs of this standard.

5.1.3.3 The performance of each requirement of this chapter shall be evaluated by personnel approved by the AHJ.

5.1.3.4 The JPRs for each level or position shall be completed in accordance with recognized practices and procedures or as defined by law or by the AHJ.

5.1.3.5 Public safety personnel who operate or support sUAS operations shall meet the requirements of this chapter for each make and model of small unmanned aircraft in operation.

5.1.3.6 The public safety entity shall ensure the applicable equipment, personal protective equipment (PPE), force protection, and clothing are utilized to safely conduct operations.

5.1.3.7 JPRs involving exposure to products of combustion shall be performed in approved PPE.

5.1.3.8 Prior to training to meet the requirements of this chapter, personnel shall meet the following requirements:

- (1) Educational requirements established by the AHJ
- (2) Age requirements established by the AHJ
- (3) Medical evaluation, as required by occupational safety and health standards
- (4) Job-related physical performance requirements established by the AHJ

5.1.3.9 Wherever in this chapter the terms rules, regulations, regulatory requirements, policies, procedures, or legislative requirements are referred to, it is implied that they are those of the AHJ.

5.1.4 Definitions.

5.1.4.1 Crew Readiness. The availability and readiness of the RPIC and visual observer to deploy for sUAS operations given their knowledge and completion of pre-flight duties. (PQU)

5.1.4.2 Data Acquisition. The collection of information from sUAS for the purpose of fulfilling the mission objectives and goals in accordance with the mission plan. (PQU)

5.1.4.3 Payload Drop. The release of an item or package from sUAS for the purpose of fulfilling the mission objectives and goals in accordance with the mission plan. (PQU)

5.1.4.4 Positive Aircraft Control. Consistently maintaining appropriate control of the aircraft, regardless of the phase of flight or potential distraction of other required tasks. (PQU)

5.1.4.5 Public Safety Personnel. Any individual involved with public safety that has a mission to protect life, property, or the environment or any combination of these. (PQU)

5.1.4.6* Remote Pilot in Command (RPIC). The person who has been found by the public safety entity to be properly qualified to exercise the privileges of remote pilot and has the final authority and responsibility for the operation and safety of sUAS operation as determined by the authority having jurisdiction (AHJ). (PQU)

5.1.4.7 Resources. The equipment, personnel, and facilities required for the sUAS operations provided by the public safety department. (PQU)

5.1.4.8 Risk Assessment. The evaluation of the relative danger of sUAS operations when taking into consideration mission objectives and goals, sUAS, professional qualifications of the RPIC and visual observer, operational readiness of the crew, weather conditions, environmental conditions, regulatory requirements, potential hazards, and operating conditions. (PQU)

5.1.4.9* UAS Coordinator. A public safety person responsible for mission coordination and local deconfliction of multiple aircraft. (PQU)

5.1.4.10 Visual Observer. A person who assists the RPIC and the person manipulating the flight controls of the small UAS (if that person is not the remote pilot in command) to see and avoid other air traffic or objects aloft or on the ground. [14 CFR Part 107, 2016] (PQU)

5.2 General Requirements.

5.2.1 RPIC, Visual Observers, and Other Supervisory Personnel.

5.2.1.1 Public safety personnel engaged in sUAS operations shall comply with all regulations as required by the authority having jurisdiction.

5.2.1.2 Public safety personnel utilizing more than one aircraft for any type of operation shall have a UAS coordinator.

5.2.2 RPIC.

5.2.2.1 The RPIC shall meet the job performance requirements defined in Section 5.3.

5.2.2.2 The job performance requirements defined in Section 5.3 shall apply to the following:

- (1) Normal conditions for sUAS operations
- (2) Extreme or emergency conditions for sUAS operations

5.2.3 Visual Observer.

5.2.3.1 Visual observers shall meet the job performance requirements defined in Section 5.4.

5.2.3.2 During flight visual observers shall not perform other roles.

5.2.3.3 The visual observer shall be trained prior to deployment in pre-flight, flight, and post-flight duties in accordance with the public safety entities operating procedures.

5.3 RPIC. Duties shall include performing pre-flight, flight, and post-flight functions for sUAS operations.

5.3.1 Pre-Flight.

5.3.1.1 Plan sUAS operations given mission objectives and goals, resources, environmental conditions, and scenarios, so that a mission plan is completed that aligns with the mission objectives and goals, identifies the resources required, assesses the risks associated with the mission, and identifies the operational tasks necessary to complete the mission.

(A) Requisite Knowledge. Knowledge of airspace requirements, weather conditions, crew readiness, resource capabilities, ICS, risk assessments, and regulatory requirements.

(B) Requisite Skills. The ability to produce and communicate a mission plan.

5.3.1.2 Prepare the sUAS operation given a mission plan and resources, so that the sUAS is operated by confirming a state of readiness that demonstrates possession, configuration, and operational functions are checked and verified as operational.

(A) Requisite Knowledge. Knowledge of procedures and information needed to identify, configure, and check systems.

(B) Requisite Skills. The ability to identify, assemble, configure, and verify the operational functionality of sUAS.

5.3.2 Flight.

5.3.2.1 Perform take-off under the regulatory requirements as determined by the AHJ given a specific sUAS and confirmed state of readiness, so that the sUAS takes off after having completed system checks and flight is initiated and maintained in a manner compliant with regulatory requirements.

(A) Requisite Knowledge. Knowledge of aircraft, systems, payload, and changes in environmental conditions, weather, and regulatory requirements relating to the use and operation of sUAS.

(B) Requisite Skills. The ability to operate the specific sUAS and maintain control in a safe manner during this phase of flight.

5.3.2.2 Maintain visual line of sight given an sUAS in flight along a designated flight path under the regulatory requirements as determined by the AHJ, so that the sUAS is maneuvered in a manner that avoids obstacles and reaches targeted locations and altitudes without losing line of sight of the sUAS in accordance with the approved operational flight plan.

(A) Requisite Knowledge. Knowledge of regulatory requirements, capabilities, and operational controls of the specific sUAS.

(B) Requisite Skills. The ability to operate the specific sUAS and maintain control in a safe manner during this phase of flight.

5.3.2.3* Perform aerial maneuvers given an sUAS in flight within a designated airspace under the regulatory requirements as determined by the AHJ, so that the operator demonstrates positive aircraft control in accordance with the approved operational flight plan.

(A) Requisite Knowledge. Knowledge of regulatory requirements, capabilities, and operational controls of the specific sUAS.

(B) Requisite Skills. The ability to operate the specific sUAS, activate different sUAS functions, and maintain control in a safe manner during this phase of flight.

5.3.2.4* Perform payload functionality given an sUAS in flight within a designated airspace under the regulatory requirements as determined by the AHJ, so that the sUAS is maneuvered in a manner that avoids obstacles and demonstrates payload drop, payload application, or data acquisition at targeted locations in accordance with the mission plan.

(A) Requisite Knowledge. Knowledge of mission plan, objectives, regulatory requirements, capabilities, operation of payload functions, and operational controls of the specific sUAS.

(B) Requisite Skills. The ability to operate the specific sUAS, activate different payload functions, and maintain control in a safe manner during this phase of flight.

5.3.2.5 Perform pre-landing procedures given an sUAS in flight within a designated airspace under the regulatory requirements as determined by the AHJ, so that the sUAS is maneuvered in a manner that avoids obstacles while reaching a clear landing area, establishes a configuration for landing, and confirms a decent path free of obstructions.

(A) Requisite Knowledge. Knowledge of aircraft, systems, payload, and the effects of changes in environmental conditions, weather, and airspace requirements for the specific sUAS.

(B) Requisite Skills. The ability to operate the specific sUAS and maintain control in a safe manner during this phase of flight.

5.3.2.6 Perform a landing given an sUAS in flight within a designated airspace under the regulatory requirements as determined by the AHJ and having completed pre-landing procedures, so that the sUAS is maneuvered in a manner that avoids obstacles and is able to touch down at a clear landing area and ceases operational functions without any damage to the sUAS.

(A) Requisite Knowledge. Knowledge of small unmanned aircraft, systems, payload, and the effects of changes in environmental conditions, weather, and regulatory requirements for the specific sUAS.

(B) Requisite Skills. The ability to operate the specific sUAS and maintain control in a safe manner during this phase of flight.

5.3.3 Post-Flight.

5.3.3.1 Complete post flight procedures given an sUAS that has performed a successful landing, so that the sUAS is visually inspected for damage, configured for transport and storage, confirmed ready for service through immediate maintenance, or out of service for scheduled maintenance.

(A) Requisite Knowledge. Knowledge of small unmanned aircraft, systems, payload, transport mechanisms, and storage procedures for the specific sUAS.

(B) Requisite Skills. The ability to complete log books, forms, records, and any digital programs for information from sUAS operations.

5.3.3.2 Conduct a mission debrief given a mission plan and ended sUAS operation, so that the operational tasks necessary

to complete the mission are identified as complete, incomplete, or deviated from the designated mission plan for specific reasons.

(A) Requisite Knowledge. Knowledge of mission plan elements, contents, and the potential impact of changes in environmental conditions, weather, and regulatory requirements on the specific sUAS.

(B) Requisite Skills. The ability to communicate and present information obtained from sUAS operations.

5.4 Flight. Duties shall include performing pre-flight and in-flight functions for sUAS operations.

5.4.1 Pre-Flight.

5.4.1.1 Evaluate operational role given a mission plan, RPIC, and sUAS operation, so that operational tasks necessary to support the mission are identified, listed, and communicated to the RPIC.

(A) Requisite Knowledge. Knowledge of airspace requirements, weather conditions, and regulatory requirements.

(B) Requisite Skills. The ability to review, understand, and support a mission plan.

5.4.2 Flight.

5.4.2.1 Maintain visual line of sight of the sUAS given an RPIC and an sUAS in flight along a designated flight path under the regulatory requirements as determined by the AHJ, so that obstacles are identified and communicated to the RPIC prior to a potential collision and in a time that allows for corrective action.

(A) Requisite Knowledge. Knowledge of regulatory requirements and operational and flight capabilities of the specific sUAS.

(B) Requisite Skills. The ability to communicate verbally to the RPIC.

Chapter 6 Maintenance of sUAS

6.1 Administration.

6.1.1 Scope. This chapter shall identify minimum requirements for the maintenance of sUAS when used for public safety operations. (See 1.6.3.)

6.1.2 Purpose. The chapter shall establish procedures as part of a program to provide maintenance for sUAS when used by public safety entities in order to reduce risks associated with poorly maintained, contaminated, or damaged sUAS and ensure airworthiness.

6.1.3 Application. The chapter shall apply to new and existing sUAS used by public safety entities.

6.1.4 Definitions.

6.1.4.1 Maintenance Program. A maintenance program is a system or set of procedures for the continuous maintenance of the sUAS in order to ensure airworthiness.

6.2 General Requirements.

6.2.1 Public safety entities that utilize sUAS shall establish a maintenance program in accordance with this chapter.

6.2.2 The maintenance program shall be documented and address all components of the system, maintenance personnel, and training.

6.2.3 The program shall comply with the system manufacturer's recommendations if provided, or the public safety entity shall develop its own program.

6.2.4 Maintenance programs shall include scheduled and unscheduled maintenance requirements.

6.2.5 As part of the maintenance program, the public safety entity shall have procedures for service for the following:

- (1) Routine cleaning
- (2) Decontamination
- (3) Maintenance necessary due to operational applications
- (4) Maintenance necessary due to operating environment
- (5) Storage requirements

6.2.6 Maintenance programs shall identify the following:

- (1) List of personnel authorized to perform each type of maintenance
- (2) Necessary qualifications of personnel authorized to perform maintenance
- (3) Maintenance only performed by the manufacturer

6.2.7 Discrepancy Reporting.

6.2.7.1 Maintenance programs shall have a documented discrepancy reporting procedure for unscheduled maintenance.

6.2.7.2 Discrepancy reporting shall include procedures for removing the sUAS from service, including procedures for identifying those systems determined to be out of service.

6.2.8 Maintenance programs shall require post-maintenance systems checks appropriate to the level of maintenance performed, including firmware and software updates, prior to returning the sUAS to service.

6.2.9 Maintenance programs shall have a documented battery storage, charging, disposal, and emergency procedures policy in accordance with the manufacturer's recommendations or agency instructions.

6.2.10 Maintenance programs shall have a documented parts storage policy in accordance with the manufacturer's instructions.

6.2.11 Recordkeeping.

6.2.11.1 Maintenance programs shall require documentation of all maintenance activities in a logbook.

6.2.11.2 Unless in conflict with any retention policies or laws as determined by the AHJ, maintenance records shall be retained by the public safety department for the life of the sUAS.

Annex A Explanatory Material

Annex A is not a part of the requirements of this NFPA document but is included for informational purposes only. This annex contains explanatory material, numbered to correspond with the applicable text paragraphs.

A.1.3.2 Small unmanned aircraft means an unmanned aircraft weighing less than 55 lb on takeoff, including everything that is on board or otherwise attached to the aircraft. The weight limit defining a small unmanned aircraft will vary from country to country and quite often will be determined by the applicable aviation authority. The current definition is based on regulations in the United States developed by the Federal Aviation Administration (FAA). 14 CFR Part 107, often referred to as “the Small Unmanned Aircraft Rule — Part 107” establishes the less than 55-lb (25 kg) weight limit used in this standard for small unmanned aircraft. Public safety entities will need to apply the applicable weight limit, if any, based on the AHJ.

A.1.5 For example, the AHJ includes the aviation regulatory authority having jurisdiction. In the United States, this is the FAA. Internationally, this is the applicable national civil aviation authority.

A.1.6.6 For example, the corresponding annex to 4.1.1 will be A.4.1.1, for 5.1.1 it will be A.5.1.1, and for 6.1.1 it will be A.6.1.1.

A.3.2.1 Approved. The National Fire Protection Association does not approve, inspect, or certify any installations, procedures, equipment, or materials; nor does it approve or evaluate testing laboratories. In determining the acceptability of installations, procedures, equipment, or materials, the authority having jurisdiction may base acceptance on compliance with NFPA or other appropriate standards. In the absence of such standards, said authority may require evidence of proper installation, procedure, or use. The authority having jurisdiction may also refer to the listings or labeling practices of an organization that is concerned with product evaluations and is thus in a position to determine compliance with appropriate standards for the current production of listed items.

A.3.2.2 Authority Having Jurisdiction (AHJ). The phrase “authority having jurisdiction,” or its acronym AHJ, is used in NFPA documents in a broad manner, since jurisdictions and approval agencies vary, as do their responsibilities. Where public safety is primary, the authority having jurisdiction may be a federal, state, local, or other regional department or individual such as a fire chief; fire marshal; chief of a fire prevention bureau, labor department, or health department; building official; electrical inspector; or others having statutory authority. For insurance purposes, an insurance inspection department, rating bureau, or other insurance company representative may be the authority having jurisdiction. In many circumstances, the property owner or his or her designated agent assumes the role of the authority having jurisdiction; at government installations, the commanding officer or departmental official may be the authority having jurisdiction.

A.4.1.4.2 Digital Media Evidence (DME). The term DME used in this standard refers specifically to data associated with that form of DME.

A.4.1.4.5 Public Safety Entity. The following is a non-exhaustive list of different types of public safety entities:

- (1) Fire Service
- (2) Law Enforcement
- (3) Emergency Medical Services (EMS)
- (4) Emergency Management
- (5) Search and Rescue
- (6) Hazardous Materials Response

A.4.5.3 Within the purchase specification there are many additional elements a public safety entity needs to consider. This annex provides further guidance on topics such as life cycle sustainability, the evaluation of system capabilities, minimum system considerations, and data link security.

Public safety departments will need to consider the life cycle sustainability of any sUAS they intend to purchase. The ability of a manufacturer to supply replacement parts, critical maintenance, system updates (firmware/software), upgrades, and other applicable components is essential to ensuring continuous sUAS operations. Manufacturer considerations can include, but are not limited to, the following:

- (1) Length of time the manufacturer built or sold sUAS
- (2) Mean time between failures
- (3) Availability — the mean time (how long one can expect to wait) to repair
- (4) Total number of systems delivered
- (5) Total number of systems in use by public safety departments
- (6) Feedback from existing customers
- (7) Recorded performance data

In order to evaluate system capabilities, the public safety entity should consider conducting the following procedure based on the purchase specification:

- (1) Define and prioritize a list of mission objectives for the sUAS as determined by the operational needs assessment. An example of a mission objective might be to visually identify an object of interest from a given altitude and distance, then deliver a payload to a target location.
- (2) Decompose the envisioned mission objectives into their essential mission capabilities. Following the same examples, the system should have a certain level of visual acuity, and potentially also a level of thermal acuity, from the expected altitude. It should have an expected endurance range and time given the payload weight, plus a number of other essential capabilities and safeguards for such a mission to be successful.
- (3) Identify the list of applicable standard test methods (with or without acceptance criteria) representing those essential mission capabilities. Examples of test method categories include safety, maneuvering, sensing, situational awareness, energy, communications, durability, and logistics. Annex D provides a list of potential test methods currently in development that could provide such information.
- (4) Review the quantitative capabilities data captured within the test methods for the class of sUAS being considered. If particular systems have not yet been tested, ask the manufacturer to provide the results of such testing.

- (5) Assess existing combinations of capabilities for available systems to align with envisioned missions.
- (6) Consider the value of these systems by comparing system costs vs. their capabilities relative to the "best-in-class" identified in the quantitative data. It is sometimes easiest for comparison purposes to ask each manufacturer to quote a system and related components adding up to a fixed (arbitrary) cost to directly compare value.
- (7) Specify your chosen sUAS capabilities for procurement using all applicable test methods with related acceptance criteria as referenced from the quantitative data.
- (8) If possible, perform acceptance testing using selected high priority test methods to ensure the delivered system meets the acceptance criteria.

Public safety entities acquiring sUAS should consider the following minimum system considerations for that purchase. These specifications ensure the system has the ability to perform the identified mission safely and effectively.

- (1) The small unmanned aircraft should be capable of autonomously executing emergency procedures without the need for inputs by the RPIC for the following situations:
 - (a) Loss of the command and control communications link
 - (b) Loss of global positioning system signal
- (2) sUAS being considered should have the sensors required to perform the identified missions available to meet the identified mission objectives.
- (3) The sUAS should be capable of streaming video live to the incident command post or other locations if that requirement is needed to satisfy the identified mission set.
- (4) sUAS should be able to record flight telemetry including the following: date, time, altitude, and GPS coordinates. This recorded information allows the agency to document the location of the aircraft for evidentiary value or complaint investigations.
- (5) The sUAS control station (the interface used by the RPIC to control the sUAS) should have the ability to monitor the strength of the command and control communications signal between the control station and air vehicle to present loss of that signal and thus control of the air vehicle.
- (6) The sUAS control station should have the capability to monitor battery or fuel load of the air vehicle at the control station. This information will be crucial in order to ensure sufficient power or fuel exists to complete the mission objectives and allow for safe return and recovery.
- (7) sUAS should have the ability to monitor altitude above ground level at the ground control station (GSC).
- (8) sUAS should have a tamper-proof flight time calculator. The ability to account for all flight time to assure that all flights are approved and documented is essential to assure appropriate use of the system. A tamper-proof system tabulates flight time and allows only authorized personnel to reset that calculator.
- (9) sUAS intended for use at night or during civil twilight time should have lighted anticollision lighting visible for at least 3 statute miles (required by 14 CFR Part 107). In addition to anti-collision lighting, the air vehicle can be equipped with standard aircraft position lights and painted in high-visibility colors to aid in maintaining visual sight of the air vehicle.

- (10) The manufacturer should be able to provide the following based on the specific sUAS purchased by the public safety department:
 - (a) System operating manual
 - (b) Maintenance manual or maintenance procedures
- (11) The manufacturer should provide the following standardized programs for any sUAS purchased by the public safety department:
 - (a) Training program for RPICs
 - (b) System maintenance program
- (12) The manufacturer should provide the following standardized checklists based on the specific sUAS purchased by the public safety department:
 - (a) Pre-flight
 - (b) Launch
 - (c) Pre-landing
 - (d) Recovery/landing
 - (e) Post-flight

Note that the U.S. National Institute of Justice publication, *"Considerations and Recommendations for Implementing an Unmanned Aircraft Systems (UAS) Program,"* also lists additional recommendations for public safety sUAS specifications.

Public safety entities should consider the need for data link security in relation to the sUAS they intend to purchase. All unmanned aircraft systems use wireless communications links to control the aircraft and to downlink data from its airborne sensors. Many sUAS use minimal, if any, encryption to protect those signals from being compromised. Should this happen, the command and control signal is blocked and either someone else can take control of the aircraft or the aircraft will "fly away" uncontrolled. For data being downlinked, it could allow others to view the data being collected. Many systems use "open source" autopilots, essentially a commercially available autopilot that can be obtained by literally anyone. By definition, any system using an open source autopilot is compromised from a security perspective as it can be obtained and used by anyone to control any system using the same autopilot.

Using multiple levels of security provides the highest level of protection. This is accomplished by manufacturers not using open source components. Next, digital data links can be secured with Advanced Encryption Standard (AES), 256-bit encryption. AES encryption is a specification for the encryption of electronic data established by the U.S. National Institute for Standards and Technology (NIST). AES is the standard for the U.S. federal government and is the only publicly accessible cipher approved by the National Security Agency for top-secret information.

The sUAS being acquired by the public safety entity should have an appropriate level of security, commensurate with the mission, to protect the wireless communications links used to control the aircraft and to downlink data from its airborne sensors.

A.4.6.1.3 In the United States, the FAA provides risk assessment tools which can be found in the Advisory Circular 107-2. This guidance will change based on the country you are operating from and what applicable guidance your national aviation authority uses.

A.4.6.1.6 In addition to regulatory requirements as determined by the applicable national aviation authority, there can exist additional regulations at an operational level. These can also vary based on the type of public safety entity and the type of sUAS operations provided. For example, a fire department operating sUAS for responding to incidents can be subject to different regulatory requirements than a law enforcement agency operating sUAS for reconnaissance, even if operating in the same location.

A.4.6.1.11 Public safety entities should be aware of the potential for contaminated sUAS to cross-contaminate other areas if it is allowed to leave the warm zone prior to decontamination or the sUAS returns home due to the loss of communications link.

A.4.7.1 Uses of sUAS in a fire-fighting environment can include but are not limited to the following:

- (1) Assessing thermal conditions
- (2) Hazard identification
- (3) Personnel tracking
- (4) Victim location
- (5) Atmospheric condition monitoring
- (6) Providing temporary illumination
- (7) Assessing structural status
- (8) Identification of urban interface
- (9) Identification of fuel types
- (10) Identification of shelter locations
- (11) Identification of evacuation or escape routes
- (12) Identification of fuel load

A.4.7.2 Uses of sUAS in a search and rescue environment can include but are not limited to the following:

- (1) Missing person search
- (2) Confirming victim locations
- (3) Delivery of supplies
- (4) Monitoring condition of victim(s)
- (5) As a visual beacon
- (6) Radio direction finding
- (7) To help locate access routes for ground teams
- (8) 3D imaging a search area or incident site
- (9) Assessing structural integrity
- (10) Providing temporary illumination

A.4.7.3 Uses of sUAS in hazardous materials response can include but are not limited to the following:

- (1) Site survey
- (2) Material identification
- (3) Container identification and condition
- (4) Monitoring hazardous product migration
- (5) Delivery of supplies or equipment
- (6) Help to identify safe ingress and egress routes
- (7) Providing temporary illumination
- (8) Monitoring personnel accountability
- (9) Monitoring mass decontamination operations
- (10) Atmospheric monitoring, if properly equipped

A.4.7.4 Uses of sUAS in emergency medical intervention are primarily for the delivery of supplies (including pharmaceuticals) and samples. Other uses include but are not limited to the following:

- (1) Telemedicine
- (2) Intervention delivery
- (3) Equipment or recovery support
- (4) Remote consultation of treatment and management

A.4.7.4.3 In the United States, the applicable patient privacy regulations are referred to as the Health Insurance Portability and Accountability Act (HIPAA) of 1996. It provides data privacy and security provisions for safeguarding medical information. This will change based on the country you are operating from and what the applicable patient privacy regulations are.

A.4.7.5 Uses of sUAS for law enforcement can include but are not limited to the following:

- (1) Crime scene investigation
- (2) Traffic control
- (3) Gathering incident information
- (4) Clear or maintain perimeters
- (5) Reconstructions
- (6) Assist with locating victim(s) or suspect(s)
- (7) Documentation
- (8) Identify presence and/or location of hazards
- (9) Evidence collection

A.4.7.6 Uses of sUAS for other ancillary public safety operations (non-emergency) can include but are not limited to the following:

- (1) Training/exercises
- (2) Flight demonstrations
- (3) Survey
- (4) Pre-incident planning
- (5) Visual screening
- (6) Risk/vulnerability assessments
- (7) Cartography
- (8) Investigations
- (9) Recovery operations
- (10) Safety assessments
- (11) Damage assessments
- (12) Test flights
- (13) Documentation
- (14) Communications
- (15) Critical Infrastructure Inspection

A.5.1.4.6 Remote Pilot In Command (RPIC). Remote pilot certification can be achieved through certification of the national governing authority — that is, FAA 14 CFR Part 107, or Remote Pilot Aircraft System (RPAS) Certificate (International).

A.5.1.4.9 UAS Coordinator. The UAS coordinator ensures that multiple sUAS are separated by vertical or horizontal distance, and that each aircraft does not interfere with any other. The UAS coordinator is responsible for coordinating all UAS operations with manned aviation if these are operating on the incident. The role of the UAS coordinator can be taken on by a qualified member of the ICS air operations branch at the discretion of the IC or air operations branch director.

A.5.3.2.3 The type of sUAS (e.g., fixed wing, untethered quadcopter, or tethered quadcopter) will greatly affect the type of maneuvers the RPIC can perform. Also, the capabilities and limitations of the individual product may influence the maneuvers an RPIC can demonstrate. Any training or curriculum based on the JPR should take these factors into consideration.

The following test methods developed by the National Institute of Standards and Technology (NIST) can be applied to the JPR to demonstrate RPIC proficiency when performing aerial maneuvers:

- (1) *Maintain position and rotate.* This test method evaluates the system capability to maintain position while rotating. The system performs a series of basic maneuvers using an onboard camera to align with four surrounding recessed targets angled inward toward a defined center hover position and altitude. [See Figure A.5.3.2.3(a).]
- (2) *Orbit a point (move and rotate).* This test method evaluates the system capability to move and rotate around a point. The system performs a series of basic maneuvers using an onboard camera to align with centrally located bucket targets from a defined radius and altitude. Surrounding bucket targets are used to define the intended radius and altitude. This test method can be conducted manually using discrete move and rotate maneuvers or automatically using orbit features of the system. [See Figure A.5.3.2.3(b).]
- (3) *Land accurately.* This test method evaluates the system capability to land accurately from vertical and downward 45-degree descending approaches. The system performs a series of landings on a metered platform from a defined range, altitude, and four different approach directions. When performing the angled approaches, the recessed targets are used to guide the descent. [See Figure A.5.3.2.3(c).]
- (4) *Avoid obstacles (figure-8s).* This test method evaluates the system capability to maneuver around vertical obstacles (shown as yellow posts) and horizontal obstacles (shown as red bars). The system performs a series of figure-8 paths in various orientations, including nose-forward, nose-left, and nose-right. [See Figure A.5.3.2.3(d).]
- (5) *Fly straight and level.* This test method evaluates the capability to fly straight and level using a visual target as a guide. The system performs a series of flights toward such targets either from multiple directions or in a back and forth manner between two targets using the recessed bucket target to assess deviations from the linear trajectory. [See Figure A.5.3.2.3(e).]



FIGURE A.5.3.2.3(a) Maintain Position and Rotate.




FIGURE A.5.3.2.3(b) Orbit a Point (Move and Rotate).




FIGURE A.5.3.2.3(c) Land Accurately.



FIGURE A.5.3.2.3(d) Avoid Obstacles (Figure-8s).



FIGURE A.5.3.2.3(e) Fly Straight and Level.




FIGURE A.5.3.2.4(a) Point and Zoom Cameras.

A.5.3.2.4 The type of sUAS (e.g., fixed wing, untethered quadcopter, or tethered quadcopter) will greatly affect the type of payload functions the RPIC can perform. Also, the capabilities and limitations of the individual product may influence the payload functions an RPIC can demonstrate. Any training or curriculum based on the JPR should take these factors into consideration.

The following test methods developed by the NIST can be applied to the JPR to demonstrate RPIC proficiency when performing payload functions:

- (1) *Point and zoom cameras.* This test method evaluates the capability to point and zoom cameras at near-field and far-field visual acuity targets from a specified hover position. The system performs a series of target identifications alternating between near-field and far-field visual acuity targets separated by a 180-degree rotation. [See Figure A.5.3.2.4(a).]
- (2) *Identify objects.* This test method evaluates the capability to move and rotate around an object of interest to identify key features. The system performs a series of basic maneuvers using an onboard camera to align with centrally located bucket targets from a defined radius and altitude. Surrounding bucket targets are used to define the intended radius and altitude. This test method can be conducted manually using discrete move and rotate maneuvers or automatically using orbit features of the system. [See Figure A.5.3.2.4(b).]
- (3) *Inspect objects.* This test method evaluates the capability to move around an object of interest to inspect key details from close proximity. The system performs a series of basic maneuvers using an onboard camera to align with bucket targets to inspect downward, forward, omnidirectional, and upward objects. [See Figure A.5.3.2.4(c).]
- (4) *Map wide areas.* This test method evaluates the capability to localize and map a variety of known and unknown objects across a wide area. The system performs its mapping function from a prescribed altitude intended to force extensive stitching of images. Ground targets are placed at known locations throughout a scenario. The embedded ground objects are made of standard test apparatuses used in other test methods and operationally significant items. [See Figure A.5.3.2.4(d).]
- (5) *Drop accuracy.* This test method evaluates the capability to drop a payload accurately from a defined altitude. The system performs a series of drops on a metered platform from different altitudes. The payloads can be weighted surrogates or operationally significant delivery items. [See Figure A.5.3.2.4(e).]



FIGURE A.5.3.2.4(b) Identify Objects.



FIGURE A.5.3.2.4(c) Inspect Objects.




FIGURE A.5.3.2.4(d) Map Wide Areas.




FIGURE A.5.3.2.4(e) Drop Accuracy.

Annex B Explanation of Professional Qualification Standards and the Concepts of Job Performance Requirements (JPRs)

This annex is not a part of the requirements of this NFPA document but is included for informational purposes only.

B.1 Explanation of the Professional Qualifications Standards and Concepts of Job Performance Requirements (JPRs). The primary benefit of establishing national professional qualifications standards is to provide both public and private sectors with a framework of the job requirements for emergency services personnel. Other benefits include enhancement of the profession, individual as well as organizational growth and development, and standardization of practices.

NFPA professional qualifications standards identify the minimum job performance requirements (JPRs) for specific emergency services levels and positions. The standards can be used for training design and evaluation; certification; measuring and critiquing on-the-job performance; defining hiring practices; job descriptions; and setting organizational policies, procedures, and goals.

Professional qualifications standards for specific jobs are organized by major areas of responsibility defined as “duties”. For example, the fire fighter’s duties might include fire department communications, fireground operations, and preparedness and maintenance, whereas the fire and life safety educator’s duties might include education and implementation, planning and development, and evaluation. Duties are major functional areas of responsibility within a specific job.

The professional qualifications standards are written as JPRs. JPRs describe the performance required for a specific job and are grouped according to the duties of the job. The complete list of JPRs for each duty defines what an individual must be able to do in order to perform and achieve that duty.

B.2 The Parts of a JPR.

B.2.1 Critical Components. The JPR comprises three critical components, which are as follows:

- (1) Task to be performed, partial description using an action verb
- (2) Tools, equipment, or materials that are to be provided to complete the task
- (3) Evaluation parameters and performance outcomes

Table B.2.1 gives an example of the critical components of a JPR.

Table B.2.1 Component Example

Component Example	
1) Task to be performed	1) Perform overhaul at a fire scene,
2) Tools, equipment, or materials	2) given approved PPE, attack line, hand tools, flashlight, and an assignment,
3) Evaluation parameters and performance outcomes	3) so that structural integrity is not compromised, all hidden fires are discovered, fire cause evidence is preserved, and the fire is extinguished.

B.2.1.1 The Task to Be Performed. The first component is a concise statement of what the person is required to do. A significant aspect of that phrase is the use of an action verb, which sets the expectation for what is to be accomplished.

B.2.1.2 Tools, Equipment, or Materials That Must Be Provided for Successful Completion of the Task. This component ensures that all individuals completing the task are given the same tools, equipment, or materials when they are being evaluated. Both the individual and the evaluator will know what will be provided in order for the individual to complete the task.

B.2.1.3 Evaluation Parameters and Performance Outcomes. This component defines — for both the performer and the evaluator — how well the individual should perform each task. The JPR guides performance toward successful completion by identifying evaluation parameters and performance outcomes. This portion of the JPR promotes consistency in evaluation by reducing the variables used to gauge performance.

B.2.2 Requisite Knowledge and Skills. In addition to these three components, the JPR describes requisite knowledge and skills. As the term requisite suggests, these are the necessary knowledge and skills the individual should have prior to being able to perform the task. Requisite knowledge and skills are the foundation for task performance.

B.2.3 Examples. With the components and requisites combined, a JPR might read similar to the following two examples.

B.2.3.1 Example: Fire Fighter I. Perform overhaul at a fire scene, given approved PPE, attack line, hand tools, flashlight, and an assignment, so that structural integrity is not compromised, all hidden fires are discovered, fire cause evidence is preserved, and the fire is extinguished.

(A) Requisite Knowledge. Knowledge of types of fire attack lines and water application devices for overhaul, water application methods for extinguishment that limit water damage, types of tools and methods used to expose hidden fire, dangers associated with overhaul, signs of area of origin or signs of arson, and reasons for protection of fire scene.

(B) Requisite Skills. The ability to deploy and operate an attack line; remove flooring, ceiling, and wall components to expose void spaces without compromising structural integrity; apply water for maximum effectiveness; expose and extinguish hidden fires in walls, ceilings, and subfloor spaces; recognize and preserve signs of area of origin and arson; and evaluate for complete extinguishment.

B.2.3.2 Example: Fire and Life Safety Educator II. Prepare a written budget proposal for a specific program or activity, given budgetary guidelines, program needs, and delivery expense projections, so that all guidelines are followed and the budget identifies all program needs.

(A) Requisite Knowledge. Knowledge of budgetary process; governmental accounting procedures; federal, tribal, state, and local laws; organizational bidding process; and organization purchase requests.

(B) Requisite Skills. The ability to estimate project costs; complete budget forms; requisition/purchase orders; collect, organize, and format budgetary information; complete program budget proposal; and complete purchase requests.

B.3 Potential Uses for JPRs.

B.3.1 Certification. JPRs can be used to establish the evaluation criteria for certification at a specific job level. When used for certification, evaluation should be based on the successful completion of the JPRs.

The evaluator would verify the attainment of requisite knowledge and skills prior to JPR evaluation. Verification could be through documentation review or testing.

The individual seeking certification would be evaluated on completion of the JPRs. The individual would perform the task and be evaluated based on the evaluation parameters and performance outcomes. This performance-based evaluation is based on practical exercises for psychomotor skills and written examinations for cognitive skills.

Psychomotor skills are those physical skills that can be demonstrated or observed. Cognitive skills cannot be observed but rather are evaluated on how an individual completes the task (process-oriented) or on the task outcome (product-oriented).

Performance evaluation requires that individuals be given the tools, equipment, or materials listed in the JPR in order to complete the task.

B.3.2 Curriculum Development and Training Design and Evaluation. The statements contained in this document that refer to job performance were designed and written as JPRs. Although a resemblance to instructional objectives might be present, these statements should not be used in a teaching situation until after they have been modified for instructional use.

JPRs state the behaviors required to perform specific skills on the job, as opposed to a learning situation. These statements should be converted into instructional objectives with behaviors, conditions, and degree to be measured within the educational environment.

While the differences between JPRs and instructional objectives are subtle in appearance, their purposes differ. JPRs state what is necessary to perform the job in practical and actual experience. Instructional objectives, on the other hand, are used to identify what students must do at the end of a training session and are stated in behavioral terms that are measurable in the training environment.

By converting JPRs into instructional objectives, instructors would be able to clarify performance expectations and avoid confusion caused by the use of statements designed for purposes other than teaching. Instructors would be able to add jurisdictional elements of performance into the learning objectives as intended by the developers.

Requisite skills and knowledge could be converted into enabling objectives, which would help to define the course content. The course content would include each item of the requisite knowledge and skills ensuring that the course content supports the terminal objective.

B.3.2.1 Example: Converting a Fire Fighter I JPR into an Instructional Objective. The instructional objectives are just two of several instructional objectives that would be written to support the terminal objective based on the JPR.

JPR: Perform overhaul at a fire scene, given approved PPE, attack line, hand tools, flashlight, and an assignment, so that structural integrity is not compromised, all hidden fires are discovered, fire cause evidence is preserved, and the fire is extinguished.

Instructional Objective (Cognitive): The Fire Fighter I will identify and describe five safety considerations associated with structural integrity compromise during overhaul as part of a written examination.

Instructional Objective (Psychomotor): The Fire Fighter I will demonstrate the designed use of tools and equipment during overhaul to locate and extinguish hidden fires without compromising structural integrity.

B.3.2.2 Example: Converting a Fire and Life Safety Educator II JPR into an Instructional Objective. The instructional objectives are just two of several instructional objectives that would be written to support the terminal objective based on the JPR.

JPR: Prepare a written budget proposal for a specific program or activity, given budgetary guidelines, program needs, and delivery expense projections, so that all guidelines are followed and the budget identifies all program needs.

Instructional Objective (Cognitive): The Fire and Life Safety Educator II will list and describe the bidding process for the purchase of a published program using budgetary guidelines, program needs, and the guidelines established by local organizational procedures as part of a written examination.

Instructional Objective (Psychomotor): The Fire and Life Safety Educator II will lead in the purchase of a specific fire and life safety educational program by following the bidding process to completion, using local organizational guidelines, including budgetary procedures, program needs, and delivery expense projections.

B.4 Other Uses for JPRs. While the professional qualifications standards are used to establish minimum JPRs for qualification, they have been recognized as guides for the development of training and certification programs, as well as a number of other potential uses.

These areas might include the following:

- (1) *Employee Evaluation/Performance Critiquing.* The professional qualifications standards can be used as a guide by both the supervisor and the employee during an evaluation. The JPRs for a specific job define tasks that are essential to perform on the job, as well as the evaluation criteria to measure completion of the tasks.
- (2) *Establishing Hiring Criteria.* The professional qualifications standards can be helpful in a number of ways to further the establishment of hiring criteria. The authority having jurisdiction (AHJ) could simply require certification at a specific job level, for example, Fire Fighter I. The JPRs could also be used as the basis for pre-employment screening to establish essential minimal tasks and the related evaluation criteria. An added benefit is that individuals interested in employment can work toward the minimal hiring criteria at local colleges.
- (3) *Employee Development.* The professional qualifications standards can be practical for both the employee and the employer in developing a plan for the employee's growth within the organization. The JPRs and the associated

requisite knowledge and skills can be used as a guide to determine additional training and education required for the employee to master the job or profession.

- (4) *Succession Planning*. Succession planning addresses the efficient placement of individuals into jobs in response to current needs and anticipated future needs. A career development path can be established for targeted employees to prepare them for growth within the organization. The JPRs and requisite knowledge and skills could then be used to develop an educational path to aid in the employee's advancement within the organization or profession.
- (5) *Establishing Organizational Policies, Procedures, and Goals*. The professional qualifications standards can be functional for incorporating policies, procedures, and goals into the organization or agency.

B.5 Bibliography.

Annett, J., and N. E. Stanton, *Task Analysis*. London and New York: Taylor and Francis, 2000.

Brannick, M. T., and E. L. Levine, *Job Analysis: Methods, Research, and Applications for Human Resource Management in the New Millennium*. Thousand Oaks, CA: Sage Publications, 2002.

Dubois, D. D., *Competency-Based Performance Improvement: A Strategy for Organizational Change*. Amherst, MA: HRD Press, 1999.

Fine, S. A., and S. F. Cronshaw, *Functional Job Analysis: A Foundation for Human Resources Management (Applied Psychology Series)*. Mahwah, NJ: Lawrence Erlbaum Associates, 1999.

Gupta, K., C. M. Sleezer (editor), and D. F. Russ-Eft (editor), *A Practical Guide to Needs Assessment*. San Francisco: Jossey-Bass/Pfeiffer, 2007.

Hartley, D. E., *Job Analysis at the Speed of Reality*. Amherst, MA: HRD Press, 1999.

Hodell, C., *ISD from the Ground Up: A No-Nonsense Approach to Instructional Design*, 3rd edition. Alexandria, VA: American Society for Training & Development, 2011.

Jonassen, D. H., M. Tessmer, and W. H. Hannum, *Task Analysis Methods for Instructional Design*. Mahwah, NJ: Lawrence Erlbaum Associates, 1999.

McArdle, G., *Conducting a Needs Analysis (Fifty-Minute Book)*. Boston: Crisp Learning, 1998.

McCain, D. V., *Creating Training Courses (When You're Not a Trainer)*. Alexandria, VA: American Society for Training & Development, 1999.

NFPA 1001, *Standard for Fire Fighter Professional Qualifications*, 2013 edition.

NFPA 1035, *Standard on Fire and Life Safety Educator, Public Information Officer, Youth Firesetter Intervention Specialist, and Youth Firesetter Program Manager Professional Qualifications*, 2015 edition.

Phillips, J. J., *In Action: Performance Analysis and Consulting*. Alexandria, VA: American Society for Training & Development, 2000.

Phillips, J. J., and E. F. Holton III, *In Action: Conducting Needs Assessment*. Alexandria, VA: American Society for Training & Development, 1995.

Robinson, D. G., and J. C. Robinson (Eds.), *Moving from Training to Performance: A Practical Guidebook*. Alexandria, VA: American Society for Training & Development; San Francisco: Berrett-Koehler, 1998.

Schippmann, J. S., *Strategic Job Modeling: Working at the Core of Integrated Human Resources*. Mahwah, NJ: Lawrence Erlbaum Associates, 1999.

Shepherd, A., *Hierarchical Task Analysis*. London and New York: Taylor and Francis, 2000.

Zemke, R., and T. Kramlinger, *Figuring Things Out: A Trainer's Guide to Needs and Task Analysis*. New York: Perseus Books, 1993.

Annex C An Overview of JPRs for RPIC and Visual Observer

This annex is not a part of the requirements of this NFPA document but is included for informational purposes only.

C.1 RPIC and Visual Observer. The matrices shown in Table C.1 are included to provide the user of the standard with an overview of the JPRs and the progression of the various levels found in the document. They are intended to assist the user of the document with the implementation of the requirements and the development of training programs using the JPRs.

Table C.1 RPIC and Visual Observer

RPIC	Visual Observer
Pre-Flight	
<p>5.3.1.1 Plan sUAS operations given mission objectives and goals, resources, environmental conditions, and scenarios, so that a mission plan is completed that aligns with the mission objectives and goals, identifies the resources required, assesses the risks associated with the mission, and identifies the operational tasks necessary to complete the mission.</p> <p>5.3.1.2 Prepare the sUAS operation given a mission plan and resources, so that the sUAS is operated by confirming a state of readiness that demonstrates possession, configuration, and operational functions are checked and verified as operational.</p>	<p>5.4.1.1 Evaluate operational role given a mission plan, RPIC, and sUAS operation, so that operational tasks necessary to support the mission are identified, listed, and communicated to the RPIC.</p>
Flight	
<p>5.3.2.1 Perform take-off under the regulatory requirements as determined by the AHJ given a specific sUAS and confirmed state of readiness, so that the sUAS takes off after having completed system checks and flight is initiated and maintained in a manner compliant with regulatory requirements.</p> <p>5.3.2.2 Maintain visual line of sight given an sUAS in flight along a designated flight path under the regulatory requirements as determined by the AHJ, so that the sUAS is maneuvered in a manner that avoids obstacles and reaches targeted locations and altitudes without losing line of sight of the sUAS in accordance with the approved operational flight plan.</p> <p>5.3.2.3 Perform aerial maneuvers given an sUAS in flight within a designated airspace under the regulatory requirements as determined by the AHJ, so that the operator demonstrates positive aircraft control in accordance with the approved operational flight plan.</p> <p>5.3.2.4 Perform payload functionality given an sUAS in flight within a designated airspace under the regulatory requirements as determined by the AHJ, so that the sUAS is maneuvered in a manner that avoids obstacles and demonstrates payload drop, payload application, or data acquisition at targeted locations in accordance with the mission plan.</p> <p>5.3.2.5 Perform pre-landing procedures given an sUAS in flight within a designated airspace under the regulatory requirements as determined by the AHJ, so that the sUAS is maneuvered in a manner that avoids obstacles while reaching a clear landing area, establishes a configuration for landing, and confirms a decent path free of obstructions.</p> <p>5.3.2.6 Perform a landing given an sUAS in flight within a designated airspace under the regulatory requirements as determined by the AHJ and having completed pre-landing procedures, so that the sUAS is maneuvered in a manner that avoids obstacles and is able to touch down at a clear landing area and ceases operational functions without any damage to the sUAS.</p>	<p>5.4.2.1 Maintain visual line of sight of the sUAS given an RPIC and sUAS in flight along a designated flight path under the regulatory requirements as determined by the AHJ, so that obstacles are identified and communicated to the RPIC prior to a potential collision and in a time that allows for corrective action.</p>
Post-Flight	
<p>5.3.3.2 Conduct a mission debrief given a mission plan and ended sUAS operation, so that the operational tasks necessary to complete the mission are identified as complete, incomplete, or deviated from the designated mission plan for specific reasons.</p> <p>5.3.4.1 Complete post-flight procedures given an sUAS that has performed a successful landing, so that the sUAS is visually inspected for damage, configured for transport and storage, confirmed ready for service through immediate maintenance, or out of service for scheduled maintenance.</p>	

Annex D Applicable Standard Test Methods

This annex is not a part of the requirements of this NFPA document but is included for informational purposes only.

D.1 The following is a list of standard test methods currently in development that could provide useful information on essential mission capabilities for sUAS operations.

D.1.1 Safety.

- (1) Standard Test Method for Evaluating Aerial Response Robot Safety: Impact Forces
- (2) Standard Test Method for Evaluating Aerial Response Robot Safety: Lights and Sounds
- (3) Standard Practice for Evaluating Aerial Response Robot Safety: Propeller Guards
- (4) Standard Test Method for Evaluating Aerial Response Robot Safety: Sense and Avoid
- (5) Standard Test Method for Evaluating Aerial Response Robot Safety: Lost Power Behaviors
- (6) Standard Test Method for Evaluating Aerial Response Robot Safety: Lost Communications Behaviors
- (7) Standard Test Method for Evaluating Aerial Response Robot Safety: Lost GPS Behaviors
- (8) Standard Practice for Evaluating Aerial Response Robot Safety: Pre-Flight Readiness Assessment
- (9) Standard Practice for Evaluating Aerial Response Robot Safety: Return to Home Behavior

D.1.2 Maneuvering.

- (1) Standard Test Method for Evaluating Aerial Response Robot Maneuvering: Maintain Position
- (2) Standard Test Method for Evaluating Aerial Response Robot Maneuvering: Land Accurately
- (3) Standard Test Method for Evaluating Aerial Response Robot Maneuvering: Orbit a Point
- (4) Standard Test Method for Evaluating Aerial Response Robot Maneuvering: Avoid Obstacles
- (5) Standard Test Method for Evaluating Aerial Response Robot Maneuvering: Pass through Openings

D.1.3 Sensing.

- (1) Standard Test Method for Evaluating Aerial Response Robot Sensing: Visual Image Acuity
- (2) Standard Test Method for Evaluating Aerial Response Robot Sensing: Visual Dynamic Range
- (3) Standard Test Method for Evaluating Aerial Response Robot Sensing: Visual Color Acuity
- (4) Standard Test Method for Evaluating Aerial Response Robot Sensing: Audio Speech Acuity
- (5) Standard Test Method for Evaluating Aerial Response Robot Sensing: Thermal Image Acuity

- (6) Standard Test Method for Evaluating Aerial Response Robot Sensing: Thermal Dynamic Range
- (7) Standard Test Method for Evaluating Aerial Response Robot Sensing: Latency of Video, Audio, and Control

D.1.4 Situational Awareness.

- (1) Standard Test Method for Evaluating Aerial Response Robot Situational Awareness: Identify Objects
- (2) Standard Test Method for Evaluating Aerial Response Robot Situational Awareness: Inspect Objects
- (3) Standard Test Method for Evaluating Aerial Response Robot Situational Awareness: Inspect Wires
- (4) Standard Test Method for Evaluating Aerial Response Robot Situational Awareness: Search Wide Areas
- (5) Standard Test Method for Evaluating Aerial Response Robot Situational Awareness: Map Wide Areas
- (6) Standard Test Method for Evaluating Aerial Response Robot Situational Awareness: Navigate and Map Hallway Labyrinths

D.1.5 Energy/Power.

- (1) Standard Test Method for Evaluating Aerial Response Robot Energy/Power: Endurance Range and Duration (with and without Payload)
- (2) Standard Test Method for Evaluating Aerial Response Robot Energy/Power: Dwell Time

D.1.6 Communications.

- (1) Standard Test Method for Evaluating Aerial Response Robot Radio Communication: Line-of-Sight Range
- (2) Standard Test Method for Evaluating Aerial Response Robot Radio Communication: Non-Line-of-Sight Range
- (3) Standard Test Method for Evaluating Aerial Response Robot Radio Communication: Attenuated Range
- (4) Standard Test Method for Evaluating Aerial Response Robot Radio Communication: Interference Range

D.1.7 Durability.

- (1) Standard Test Method for Evaluating Aerial Response Robot Durability: Rain Tolerance
- (2) Standard Practice for Evaluating Aerial Response Robot Durability: Washdown/Decontamination

D.1.8 Logistics.

- (1) Standard Practice for Evaluating Aerial Response Robot Logistics: Configuration Identification
- (2) Standard Practice for Evaluating Aerial Response Robot Logistics: Packaging for Urban Search and Rescue Task Force Equipment Caches

Annex E Informational References

E.1 Referenced Publications. The documents or portions thereof listed in this annex are referenced within the informational sections of this standard and are not part of the requirements of this document unless also listed in Chapter 2 for other reasons.

E.1.1 NFPA Publications. (Reserved)

E.1.2 Other Publications.

E.1.2.1 DOJ/NIJ Publications. U.S. Department of Justice, Office of Justice Programs, National Institute of Justice, 810 Seventh Street, NW, Washington, DC 20531.

NIJ, *Considerations and Recommendations for Implementing an Unmanned Aircraft Systems (UAS) Program*, 2016.

E.1.2.2 FAA Publications. Federal Aviation Administration, Office of Airport Safety and Standards (AAS), 800 Independence Avenue, SW, Washington, DC 20591.

Advisory Circular 107-2, “Small Unmanned Aircraft Systems,” 2016.

Title 14, Code of Federal Regulations, Part 107, “Small Unmanned Aircraft Systems,” 2016.

E.1.2.3 U.S. Government Publications. U.S. Government Publishing Office, 732 North Capitol Street, NW, Washington, DC 20401-0001.

Title 45, Code of Federal Regulations, “Health Insurance Portability and Accountability Act (HIPAA),” 2016.

E.2 Informational References. (Reserved)

E.3 References for Extracts in Informational Sections. (Reserved)

Index

Copyright © 2018 National Fire Protection Association. All Rights Reserved.

The copyright in this index is separate and distinct from the copyright in the document that it indexes. The licensing provisions set forth for the document are not applicable to this index. This index may not be reproduced in whole or in part by any means without the express written permission of NFPA.

- A-**
- Administration**, Chap. 1
 - Additional Administrative Information, 1.6
 - Application, 1.3
 - Enforcement, 1.5, A.1.5
 - Equivalency, 1.4
 - Purpose, 1.2
 - Scope, 1.1
- An Overview of JPRs for RPIC and Visual Observer**, Annex C
 - RPIC and Visual Observer, C.1
- Applicable Standard Test Methods**, Annex D
- Approved**
 - Definition, 3.2.1, A.3.2.1
- Authority Having Jurisdiction (AHJ)**
 - Definition, 3.2.2, A.3.2.2
- C-**
- Crew Readiness**
 - Definition, 3.3.1
- D-**
- Data Acquisition**
 - Definition, 3.3.2
- Definitions**, Chap. 3
- Designated Operations Area**
 - Definition, 3.3.3
- Digital Media Evidence (DME)**
 - Definition, 3.3.4
- E-**
- Explanation of Professional Qualification Standards and the Concepts of Job Performance Requirements (JPRs)**, Annex B
 - Bibliography, B.5
 - Explanation of the Professional Qualifications Standards and Concepts of Job Performance Requirements (JPRs), B.1
 - Other Uses for JPRs, B.4
 - Potential Uses for JPRs, B.3
 - Certification, B.3.1
 - Curriculum Development and Training Design and Evaluation, B.3.2
 - Example: Converting a Fire and Life Safety Educator II JPR into an Instructional Objective, B.3.2.2
 - Example: Converting a Fire Fighter I JPR into an Instructional Objective, B.3.2.1
 - The Parts of a JPR, B.2
 - Critical Components, B.2.1
 - Evaluation Parameters and Performance Outcomes, B.2.1.3
 - The Task to Be Performed, B.2.1.1
 - Tools, Equipment, or Materials That Must Be Provided for Successful Completion of the Task, B.2.1.2
 - Examples, B.2.3
 - Example: Fire and Life Safety Educator II, B.2.3.2
 - Requisite Knowledge, B.2.3.2(A)
 - Requisite Skills, B.2.3.2(B)
 - Example: Fire Fighter I, B.2.3.1
 - Requisite Knowledge, B.2.3.1(A)
 - Requisite Skills, B.2.3.1(B)
 - Requisite Knowledge and Skills, B.2.2
- Explanatory Material**, Annex A
- I-**
- Incident Command System (ICS)**
 - Definition, 3.3.5
- Incident Commander (IC)**
 - Definition, 3.3.6
- Informational References**, Annex E
- M-**
- Maintenance of sUAS**, Chap. 6
 - Administration, 6.1
 - Application, 6.1.3
 - Definitions, 6.1.4
 - Maintenance Program, 6.1.4.1
 - Purpose, 6.1.2
 - Scope, 6.1.1
 - General Requirements, 6.2
 - Discrepancy Reporting, 6.2.7
 - Recordkeeping, 6.2.11
- Maintenance Program**
 - Definition, 3.3.7
- O-**
- Organizational Deployment and Considerations for sUAS**, Chap. 4
 - Administration, 4.1
 - Application, 4.1.3
 - Definitions, 4.1.4
 - Designated Operations Area (DOA), 4.1.4.1
 - Digital Media Evidence (DME), 4.1.4.2, A.4.1.4.2
 - Incident Command System (ICS), 4.1.4.4
 - Incident Commander (IC), 4.1.4.3
 - Public Safety Entity, 4.1.4.5, A.4.1.4.5
 - Remote Pilot in Command (RPIC), 4.1.4.6
 - Risk Assessment, 4.1.4.7
 - Small Unmanned Aircraft, 4.1.4.8
 - Small Unmanned Aircraft Systems (sUAS), 4.1.4.9
 - sUAS Operations, 4.1.4.10
 - sUAS Program, 4.1.4.11

Sustainable Life Cycle, 4.1.4.12	RPIC, 5.2.2
Unmanned Aircraft, 4.1.4.13	RPIC, Visual Observers, and Other Supervisory Personnel, 5.2.1
Visual Observer, 4.1.4.14	Visual Observer, 5.2.3
Purpose, 4.1.2	RPIC, 5.3
Scope, 4.1.1	Flight, 5.3.2
Concepts of Operations (ConOps), 4.6	Post-Flight, 5.3.3
General Operations, 4.6.1	Pre-Flight, 5.3.1
Multiple Aircraft Operations, 4.6.2	Public Safety Entity
General Requirements, 4.2	Definition, 3.3.10
Operational Applications, 4.7	Public Safety Personnel
Emergency Medical Services (EMS) Operations, 4.7.4, A.4.7.4	Definition, 3.3.11
Fire Fighting, 4.7.1, A.4.7.1	
Hazardous Materials Response, 4.7.3, A.4.7.3	-R-
Law Enforcement Operations, 4.7.5, A.4.7.5	Referenced Publications , Chap. 2
Other Operational Applications, 4.7.6, A.4.7.6	Remote Pilot in Command (RPIC)
Search and Rescue, 4.7.2, A.4.7.2	Definition, 3.3.12
sUAS Mission Objectives and Goals — Operational Needs Assessment, 4.4	Resources
sUAS Program Criteria, 4.3	Definition, 3.3.13
sUAS Selection — Needs of the Public Safety Entity, 4.5	Risk Assessment
	Definition, 3.3.14
-P-	-S-
Payload Drop	Shall
Definition, 3.3.8	Definition, 3.2.3
Positive Aircraft Control	Should
Definition, 3.3.9	Definition, 3.2.4
Professional Qualifications for sUAS Public Safety Personnel , Chap. 5	Small Unmanned Aircraft
Administration, 5.1	Definition, 3.3.15
Application, 5.1.3	Small Unmanned Aircraft Systems (sUAS)
Priority, 5.1.3.2	Definition, 3.3.16
Definitions, 5.1.4	Standard
Crew Readiness, 5.1.4.1	Definition, 3.2.5
Data Acquisition, 5.1.4.2	sUAS Operations
Payload Drop, 5.1.4.3	Definition, 3.3.17
Positive Aircraft Control, 5.1.4.4	sUAS Program
Public Safety Personnel, 5.1.4.5	Definition, 3.3.18
Remote Pilot in Command (RPIC), 5.1.4.6, A.5.1.4.6	Sustainable Life Cycle
Resources, 5.1.4.7	Definition, 3.3.19
Risk Assessment, 5.1.4.8	
UAS Coordinator, 5.1.4.9, A.5.1.4.9	-U-
Visual Observer, 5.1.4.10	UAS Coordinator
Purpose, 5.1.2	Definition, 3.3.20
Scope, 5.1.1	Unmanned Aircraft
Flight, 5.4	Definition, 3.3.21
Flight, 5.4.2	
Pre-Flight, 5.4.1	-V-
General Requirements, 5.2	Visual Observer
	Definition, 3.3.22

Sequence of Events for the Standards Development Process

Once the current edition is published, a Standard is opened for Public Input.

Step 1 – Input Stage

- Input accepted from the public or other committees for consideration to develop the First Draft
- Technical Committee holds First Draft Meeting to revise Standard (23 weeks); Technical Committee(s) with Correlating Committee (10 weeks)
- Technical Committee ballots on First Draft (12 weeks); Technical Committee(s) with Correlating Committee (11 weeks)
- Correlating Committee First Draft Meeting (9 weeks)
- Correlating Committee ballots on First Draft (5 weeks)
- First Draft Report posted on the document information page

Step 2 – Comment Stage

- Public Comments accepted on First Draft (10 weeks) following posting of First Draft Report
- If Standard does not receive Public Comments and the Technical Committee chooses not to hold a Second Draft meeting, the Standard becomes a Consent Standard and is sent directly to the Standards Council for issuance (see Step 4) or
- Technical Committee holds Second Draft Meeting (21 weeks); Technical Committee(s) with Correlating Committee (7 weeks)
- Technical Committee ballots on Second Draft (11 weeks); Technical Committee(s) with Correlating Committee (10 weeks)
- Correlating Committee Second Draft Meeting (9 weeks)
- Correlating Committee ballots on Second Draft (8 weeks)
- Second Draft Report posted on the document information page

Step 3 – NFPA Technical Meeting

- Notice of Intent to Make a Motion (NITMAM) accepted (5 weeks) following the posting of Second Draft Report
- NITMAMs are reviewed and valid motions are certified by the Motions Committee for presentation at the NFPA Technical Meeting
- NFPA membership meets each June at the NFPA Technical Meeting to act on Standards with “Certified Amending Motions” (certified NITMAMs)
- Committee(s) vote on any successful amendments to the Technical Committee Reports made by the NFPA membership at the NFPA Technical Meeting

Step 4 – Council Appeals and Issuance of Standard

- Notification of intent to file an appeal to the Standards Council on Technical Meeting action must be filed within 20 days of the NFPA Technical Meeting
- Standards Council decides, based on all evidence, whether to issue the standard or to take other action

Notes:

1. Time periods are approximate; refer to published schedules for actual dates.
2. Annual revision cycle documents with certified amending motions take approximately 101 weeks to complete.
3. Fall revision cycle documents receiving certified amending motions take approximately 141 weeks to complete.

Committee Membership Classifications^{1,2,3,4}

The following classifications apply to Committee members and represent their principal interest in the activity of the Committee.

1. M *Manufacturer*: A representative of a maker or marketer of a product, assembly, or system, or portion thereof, that is affected by the standard.
2. U *User*: A representative of an entity that is subject to the provisions of the standard or that voluntarily uses the standard.
3. IM *Installer/Maintainer*: A representative of an entity that is in the business of installing or maintaining a product, assembly, or system affected by the standard.
4. L *Labor*: A labor representative or employee concerned with safety in the workplace.
5. RT *Applied Research/Testing Laboratory*: A representative of an independent testing laboratory or independent applied research organization that promulgates and/or enforces standards.
6. E *Enforcing Authority*: A representative of an agency or an organization that promulgates and/or enforces standards.
7. I *Insurance*: A representative of an insurance company, broker, agent, bureau, or inspection agency.
8. C *Consumer*: A person who is or represents the ultimate purchaser of a product, system, or service affected by the standard, but who is not included in (2).
9. SE *Special Expert*: A person not representing (1) through (8) and who has special expertise in the scope of the standard or portion thereof.

NOTE 1: “Standard” connotes code, standard, recommended practice, or guide.

NOTE 2: A representative includes an employee.

NOTE 3: While these classifications will be used by the Standards Council to achieve a balance for Technical Committees, the Standards Council may determine that new classifications of member or unique interests need representation in order to foster the best possible Committee deliberations on any project. In this connection, the Standards Council may make such appointments as it deems appropriate in the public interest, such as the classification of “Utilities” in the National Electrical Code Committee.

NOTE 4: Representatives of subsidiaries of any group are generally considered to have the same classification as the parent organization.

Submitting Public Input / Public Comment Through the Online Submission System

Soon after the current edition is published, a Standard is open for Public Input.

Before accessing the Online Submission System, you must first sign in at www.nfpa.org. *Note: You will be asked to sign-in or create a free online account with NFPA before using this system:*

- a. Click on Sign In at the upper right side of the page.
- b. Under the Codes and Standards heading, click on the “List of NFPA Codes & Standards,” and then select your document from the list or use one of the search features.

OR

- a. Go directly to your specific document information page by typing the convenient shortcut link of www.nfpa.org/document# (Example: NFPA 921 would be www.nfpa.org/921). Sign in at the upper right side of the page.

To begin your Public Input, select the link “The next edition of this standard is now open for Public Input” located on the About tab, Current & Prior Editions tab, and the Next Edition tab. Alternatively, the Next Edition tab includes a link to Submit Public Input online.

At this point, the NFPA Standards Development Site will open showing details for the document you have selected. This “Document Home” page site includes an explanatory introduction, information on the current document phase and closing date, a left-hand navigation panel that includes useful links, a document Table of Contents, and icons at the top you can click for Help when using the site. The Help icons and navigation panel will be visible except when you are actually in the process of creating a Public Input.

Once the First Draft Report becomes available there is a Public Comment period during which anyone may submit a Public Comment on the First Draft. Any objections or further related changes to the content of the First Draft must be submitted at the Comment stage.

To submit a Public Comment you may access the online submission system utilizing the same steps as previously explained for the submission of Public Input.

For further information on submitting public input and public comments, go to: <http://www.nfpa.org/publicinput>.

Other Resources Available on the Document Information Pages

About tab: View general document and subject-related information.

Current & Prior Editions tab: Research current and previous edition information on a Standard.

Next Edition tab: Follow the committee’s progress in the processing of a Standard in its next revision cycle.

Technical Committee tab: View current committee member rosters or apply to a committee.

Technical Questions tab: For members and Public Sector Officials/AHJs to submit questions about codes and standards to NFPA staff. Our Technical Questions Service provides a convenient way to receive timely and consistent technical assistance when you need to know more about NFPA codes and standards relevant to your work. Responses are provided by NFPA staff on an informal basis.

Products & Training tab: List of NFPA’s publications and training available for purchase.

Information on the NFPA Standards Development Process

I. Applicable Regulations. The primary rules governing the processing of NFPA standards (codes, standards, recommended practices, and guides) are the NFPA *Regulations Governing the Development of NFPA Standards (Regs)*. Other applicable rules include NFPA *Bylaws*, NFPA *Technical Meeting Convention Rules*, NFPA *Guide for the Conduct of Participants in the NFPA Standards Development Process*, and the NFPA *Regulations Governing Petitions to the Board of Directors from Decisions of the Standards Council*. Most of these rules and regulations are contained in the *NFPA Standards Directory*. For copies of the *Directory*, contact Codes and Standards Administration at NFPA Headquarters; all these documents are also available on the NFPA website at “www.nfpa.org.”

The following is general information on the NFPA process. All participants, however, should refer to the actual rules and regulations for a full understanding of this process and for the criteria that govern participation.

II. Technical Committee Report. The Technical Committee Report is defined as “the Report of the responsible Committee(s), in accordance with the Regulations, in preparation of a new or revised NFPA Standard.” The Technical Committee Report is in two parts and consists of the First Draft Report and the Second Draft Report. (See *Regs* at Section 1.4.)

III. Step 1: First Draft Report. The First Draft Report is defined as “Part one of the Technical Committee Report, which documents the Input Stage.” The First Draft Report consists of the First Draft, Public Input, Committee Input, Committee and Correlating Committee Statements, Correlating Notes, and Ballot Statements. (See *Regs* at 4.2.5.2 and Section 4.3.) Any objection to an action in the First Draft Report must be raised through the filing of an appropriate comment for consideration in the Second Draft Report or the objection will be considered resolved. [See *Regs* at 4.3.1(b).]

IV. Step 2: Second Draft Report. The Second Draft Report is defined as “Part two of the Technical Committee Report, which documents the Comment Stage.” The Second Draft Report consists of the Second Draft, Public Comments with corresponding Committee Actions and Committee Statements, Correlating Notes and their respective Committee Statements, Committee Comments, Correlating Revisions, and Ballot Statements. (See *Regs* at 4.2.5.2 and Section 4.4.) The First Draft Report and the Second Draft Report together constitute the Technical Committee Report. Any outstanding objection following the Second Draft Report must be raised through an appropriate Amending Motion at the NFPA Technical Meeting or the objection will be considered resolved. [See *Regs* at 4.4.1(b).]

V. Step 3a: Action at NFPA Technical Meeting. Following the publication of the Second Draft Report, there is a period during which those wishing to make proper Amending Motions on the Technical Committee Reports must signal their intention by submitting a Notice of Intent to Make a Motion (NITMAM). (See *Regs* at 4.5.2.) Standards that receive notice of proper Amending Motions (Certified Amending Motions) will be presented for action at the annual June NFPA Technical Meeting. At the meeting, the NFPA membership can consider and act on these Certified Amending Motions as well as Follow-up Amending Motions, that is, motions that become necessary as a result of a previous successful Amending Motion. (See 4.5.3.2 through 4.5.3.6 and Table 1, Columns 1-3 of *Regs* for a summary of the available Amending Motions and who may make them.) Any outstanding objection following action at an NFPA Technical Meeting (and any further Technical Committee consideration following successful Amending Motions, see *Regs* at 4.5.3.7 through 4.6.5.3) must be raised through an appeal to the Standards Council or it will be considered to be resolved.

VI. Step 3b: Documents Forwarded Directly to the Council. Where no NITMAM is received and certified in accordance with the Technical Meeting Convention Rules, the standard is forwarded directly to the Standards Council for action on issuance. Objections are deemed to be resolved for these documents. (See *Regs* at 4.5.2.5.)

VII. Step 4a: Council Appeals. Anyone can appeal to the Standards Council concerning procedural or substantive matters related to the development, content, or issuance of any document of the NFPA or on matters within the purview of the authority of the Council, as established by the Bylaws and as determined by the Board of Directors. Such appeals must be in written form and filed with the Secretary of the Standards Council (see *Regs* at Section 1.6). Time constraints for filing an appeal must be in accordance with 1.6.2 of the *Regs*. Objections are deemed to be resolved if not pursued at this level.

VIII. Step 4b: Document Issuance. The Standards Council is the issuer of all documents (see Article 8 of *Bylaws*). The Council acts on the issuance of a document presented for action at an NFPA Technical Meeting within 75 days from the date of the recommendation from the NFPA Technical Meeting, unless this period is extended by the Council (see *Regs* at 4.7.2). For documents forwarded directly to the Standards Council, the Council acts on the issuance of the document at its next scheduled meeting, or at such other meeting as the Council may determine (see *Regs* at 4.5.2.5 and 4.7.4).

IX. Petitions to the Board of Directors. The Standards Council has been delegated the responsibility for the administration of the codes and standards development process and the issuance of documents. However, where extraordinary circumstances requiring the intervention of the Board of Directors exist, the Board of Directors may take any action necessary to fulfill its obligations to preserve the integrity of the codes and standards development process and to protect the interests of the NFPA. The rules for petitioning the Board of Directors can be found in the *Regulations Governing Petitions to the Board of Directors from Decisions of the Standards Council* and in Section 1.7 of the *Regs*.

X. For More Information. The program for the NFPA Technical Meeting (as well as the NFPA website as information becomes available) should be consulted for the date on which each report scheduled for consideration at the meeting will be presented. To view the First Draft Report and Second Draft Report as well as information on NFPA rules and for up-to-date information on schedules and deadlines for processing NFPA documents, check the NFPA website (www.nfpa.org/docinfo) or contact NFPA Codes & Standards Administration at (617) 984-7246.



XchangeTM

The place to connect online with your fire, electrical, and life safety peers

Have a question about the code or standard you're reading now?

NFPA XchangeTM can help!

NFPA XchangeTM brings together over 30,000 professionals worldwide, asking and answering each other's questions, sharing ideas, and discussing the issues impacting your industry today.

NFPA XchangeTM is free to join and offers:

- ➔ A robust collection of previously asked and answered questions to search
- ➔ Access to thousands of peers for problem-solving and on-the-job advice
- ➔ NFPA blogs, white papers, and webinars in one convenient place

NFPA members also enjoy **XchangeTM Members Only**, the online space for technical questions* answered by NFPA staff, exclusive NFPA live events, and premier access to curated content.

Join NFPA XchangeTM TODAY!

www.nfpa.org/xchange

Xchange Today. Safer Tomorrow.

*For the full terms of use, please visit nfpa.org/standard_items/terms-of-use#xchange. NFPA® is a registered trademark of the National Fire Protection Association, Quincy, MA 02169.